Form 3160-5 (June 1990)	UNITED S DEPARTMENT OF BUREAU OF LAND	THE INTERIOR	FORM APPROVED Budget Bureau No. 1004-0135 Expires: March 31, 1993 5. Lease Designation and Serial No.
Do not use th	NM-40659 6. If Indian, Allottee or Tribe Name		
	SUBMIT IN TI	RIPLICATE	7. If Unit or CA, Agreement Designation
Type of Well Oil Well Well Oil Name of Operator	Gas Dther C	ONFIDENTIAL	8. Weli Name and No.
	cing Company	RECEIVED	Pure Gold "D" No. 18 9. APL Well No.
P. O. BOX 4. Location of Weil (F	10340, Midland, TX 79702- ourage. Sec., T., R., M., or Survey Description,	SEP 22.'94	30-015-27999 10. Field and Pool, or Exploratory Area Sand Dunes Delaware, W.
	& 330' FEL, Section 28, 1	ARTESIA, OFFICE	11. County or Parish. State Eddy County, NM
	APPROPRIATE BOX(s) TO I	INDICATE NATURE OF NOTICE, REPO	RT, OR OTHER DATA
	OF SUBMISSION	TYPE OF ACTION	
Subs	equent Report Abandonment Notice	Abardonment Recompletion Plugging Back Casing Repair Altering Casing Other <u>Spud & Set Surface Csc</u>	(Note: Report results of multiple seconds and it
 Describe Proposed or give subsurface [Completed Operations (Clearly state all pertinent d ocations and measured and true vertical depths fo	etails, and give pertinent dates, including estimated date of starting or all markers and zones pertinent to this work.)*	Completion of Recompletion Report and Log form- any proposed work. If well is directionally drilled.
17-1/. jts 1 BJ cen sx Cl 8/25/2	2" hole to 552'. TD 3-3/8", 54.5#, J-55, nented w/ 525 sx BJ L ass "C" + 2% CaCl ₂	x excess cement. WOC 24 hr	24/94. Ran 12 IFV @ 505'. ollowed by 200 0200 hrs CDT

OIST

14. I hereby certify that the foregoing is true and correct Signed		_{Date} Sept. 21, 1994
Approved by Conditions of approval, if any:	Tide	Date
Title 18 U.S.C. Section 1001, makes it a crime for any person knowing or representations as to any matter within its jurisdiction.	ly and willfully to make to any department or agency of the United States	any false, fictitious or fraudulent statements

off. Weld on casinghead. NU BOP's and test to 500 psi.