SUBMIT IN DUPL'

FOR APPROVED OMB NO. 1004-0137 Expires: December 31, 1991

clsi

)R	structions on	-
• •	structions on reverse side)	3. 1.82

der In-

(Se

	OLI		U OF LAN				ε: * !		rse sid	5. LEASE DE NM-81622	ESIGNAT	TION AND BERIAL NO.
WELL CO				MPLET	ION	REPORT	AN	ID LO	G*	6. IF INDIA	N. ALLO	TTEE OR TRIBE NAME
b. TYPE OF COM	IPLETION:	WELL G				18443 J	() 	1 711 19	5	7. UNIT ACE	EEMEN	I NAMB
WELL XX	OVER	EN [BACK [DIF	VR.	Other				8. FARM C	RLEA	SE NAME, WELL NO.
2. NAME OF OPERA						Añ.			,:			FEDERAL #3
MARALO, INC.										9. API WELI		
3. ADDRESS AND	TELEPHO	NE NO.				 .		·		30-015-20	3671	
P. O. BOX 83					5) 684					10. FIELD A	ND POO	L, OR WILDCAT
4. LOCATION OF WE	LL (Report	location cl	carly and in a	ccordance	with an	y State requ	iremen	te)*		l		JSHY CANYON
At surface 1855' FNL & At top prod. int	terval repor	ted below								l	R., M.,	OR BLOCK AND BURYEY
1855' FNL & At total depth	520' FEL									SEC. 30,	T235	D3UE
1855' FNL &	520' FEL			14. PE	RMIT NO.		DATE	ISSUED		12. COUNTY		1 13. STATE
						1				EDDY	-	NM
5. DATE SPUDDED	16. DATE	T.D. REACH	ED 17. DATE	COMPL.	Ready to	o prod.) 10	4	VATIONS 45		B, RT, GE, ETC.)*	1 19 1	LEV. CASINGHEAD
10/02/95	111	/17/95	i	/01/95	•		116'	TALLONS (D	r, RK	5, RI, GE, ETC.)*		CRUINGBEAD
O. TOTAL DEPTH, MD	1		K T.D., MD & 1		IF MUL	TIPLE COMPL		23. INT	ERVAL	B ROTARY TOO	1 9	CABLE TOOLS
7400'					HOW M	ANT*		DRIL		CEIWE		CABLE TOOLS
4. PRODUCING INTER			'LETION—TOP,	BOTTOM.	NAME (A	AB AND STVD)	,	កា	- C		153	. WAS DIRECTIONAL SURVEY MADE
7119 - 7181'	RKO2H1 (ANTUN		7	į.	J. Ja	ra			_	_	YES
						JAK.			fil	FC 1 8 1995	5	
S. TYPE ELECTRIC A					200000						27. W	AS WELL CORED
AIT, DENSITY-	-NEUTRON,	GR-NEUT	RON		<u>.</u>	And the second		_			MIN	? NO
9.	,					off all etring	s set i	n wei(0)		CON.]) () 	u
CASING SIZE/GRADE	WEIGHT	, LB./FT.	DEPTH SET	(MD) ;	HO	LE SIZE		TOP OF CE	MENT.	CEMENTING RECOR	p	AMOUNT PULLED
13-3/8"	54	#	664'		17	'-1/2 "	200	THIXSE	T, N	/6/3 EL. C	, -	DID NOT CIRC.
					l		PUN	PED 120	SXS	CL. "C". CM	T CIR	C TO SURF.
8-5/8"	32	#	3400'		12	-1/4"	102	5 HALCO	LT	+ 250 PREM.	- CIR	TO SURF.
5-1/2	15	.5#	7400'		7	-7/8"	75	O SXS 5	0/50	POZ - TOC @	5250	<u> </u>
9.		LINE	R RECORD					30.		TUBING REC	ORD	
SIZE	TOP (MD)	вот	TOM (MD)	SACKS CE	MENT*	SCREEN (M	10)	SIZE	- 1	DEPTH SET (1	(D)	PACKER SET (MD)
						<u>`</u> _	·	2-7/8		7052'		7052'
					 -			2-1/0				/032
I. PERFORATION REC	ORD (Interv	al, size an	d number)			82.	A C	TO SHOT	ED A	CTUDE CEMEN	T. COTT	DESCRIPTION OF THE PROPERTY OF
1 SPF @ 7119				7131.7	133.					CTURE, CEMEN		
			12, 7144,			DEPTH IN			I	AMOUNT AND KIN		
			51, 7167,	_	-	7119 - 7						MUD CLEAN OUT AC
	. (TOTAL		-			7119 - 7	/181 .					85# X-LNKD GEL +
7 202	- (11061							3000	00# 16/30 OTT	AWA S	AND + 91500# 16/3
2 6						<u> </u>			RES!	IN-COATED SAN	ID.	
3.° ATB FIRST PRODUCTI	'OF '		·			OUCTION						
11/01/95		PRODUCTION	FLOWING FLOWING		ie lift, pu	ımping—size	and t	ype of pun	rp)	WELL	STATUE	B (Producing or RODUCING
ATE OF TEST	HOURS TE	STED	HOKE SIZE	PROD'N		OIL-BBL.		GAS-MC	F.	WATER-BBI		GAS-OIL BATIO
11/06/95	24		22/64	TEST I		250		248	3	155		992
OW. TUBING PRESS.	CASING PR		ALCULATED	O11B	BI.	GA8-	MCF.	<u>-</u>	WATE	RHBL.	OIL GI	RAVITY-API (CORR.)
250 PSI	-	'	24-HOUR RATE			1		1			 	42.3
DISPOSITION OF GA	s (Sold, us	ed for fuel,	vented, etc.)	<u>'</u>	·····			1		TEST WITNE	SSED R'	
SOLD										PHILLIP		
LIST OF ATTACHY		DEWISTS	M CHEST			/ a						
TEMPERATURE										_		
3. I hereby certify	that the for	regoing and	attached inf	ormation	is compl	lete and corr	ect as	determine	ed fro	m all available i	ecords.	***************************************
avon-	posts	la -	Za			DECIN AT	י עמח	ANAI VCT				/12 /05
SIGNED	were the		- Jan	TIT	LE	VI GOLY I	UNI /	ANALYST		DATI	s <u>11/</u>	/13/95

					- 4						•							FORMATION	drill-stem, tests, increcoveries):
								7271	6956	5900	5100	4250	3400	2887	711	-0-		TOP	cluding depth int
								7400	7271	6056	5900	5100	4250	3400	2880	711		BOTTOM	erval tested, cu
					tarpara			LIME, SHALE & SAND	SHALE	LIME CAND & CHAIF	LIME, SHALE & SAND	SAND	Qο	ANHY	SALT & ANHY	ANHY		DESCRIPTION, CONTENTS, ETC.	drill-stem, tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries):
											RONE SPRING	DANCANT IN	BELL CANTON	LAWAK			NAME		38. GEO
							 				7196	5002	3404	3450	2	M. C.	WEAS DEDTH	1	GEOLOGIC MARKERS
<u> </u>	 ,	 				 		 -			(-4071')	(-2777')	(-1313')	(330')		VERT. DEPTH	TRUE	TOP	