


FW01W082

FILE COPY

BJ SERVICES COMPANY
WATER ANALYSIS #FW01W082
ARTESIA LAB

GENERAL INFORMATION			
OPERATOR:	MYCO INDUSTRIES	DEPTH:	
WELL:	WEST LOVING UNIT #1	DATE SAMPLED:	06/26/96
FIELD:		DATE RECEIVED:	06/26/96
SUBMITTED BY:	NELSON MUNCY	COUNTY:	EDDY
WORKED BY:	CRAIG BAILEY	STATE:	NM
PHONE NUMBER:		FORMATION:	

SAMPLE DESCRIPTION	
PHYSICAL AND CHEMICAL DETERMINATIONS	
SPECIFIC GRAVITY:	1.110 @ 88°F PH: 6.35
RESISTIVITY (CALCULATED):	0.025 ohms @ 75°F
IRON (FE++) :	3 ppm
CALCIUM:	10,822 ppm
MAGNESIUM:	1,751 ppm
CHLORIDE:	99,077 ppm
SODIUM+POTASS:	65,824 ppm
IODINE:	
SULFATE:	360 ppm
TOTAL HARDNESS	34,255 ppm
BICARBONATE:	165 ppm
SODIUM CHLORIDE (Calc)	162,981 ppm
TOT. DISSOLVED SOLIDS:	199,680 ppm
POTASSIUM CHLORIDE:	400 mg/l
REMARKS	



ANALYST

Craig Bailey
CRAIG BAILEY