

1	17:22:56	3334	3039.54	0.97	196.89	53
1	17:27:56	4.6667	3040.38	0.84	196.89	54
1	17:32:56	4.500000	3041.24	0.85	196.88	55
1	17:37:56	4.583334	3042.16	0.92	196.89	56
1	17:42:56	4.666667	3042.97	0.81	196.89	57
1	17:47:56	4.750000	3043.81	0.84	196.88	58
1	17:52:56	4.833334	3044.70	0.89	196.90	59
1	17:57:56	4.916667	3045.52	0.82	196.90	60
1	18:02:56	5.000000	3046.34	0.82	196.91	61
1	18:07:56	5.083334	3047.14	0.79	196.90	62
1	18:12:56	5.166667	3047.98	0.84	196.91	63
1	18:17:56	5.250000	3048.73	0.76	196.91	64
1	18:22:56	5.333334	3049.56	0.82	196.91	65
1	18:27:56	5.416667	3050.35	0.79	196.91	66
1	18:32:56	5.500000	3051.17	0.82	196.92	67
1	18:37:56	5.583334	3051.92	0.75	196.92	68
1	18:42:56	5.666667	3052.75	0.82	196.93	69
1	18:47:56	5.750000	3053.43	0.68	196.91	70
1	18:52:56	5.833334	3054.21	0.78	196.91	71
1	18:57:56	5.916667	3054.96	0.75	196.93	72
1	19:02:56	6.000000	3055.81	0.85	196.93	73
1	19:07:56	6.083334	3056.44	0.63	196.92	74
1	19:12:56	6.166667	3057.21	0.77	196.94	75
1	19:17:56	6.250000	3057.97	0.76	196.94	76
1	19:22:56	6.333334	3058.66	0.69	196.92	77
1	19:27:56	6.416667	3059.39	0.73	196.93	78
1	19:32:56	6.500000	3060.08	0.70	196.93	79
1	19:37:56	6.583334	3060.77	0.69	196.93	80
1	19:42:56	6.666667	3061.44	0.67	196.93	81
1	19:47:56	6.750000	3062.19	0.75	196.93	82
1	19:52:56	6.833334	3062.86	0.66	196.93	83
1	19:57:56	6.916667	3063.55	0.69	196.94	84
1	20:02:56	7.000000	3064.29	0.74	196.94	85
1	20:07:56	7.083334	3065.09	0.80	196.96	86
1	20:12:56	7.166667	3065.71	0.62	196.96	87
1	20:17:56	7.250000	3066.31	0.59	196.95	88
1	20:22:56	7.333334	3066.98	0.67	196.96	89
1	20:27:56	7.416667	3067.68	0.71	196.96	90
1	20:32:56	7.500000	3068.31	0.62	196.96	91
1	20:37:56	7.583334	3069.03	0.72	196.97	92
1	20:42:56	7.666667	3069.64	0.62	196.97	93
1	20:47:56	7.750000	3070.35	0.70	196.98	94
1	20:52:56	7.833334	3070.94	0.59	196.96	95
1	20:57:56	7.916667	3071.57	0.63	196.97	96
1	21:02:56	8.000000	3072.20	0.62	196.97	97
1	21:17:56	8.250000	3074.10	1.90	196.98	98
1	21:32:56	8.500000	3075.81	1.72	196.97	99
1	21:47:56	8.750000	3077.74	1.93	196.99	100
1	22:02:56	9.000000	3079.49	1.75	196.98	101
1	22:17:56	9.250000	3081.30	1.80	197.00	102
1	22:32:56	9.500000	3082.95	1.65	196.99	103
1	22:47:56	9.750000	3084.75	1.80	197.00	104
1	23:02:56	10.000000	3086.45	1.70	197.00	105
1	23:17:56	10.250000	3088.13	1.68	197.00	106
1	23:32:56	10.500000	3089.77	1.65	197.02	107
1	23:47:56	10.750000	3091.49	1.72	197.02	108
1	00:02:56	11.000000	3092.99	1.50	197.02	109
1	00:17:56	11.250000	3094.58	1.58	197.03	110
1	00:32:56	11.500000	3096.14	1.56	197.02	111
1	00:47:56	11.750000	3097.71	1.58	197.03	112
1	01:02:56	12.000000	3099.21	1.50	197.03	113
1	01:17:56	12.250000	3100.75	1.54	197.04	114
1	01:32:56	12.500000	3102.22	1.46	197.05	115
1	01:47:56	12.750000	3103.64	1.42	197.04	116

PRO WELL TESTING & WIRELINE
HOBBS, NEW MEXICO