

ID

CP

---



# NEW MEXICO ENERGY, MINERALS and NATURAL RESOURCES DEPARTMENT

**GARY E. JOHNSON**  
Governor  
**Jennifer A. Salisbury**  
Cabinet Secretary

**Lori Wrotenbery**  
Director  
**Oil Conservation Division**

*L. E. Cope*

1/10/02

E.G.L. Resources, Inc.  
214 W. Texas # 900  
Midland, Texas 79701

Form C-103 Report of Plugging for your Baldridge Canyon # 2 L-13-24-24 API 30-015-30654  
Cannot be approved until an NMOCD representative has made an inspection of the location and found it to  
be cleared to comply with OCD rules and regulations. Please check each item in the space provided to  
indicate that the work has been accomplished and the location is ready for final inspection.

- ☐ 1. All pits have been filled and leveled.
- ☐ 2. Rat hole and cellar have been filled and leveled.
- ☐ 3. A steel marker 4" in diameter and approximately 4' above mean ground level has been set in  
concrete to mark the exact location of the plugged well. (Marker must have operator name, lease name,  
well number and location including quarter/quarter section or unit letter, section, township, range and API  
well ID number permanently welded, stamped or otherwise engraved into the metal marker.)
- ☐ 4. The location has been leveled as nearly as possible to original top ground contour and has been  
cleared of all junk and equipment.
- ☐ 5. The dead men and tie downs have been cut and removed.
- ☐ 6. If a one well lease or last remaining well on lease, the battery and burn pit locations have been  
leveled and cleared of all junk & equipment.
- ☐ 7. All environmental concerns have been addressed as per OCD guidelines.

The above are minimum requirements and no plugging bond will be cancelled until all locations for  
plugged and abandoned wells have been inspected and Form C-103 approved.

When all of the work outlined above has been done, please notify this office by completing, signing and  
returning this letter to us so that our representative will not have to make more than one trip to the location.

I certify that the above work has been done and the above-mentioned lease is ready for OCD inspection and  
approval.

\_\_\_\_\_  
Name

\_\_\_\_\_  
Van Barton  
Field Rep. II

\_\_\_\_\_  
Title

DISTRICT I  
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II  
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III  
1000 Rio Brazos Rd., Aztec, NM 87410

## OIL CONSERVATION DIVISION

2040 Pacheco St.  
Santa Fe, NM 87505

WELL API NO. 30-015-30654
Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
State Oil & Gas Lease No. L-4500
Lease Name or Unit Agreement Name Baldrige Canyon
Well No. #2
Pool name or Wildcat Baldrige Canyon Morrow

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
Type of Well: OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER P & A	
Name of Operator E.G.L. Resources, Inc. /	
Address of Operator 214 W. Texas #900, Midland, Tx. 79701	
Well Location Unit Letter L : 2175 Feet From The South Line and 660 Feet From The West Line Section 13 Township 24S Range 24E NMPM Eddy County	
Elevation (Show whether DF, RKB, RT, GR, etc.) 4461' GL	

11

Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

### NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐  
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐  
PULL OR ALTER CASING ☐  
OTHER: ☐

### SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐  
COMMENCE DRILLING OPNS. ☐ PLUG AND ANBANDONMENT ☒  
CASING TEST AND CEMENT JOB ☐  
OTHER: ☐

Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

9/2/99...TDe'd 7 7/8" Hole @ 11253'.  
9/4/99...P & A well as follows: 1st plug... 10420'...50 sks 'H' neat. Tagged.  
2nd plug... 8408'...35 sks 'H' neat.  
3rd plug... 6300'...35 sks 'H' neat.  
4th plug... 4300'...35 sks 'H' neat.  
5th plug... 2650'...35 sks 'C' w/ 4% CaCl2. Tagged.  
6th plug... 400'...35 sks 'C' w/ 3% CaCl2. Tagged.  
7th plug... Surface plug...10 sks 'C'.

Installed DH Marker. P & A'd well @ 6:00 pm 9/4/99.



I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE John Starck TITLE Engineer DATE 12/13/01  
TYPE OR PRINT NAME JOHN STARCK TELEPHONE NO. 915-687-6560

(This space for State Use)

APPROVED BY \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_  
CONDITIONS OF APPROVAL, IF ANY: