

Submit To Appropriate District Office

State Lease - 6 copies

Fee Lease - 5 copies

District I

1625 N. French Dr., Hobbs, NM 87240

District II

811 South First, Artesia, NM 87210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

2040 South Pacheco, Santa Fe, NM 87505

State of New Mexico  
Energy, Minerals and Natural Resources

## OIL CONSERVATION DIVISION

RECEIVED 2040 South Pacheco

OCD - ARTESIA Santa Fe, NM 87505

Form C-105

Revised March 25, 1999

WELL API NO.

30-015-31708

5. Indicate Type of Lease

STATE ☒ FEE ☐

State Oil &amp; Gas Lease No. V-4655

## WELL COMPLETION OR RECOMPLETION REPORT AND LOG

1a. Type of Well:

OIL WELL ☐ GAS WELL ☒ OTHER ☐

b. Type of Completion

NEW ☒ WORK ☐ PLUG ☐ DIFF. ☐  
WELL OVER ☐ DEEPEN ☐ BACK ☐ RESVR. ☐ OTHER ☐

2. Name of Operator

Read &amp; Stevens, Inc.

7. Lease Name or Unit Agreement Name

Bandit State

8. Well No.

3

9. Pool name or Wildcat

South Carlsbad Morrow

3. Address of Operator

P. O. Box 1518 Roswell, NM 88202-1518

4. Well Location

Unit Letter D 660 Feet From The North Line and 660 Feet From The West LineSection 10 Township 23S Range 26E NMPM Eddy County

10. Date Spudded

7-26-01

11. Date T.D. Reached

9-13-01

12. Date Compl. (Ready to Prod.)

10-16-01

13. Elevations (DF &amp; RKB, RT, GR, etc.)

3,313' GR

14. Elev. Casinghead

15. Total Depth

12,000'

16. Plug Back T.D.

11,973'

17. If Multiple Compl. How Many Zones?

18. Intervals Drilled By

All

Rotary Tools

Cable Tools

19. Producing Interval(s), of this completion - Top, Bottom, Name

11,678'-98' (Morrow)

20. Was Directional Survey Made

No

21. Type Electric and Other Logs Run

GR/CBL/VDL/CCL

CNL/LDT

DLL

22. Was Well Cored

No

## 23. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT LB/FT	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
13 3/8"	48#	648'	17 1/2"	340 sx	Circ to surface
9 5/8"	36#	2,435'	12 1/4"	800 sx	Circ to surface
7"	23#	9,960'	8 3/4"	1st stage 485 sx	
				2nd stage 490 sx	

## 24. LINER RECORD

SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN
4 1/2"	9,600'	12,000'	160 sx	

## 25. TUBING RECORD

SIZE	DEPTH SET	PACKER SET
2 7/8"	11,601'	11,601'

26. Perforation record (interval, size, and number)

11,946' - 11,952' CIBF @ 11,926'

11,678' - 11,698

27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.

DEPTH INTERVAL AMOUNT AND KIND MATERIAL USED

11,946'-11,952' 500 gal 7 1/2% NEFe

11,678'-11,698' 1000 gal 7 1/2% NEFe HCl containing 10%

methanol w/1000 SCF/bbl nitrogen.

70 quality binary carrying 26,600# 20/40

Interprop proppant.

## 28. PRODUCTION

Date First Production	Production Method (Flowing, gas lift, pumping - Size and type pump)	Well Status (Prod. or Shut-in)
10-16-01	Flowing	Producing

Date of Test	Hours Tested	Choke Size	Prod'n For Test Period	Oil - Bbl	Gas - MCF	Water - Bbl	Gas - Oil Ratio
10-18-01	12	24/64"		0	904	0	
Flow Tubing Press	Casing Pressure	Calculated 24-Hour Rate	Oil - Bbl	Gas - MCF	Water - Bbl	Oil Gravity - API - (Corr.)	
950	0		0	1808	0	-	

29. Disposition of Gas (Sold, used for fuel, vented, etc.)

Sold

Test Witnessed By

Will Palmer

30. List Attachments

Deviation survey, Form C-122, logs previously sent.

31. I hereby certify that the information shown on both sides of this form as true and complete to the best of my knowledge and belief

Signature 

Printed Name

John C. Maxey, Jr. Title Operations Manager

Date 10-22-01

# INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

## Southeastern New Mexico

T. Anhy	T. Canyon
T. Salt 1,690	T. Strawn
B. Salt	T. Atoka
T. Yates	T. Miss
T. 7 Rivers	T. Devonian
T. Queen	T. Silurian
T. Grayburg	T. Montoya
T. San Andres	T. Simpson
T. Glorieta	T. McKee
T. Paddock	T. Ellenburger
T. Blinebry	T. Gr. Wash
T. Tubb	T. Delaware Sand 1,820
T. Drinkard	T. Bone Springs 5,230
T. Abo	T. Wolfcamp 8,644
T. Wolfcamp	T. Strawn 10,330
T. Penn	T. Atoka 10,660
T. Cisco (Bough C)	T. Morrow 11,396

## Northwestern New Mexico

T. Ojo Alamo	T. Penn. "B"
T. Kirtland-Fruitland	T. Penn. "C"
T. Pictured Cliffs	T. Penn. "D"
T. Cliff House	T. Leadville
T. Menefee	T. Madison
T. Point Lookout	T. Elbert
T. Mancos	T. McCracken
T. Gallup	T. Ignacio Otzte
Base Greenhorn	T. Granite
T. Dakota	T.
T. Morrison	T.
T. Todilto	T.
T. Entrada	T.
T. Wingate	T.
T. Chinle	T.
T. Permian	T.
T. Penn "A"	T.

## OIL OR GAS SANDS OR ZONES

No. 1, from.....to.....  
No. 2, from.....to.....

No. 3, from.....to.....  
No. 4, from.....to.....

## IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....  
 No. 2, from.....to.....feet.....  
 No. 3, from.....to.....feet.....

## LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness In Feet	Lithology
11678	11698	20'	Sandstone