




LOCATE WELL CORRECTLY

APR 9 1959

RECEIVED
GEOLOGICAL SURVEY
ALBUQUERQUE, NEW MEXICO

U. S. LAND OFFICE **Artesia**
SERIAL NUMBER **LC-068808-A**
LEASE OR PERMIT TO PROSPECT

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

LOG OF OIL OR GAS WELL

Company **Chambers & Kennedy & J. M. C. Ritchie** Address **Box 953, Midland, Texas**
Lessor or Tract **Elmer-Federal** Field **Wildcat** State **New Mexico**
Well No. **1** Sec. **26** T. **26S** R. **27E** Meridian **NMPM** County **Eddy**
Location **660** ft. **[N.]** of **S** Line and **660** ft. **[E.]** of **E** Line of **Sec. 26** Elevation **3190**
(Derrick floor relative to sea level)

The information given herewith is a complete and correct record of the well and all work done thereon so far as can be determined from all available records.

Signed **Ernest Smith**
Date **April 7, 1959** Title **Agent**

The summary on this page is for the condition of the well at above date.

Commenced drilling **March 3**, 19 **59** Finished drilling **April 3**, 19 **59**

OIL OR GAS SANDS OR ZONES

(Denote gas by G)

No. 1, from **None** to No. 4, from to
No. 2, from to No. 5, from to
No. 3, from to No. 6, from to

IMPORTANT WATER SANDS

No. 1, from **None** to No. 3, from to
No. 2, from to No. 4, from to

CASING RECORD

Size casing	Weight per foot	Threads per inch	Make	Amount	Kind of shoe	Cut and pulled from	Perforated		Purpose
							From—	To—	
		None used							

MUDDING AND CEMENTING RECORD

Size casing	Where set	Number sacks of cement	Method used	Mud gravity	Amount of mud used

PLUGS AND ADAPTERS

Heaving plug—Material Length Depth set
Adapters—Material **0** Size

SHOOTING RECORD

Size	Shell used	Explosive used	Quantity	Date	Depth shot	Depth cleaned out

TOOLS USED

Rotary tools were used from feet to feet, and from feet to feet
Cable tools were used from **0** feet to **2393** feet, and from feet to feet

DATES

, 19 Put to producing **Dry Hole**, 19

The production for the first 24 hours was barrels of fluid of which % was oil; % emulsion; % water; and % sediment. Gravity, °Bé.

If gas well, cu. ft. per 24 hours Gallons gasoline per 1,000 cu. ft. of gas

Rock pressure, lbs. per sq. in.

EMPLOYEES

, Driller, Driller
, Driller, Driller

FORMATION RECORD

FROM—	TO—	TOTAL FEET	FORMATION
0	310	310	Surface sand & caliche
310	2227		Salt & anhydrite
2227	2259		Lime
2259	2393		Delaware Sand

RECEIVED
APR 9 1959
U. S. CUSTOMS
ARTESIA, NEW MEXICO

U. S. LAND OFFICE Artesia
SERIAL NUMBER LC-068808-A
LEASE OR PERMIT TO PROSPECT

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

LOCATE WELL CORRECTLY

The information given herewith is a complete and correct record of the well and all work done thereon so far as can be determined from all available records.

The summary on this page is for the condition of the well at above date.

Commenced drilling March 3, 1959 Finished drilling April 3, 1959

(Denote gas by G)

IMPORTANT WATER SANDS

CASING RECORD

MUDDING AND CEMENTING RECORD

PLUGS AND ADAPTERS

SHOOTING RECORD

TOOLS USED

DATES

Rock pressure, lbs. per sq. in. _____

EMPLOYEES

FORMATION RECORD

FROM—	TO—	TOTAL FEET	FORMATION
0	310	310	Surface sand & caliche
310	2227		Salt & anhydrite
2227	2259		Lime
2259	2393		Delaware Sand

