



AREA 640 ACRES  
LOCATE WELL CORRECTLY

# NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

## WELL RECORD

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPLICATE. If State Land submit 5 Copies

J. Glen Bennett Humble Fowlkes  
(Company or Operator) (Lease)  
Well No. 1, in N  $\frac{1}{4}$  of SW  $\frac{1}{4}$ , of Sec. 22, T. 26S, R. 28E, NMPM.  
W. C. Pool, Eddy County.  
Well is 660 feet from West line and 1980 feet from South line  
of Section 22. If State Land the Oil and Gas Lease No. is Fee land  
Drilling Commenced May 3, 1959 Drilling was Completed June 9, 1959  
Name of Drilling Contractor Aldridge and Stroud, Inc.  
Address Odessa, Texas  
Elevation above sea level at ground 2962 The information given is to be kept confidential until  
June 10, 1960

### OIL SANDS OR ZONES

No. 1, from none to \_\_\_\_\_ No. 4, from \_\_\_\_\_ to \_\_\_\_\_  
No. 2, from \_\_\_\_\_ to \_\_\_\_\_ No. 5, from \_\_\_\_\_ to \_\_\_\_\_  
No. 3, from \_\_\_\_\_ to \_\_\_\_\_ No. 6, from \_\_\_\_\_ to \_\_\_\_\_

### IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from none to \_\_\_\_\_ feet.  
No. 2, from \_\_\_\_\_ to \_\_\_\_\_ feet.  
No. 3, from \_\_\_\_\_ to \_\_\_\_\_ feet.  
No. 4, from \_\_\_\_\_ to \_\_\_\_\_ feet.

### CASING RECORD

SIZE	WEIGHT PER FOOT	NEW OR USED	AMOUNT	KIND OF SHOE	CUT AND PULLED FROM	PERFORATIONS	PURPOSE
7"	21	used	1573		1573	none	

### MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
8"	7"	1573		mudded		

### RECORD OF PRODUCTION AND STIMULATION

(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)

dry hole

Result of Production Stimulation none

Depth Cleaned Out \_\_\_\_\_

ORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

TOOLS USED

Rotary tools were used from 0 feet to 2535 feet, and from 0 feet to 2535 feet.  
Cable tools were used from 0 feet to 2535 feet, and from 0 feet to 2535 feet.

PRODUCTION

Put to Producing dry, 1959

OIL WELL: The production during the first 24 hours was dry barrels of liquid of which 0% was oil; 0% was emulsion; 0% water; and 0% was sediment. A.P.I. Gravity 0.

GAS WELL: The production during the first 24 hours was none M.C.F. plus 0 barrels of liquid Hydrocarbon. Shut in Pressure 0 lbs.

Length of Time Shut in 0

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE):

Southeastern New Mexico

Northwestern New Mexico

T. Anhy.	T. Devonian	T. Ojo Alamo
T. Salt	T. Silurian	T. Kirtland-Fruitland
B. Salt	T. Montoya	T. Farmington
T. Yates	T. Simpson	T. Pictured Cliffs
T. 7 Rivers	T. McKee	T. Menefee
T. Queen	T. Ellenburger	T. Point Lookout
T. Grayburg	T. Gr. Wash	T. Mancos
T. San Andres	T. Granite	T. Dakota
T. Glorieta	T. Delaware lime 2425	T. Morrison
T. Drinkard	T.	T. Penn.
T. Tubbs	T.	T.
T. Abo	T.	T.
T. Penn	T.	T.
T. Miss	T.	T.

FORMATION RECORD

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	5	5	Cellar	1985	2070	85	Anhydrite
5	35	30	Sand & Gravel	2070	2238	168	Salt
35	45	10	Shale	2238	2250	12	Lime & Anhydrite
45	120	65	Anhydrite & Shale	2250	2425	175	Anhydrite
120	300	180	Anhydrite & Red rock	2425	2455	30	Black Lime
300	360	60	Anhydrite	2455	2536	81	Delaware Sand
360	385	25	Anhydrite & Shale	<div>OPERATION IN COMMISSION AREA DEPARTMENT OFFICE 12-13-59 SANTA FE PRODUCTION OFFICE STATE LAND OFFICE U. S. G. E. TRANSPORTER FILE BUREAU OF MINES</div>			
385	690	305	Anhydrite				
690	705	15	Sand & Sulphur				
705	1220	515	Anhydrite				
1220	1230	10	Sand & Water				
1230	1300	70	Lime & Anhydrite				
1300	1310	10	Sandy lime & Water				
1310	1325	15	Lime				
1325	1400	75	Anhydrite				
1400	1445	45	Lime & Anhydrite				
1445	1615	70	Anhydrite				
1515	1545	30	Salt				
1545	1555	10	Anhydrite				
1555	1590	35	Salt				
1590	1605	15	Salt				
1605	1690	85	Anhydrite & Salt				
1690	1915	220	Anhydrite				
1915	1985	70	Salt				

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Company or Operator J. Glen Bennett  
Name Janet Farmer  
Address 305 W. Illinois, Midland, Texas  
Position or Title Secretary  
6-13-59 (Date)