


SEP 26 1967



LTR



Job separation sheet

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYLand Office Santa Fe
Lease No. NM-03806
Unit _____

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

September 18, 1951

Well No. 1 is located 660 ft. from N line and 1980 ft. from E line of sec. 30
NE 1/4 30 25 S. 29 E. N.M.P.M.
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Wildcat Eddy New Mexico
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is _____ ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Depending upon availability of drilling equipment, we propose to drill by either rotary, combination, or cable tools, the above well. If rotary equipment is used, we will drill to and set 7 inch casing in the top of the Delaware line formation which we expect to encounter around 2800 feet. Drilling-in the producing horizon, the Delaware Sand formation, will be accomplished with cable tools. Should no oil or gas or excessive amounts of water be encountered in the Delaware formation, we plan to penetrate the formation approximately 1000 feet or around 3800 feet in total depth. 10 3/4 inch surface casing will be set and cemented at approximately 250 feet. Should an intermediate string be necessary to run, 8 5/8 inch casing will be used.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Stansbury and WebbAddress 6515 Bandera AvenueDallas, TexasBy T. E. RempTitle Manager-Mid West Area