

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN TRIE
(Other Instruction
verse side)

ATE
9-78

Form approved:
Budget Bureau No. 1004-0135
Expires August 31, 1985

5. LEASE DESIGNATION AND SERIAL NO.

LC-068282-B

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

N/A

7. UNIT AGREEMENT NAME

N/A

8. FARM OR LEASE NAME

Hanson Federal Batt. #2

9. WELL NO.

#8

10. FIELD AND POOL, OR WILDCAT

North Mason (Delaware)

11. SEC., T., R., M., OR B.L. AND
SURVEY OR AREA

Sec25, T.26S, R.31E

12. COUNTY OR PARISH

Eddy

13. STATE

New Mexico

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL ☒ GAS WELL ☐ OTHER ☐

2. NAME OF OPERATOR

Hanson Operating company, Inc.

3. ADDRESS OF OPERATOR

P. O. Box 1515, Roswell, New Mexico 88202-1515

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.)

See also space 17 below.
At surface

Sec.25, T.26S, R.31E, Unit 0, 330' FSL & 2310' FEL

14. PERMIT NO.

30-015-05874

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

3145' GR

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

PULL OR ALTER CASING

MULTIPLE COMPLETE

ABANDON*

CHANGE PLANS

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other)

REPAIRING WELL

ALTERING CASING

ABANDONMENT*

(NOTE: Report results of multiple completion on Well
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS: (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

This well was plugged & abandoned in the following manner on 02-15-92:

- 1). Tag cem @6203' on top of CIBP @6250'.
- 2). Set CIBP @4100'±. Circ hole w/9# gelled fluid. Pmp 25 sx Class C cem w/2% CaCl₂ from 4100' to 3830'±. Tagged plug @3830'.
- 3). Perf @ 934'. Pmp 45 sx Class C cem w/@2%CaCl₂ 100' in & 100' out of 5½" csg. Tagged plug @847'. RIH & pmp 5 sx Class C cem w/2% CaCl₂ from 847' to 798'.
- 4). Pmp 10 sx Class C cem from 35' to surface. All plugs witnessed & approved by BLM inspector Don Early.
- 5). RD well service unit. Cut off anchors. Install dry hole marker.

Approved on 02-18-92 by [Signature]
[Signature]
[Signature]

Part ID-2
3-30-92
P4A

18. I hereby certify that the foregoing is true and correct

SIGNED

[Signature]

TITLE Production Analyst

DATE 02-18-92

(This space for Federal or State office use)

APPROVED BY

[Signature]

TITLE

DATE

3/2/92

CONDITIONS OF APPROVAL, IF ANY:

*See Instructions on Reverse Side