

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYSUBMIT IN TRIPPLICATE*
(Other instruct on re-
verse side)Form approved.
Budget Bureau No. 42-R1424.

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>		5. LEASE DESIGNATION AND SERIAL NO. <i>LC-868282 (u)</i>	
2. NAME OF OPERATOR <i>Continental Oil Company</i>		6. IF INDIAN, ALLOTTEE OR TRIBE NAME	
3. ADDRESS OF OPERATOR <i>P.O. Box 460, Hobbs, New Mexico 88240, N. C.</i>		7. UNIT AGREEMENT NAME	
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.) At surface <i>433' FNL & 1980' FWL of Sec. 35</i>		8. FARM OR LEASE NAME <i>Russell 35 Federal</i>	
14. PERMIT NO.		9. WELL NO. <i>4</i>	
15. ELEVATIONS (Show whether DF, RT, GR, etc.) <i>3125' DF</i>		10. FIELD AND POOL, OR WILDCAT <i>1. Mason Bluffs, North</i>	
		11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA <i>Sec. 35, T-26S, R-31E</i>	
		12. COUNTY OR PARISH <i>Eddy</i>	
		13. STATE <i>N. Mex.</i>	

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

☐

PULL OR ALTER CASING

☐

FRACTURE TREAT

☐

MULTIPLE COMPLETE

☐

SHOOT OR ACIDIZE

☒

ABANDON*

☐

REPAIR WELL

☐

CHANGE PLANS

☐

(Other)

☐

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

☐

REPAIRING WELL

☐

FRACTURE TREATMENT

☐

ALTERING CASING

☐

SHOOTING OR ACIDIZING

☐

ABANDONMENT*

☐

(Other)

☐

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.) *

It is proposed to perforate and acidize this well by the following procedure: Kill well and pull out a plug. Clean out any sand fill to T.D. 4077'. Perforate w/2 ISPF at 4031', 4038' & 4042'. Re-run producing tubing, set a pump. Treat down annulus with 4000 gal. 10% MCA Acid. Circulate with a max. of 5 bbls. leave inside. Plug well back on production.

RECEIVED
NOV 23 1973
U. S. GEOLOGICAL SURVEY
ARTESIA, NEW MEXICO

18. I hereby certify that the foregoing is true and correct

SIGNED

S. K. Mitter

TITLE

*Alternate for Division Office Manager*DATE *11-21-73*

(This space for Federal or State office use)

APPROVED BY

James E. Gray

TITLE

DISTRICT ENGINEER

DATE *NOV 26 1973*

CONDITIONS OF APPROVAL, IF ANY:

*See Instructions on Reverse Side

USGS-5, File