NM OFFBRONS'S FON Form approved. Form 9-331 UN ED STATES Budget Bureau No. 42-R1424 DEPARTMENT OF THE INTERPORTED Instructions of (May 1963) 5. LEASE LESIGNATION AND SERIAL NO. Artesia, NM 83210 GEOLOGICAL SURVEY NM 0525452-A 6. IF INDIAN, ALLOTTEE OR TRIBE NAME SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT-" for such proposals.) 7 UNIT AGREEMENT NAME GAS WELL WELL X S. FARM OR LEASE NAME 2. NAME OF OPERATOR Alpha Twenty-One Production Company Cities 3 Federal 3. ADDRESS OF OPERATOR 9. WELL NO. 4 2100 First National Bank Building, Midland, Texas LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) 10. FIELD AND POOL, OR WILDCAT At surface Washington Ranch - Delaware 2033' FNL and 660' FWL, Section 3 11. SEC., T., R., M., OR BLE. AND SURVEY OR AREA Sec. 3, T26S, R24E 15. ELEVATIONS (Show whether DF, RT. GR, etc.) 12. COUNTY OB PARISH | 13. STATE 14. PERMIT NO. 3735 Ground Level New Mexico 16 Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF: TEST WATER SHUT-OFF PULL OR ALTER CASING WATER SHUT-OFF REPAIRING WELL ALTERING CASING PRACTURE TREAT MULTIPLE COMPLETE FRACTURE TREATMENT SHOOTING OR ACIDIZING ABANDONMENT* SHOOT OR ACIDIZE ABANDON* Х REFAIR WELL CHANGE PLANS (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.) 17. b) somme proposed on completed operations (Charly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.) Formarly Black fine lang. We propose to Plug and Abandon this well using the following procedure: Set CIBP at 1300' and dump 35' of cement on top. Place 15 sacks cement plug at the surface Erect monument at wellsite (Temperature survey shows top of cement on production string at 690') ** Perforate 75 ft. below surface casing shoe and squeeze with 100 sacks of cement. OIL ALGAS SLIGEOLOCHCALIST PVEN OSMELL NEW MEXICO 18. I hereby certify that the foregoing is true and correct TITLE Executive Vice President DATE September 18, 1981 SIGNED . (Orig. Sgd.) PETER W. CHESTER APPROVED BY TITLE DATE

*See Instructions on Reverse Side

JAMES A. OILLHA!

DISTRICT SUPERVISOR

CONDITIONS OF APPROVAL, IF ANY:

SFP24 (Mo)