May (1963)	UNITED STAMES C	STEMIT IN TRIPLICATE (Other instruction) on re	Budget Bureau No. 42-R1424.
DEPART	TME OF THE INTERIO	K verse side)	5. LEASE DESIGNATION AND SERIAL NO.
	GEOLOGICAL SURVEY		NM - 29881 5. IF INDIAN, ALLOTTEE OR TRIBE NAME
SUNDRY NO	DTICES AND REPORTS OF POSSIBLE TO BE AND REPORTS OF POSSIBLE OF PO	N WELLS it to a different reservoir.	3. A Massia, Austrian Gr. 11152 Mass
			7. UNIT AGREEMENT NAME
OIL GAS X OTHER	Salt Water Disposal		
. NAME OF OPERATOR			S. FARM OR LEASE NAME
Hanson Oil Corporati	Lon		Sulphate Sister
. ADDRESS OF OPERATOR		.1	9. WELL NO.
P. O. Box 1515, Ros	swell, New Mexico 8820 n clearly and in accordance with any St	RECEIVED	#1  10. FIELD AND FOOL, OR WILDCAT
See also space 17 below.) At surface	n clearly and in accordance with any St	mac-requirements.	S.W.Sulphate Deleware
At surface		MAR 29 1977	11. SEC., T., B., M., OR BLK. AND SURVEY OR AREA
			Sec.13,T-25S,R-26E
4. PERMIT NO.	15. ELEVATIONS (Show whether DF, P.	T, GR, etc.) DFFICE	12. COUNTY OR PARISH 13. STATE
	3236 G.L.	MAR I MINISTER	Eddy New Mexi
6. Charle	Appropriate Box To Indicate Na	ture of Notice Report or	Other Data
			QUENT REPORT OF:
NOTICE OF INT	FENTION TO:	30835	
TEST WATER SHCT-OFF	PULL OR ALTER CASING	WATER SHUT-OFF	REPAIRING WELL
PRACTURE TREAT	MULTIPLE COMPLETE	FRACTURE TREATMENT	ALTERING CASING ABANDONMENT*
SHOOT OR ACIDIZE	ABANDON*	SHOOTING OR ACIDIZING	ABASDUSSENI
(Other) Convert to S	CHANGE PLANS	(Other) (Note: Report resul	its of multiple completion on Well
		Combietion of vecou	apletion Report and Log form.)
7. DESCRIBE PROPOSED OR COMPLETED of proposed work. If well is direct nent to this work.) *	OPERATIONS (Clearly state all pertinent actionally drilled, give subsurface location	details, and give pertinent date as and measured and true vert	es, including estimated date of starting any ical depths for all markers and zones perti-
It is proposed to prun a cement bond 1 by the NMOCC the we	ull the tubing out of the og to check cement behing lives said well to a S. Mated behind the tubing of the said well to a S. Mated behind the tubing of the said well to a S. Mated behind the tubing of the said well to a S. Mated behind the tubing of the said well to a S. Mated behind the tubing of the said well to a S. Mated behind the subing of the said well to a S. Mated behind the said well at the said well to a S. Mated behind the said well at the said well	ne above captioned and the vertice of the pipe. If it squeezed to shut of W.D. Tubing will b	well, check T.D. & is deemed necessary f any potential hazards be ran, packer set,
It is proposed to prun a cement bond 1 by the NMOCC the we in regards to conve 2% KCL water circul dispose of produced	ull the tubing out of the og to check cement behing lives and well to a S. ated behind the tubing water.	ne above captioned and the vertice of the pipe. If it squeezed to shut of W.D. Tubing will b	f any potential hazards be ran, packer set,
It is proposed to prun a cement bond 1 by the NMOCC the we in regards to conve 2% KCL water circul dispose of produced	ull the tubing out of the og to check cement behing lives and well to a S. ated behind the tubing water.	ne above captioned and the vertice of the pipe. If it squeezed to shut of W.D. Tubing will b	well, check T.D. & is deemed necessary f any potential hazards be ran, packer set, installed to properly
It is proposed to prun a cement bond 1 by the NMOCC the we in regards to conve 2% KCL water circul dispose of produced	ull the tubing out of the og to check cement behing lives and well to a S. ated behind the tubing water.	ne above captioned and the vertice of the pipe. If it squeezed to shut of W.D. Tubing will b	well, check T.D. & is deemed necessary f any potential hazards be ran, packer set, installed to properly
It is proposed to converse to the wearn to the proposed to converse to the proposed to the wearn to the proposed to pr	ull the tubing out of the og to check cement behing lives and well to a S. ated behind the tubing water.	ne above captioned and the vertice of the pipe. If it squeezed to shut of W.D. Tubing will b	well, check T.D. & is deemed necessary f any potential hazards e ran, packer set, installed to properly
It is proposed to prun a cement bond 1 by the NMOCC the we in regards to conve 2% KCL water circul dispose of produced	ull the tubing out of the og to check cement behing lives and well to a S. ated behind the tubing water.	ne above captioned and the vertice of the pipe. If it squeezed to shut of W.D. Tubing will b	well, check T.D. & is deemed necessary f any potential hazards e ran, packer set, installed to properly
It is proposed to prun a cement bond 1 by the NMOCC the we in regards to conve 2% KCL water circul dispose of produced	ull the tubing out of the og to check cement behing lives and well to a S. ated behind the tubing water.	ne above captioned and the pipe. If it squeezed to shut of W.D. Tubing will b surface equipment	well, check T.D. & is deemed necessary from any potential hazards be ran, packer set, installed to properly
It is proposed to prun a cement bond 1 by the NMOCC the we in regards to conve 2% KCL water circul dispose of produced	ull the tubing out of the og to check cement behing lives and well to a S. ated behind the tubing water.	ne above captioned and the pipe. If it squeezed to shut of W.D. Tubing will b surface equipment	well, check T.D. & is deemed necessary f any potential hazards or ran, packer set, installed to properly
It is proposed to prun a cement bond 1 by the NMOCC the we in regards to conve 2% KCL water circul dispose of produced	ull the tubing out of the og to check cement behing lives and well to a S. ated behind the tubing water.	ne above captioned and the pipe. If it squeezed to shut of W.D. Tubing will b surface equipment	well, check T.D. & is deemed necessary f any potential hazards be ran, packer set, installed to properly
It is proposed to prun a cement bond 1 by the NMOCC the we in regards to conve 2% KCL water circul dispose of produced	ull the tubing out of the og to check cement behing lives and well to a S. ated behind the tubing water.	ne above captioned and the pipe. If it squeezed to shut of W.D. Tubing will b surface equipment	well, check T.D. & is deemed necessary f any potential hazards or ran, packer set, installed to properly
It is proposed to prun a cement bond 1 by the NMOCC the we in regards to conve 2% KCL water circul dispose of produced	ull the tubing out of the og to check cement behing lives and well to a S. ated behind the tubing water.	ne above captioned and the pipe. If it squeezed to shut of W.D. Tubing will b surface equipment	well, check T.D. & is deemed necessary from potential hazards be ran, packer set, installed to properly
It is proposed to prun a cement bond 1 by the NMOCC the we in regards to conve 2% KCL water circul dispose of produced	ull the tubing out of the og to check cement behing lives and well to a S. ated behind the tubing water.	ne above captioned and the pipe. If it squeezed to shut of W.D. Tubing will b surface equipment	well, check T.D. & is deemed necessary f any potential hazards or ran, packer set, installed to properly
It is proposed to prun a cement bond 1 by the NMOCC the we in regards to conve 2% KCL water circul dispose of produced	ull the tubing out of the og to check cement behing lives and well to a S. ated behind the tubing water.	ne above captioned and the pipe. If it squeezed to shut of W.D. Tubing will b surface equipment	well, check T.D. & is deemed necessary f any potential hazards be ran, packer set, installed to properly

SIGNED Vice President-Production

TITLE Vice President-Production

DATE

2-22-77


(This space for Federal or State office use)

APPROVED BY TITLE DATE

CONDITIONS OF APPROVAL, IF ANY:

MAR 20 With Backman

\*See Instructions on Reverse Side



Form 9-331 (May 1963)

# NITED STATES SUBMIT IN 1 LICATE\* Other instructions on reverse side)

Form approved. Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

6.	IF IND	AN.	ALLOTTEE	OR	TRIBE	NAME	-
	NM	2	457493				

GEOLOGICAL SURVEY							
SUNDRY	NOTICES	AND	REPORTS	ON	WELLS		

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.

Use "APPLICATION FOR PERMIT—" for such proposals.)

7.	UNIT	AGREEMENT	NAME	

Sulphate Sister

8. FARM OR LEASE NAME

9. WELL NO.

OIL WELL		GAS WELL	OTHER	Water	disposal	W91.
NAME	OF OP	ERATOR				

R. W. Becker 3. ADDRESS OF OPERATOR

859 Petroleum Building Roswell, New Mexico 38201

LOCATION OF WELL (Report location clearly and in accordance with any State requirements.\* See also space 17 below.)
At surface

1980 FNL & 1980 FWL Sec. 13, T-25-S, R-26-E

15. ELEVATIONS (Show whether DF, RT, GR, etc.) 3236 GR

10. FIELD AND POOL, OR WILDCAT Wildcat

1

11. SEC., T., B., M., OR BLE. AND SURVEY OR AREA

Sec. 13, T-25-S, R-26-E 12. COUNTY OR PARISH | 13. STATE New Mexico

16.

14. PERMIT NO.

(Other)

### Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF FRACTURE TREAT

SHOOT OR ACIDIZE REPAIR WELL

PULL OR ALTER CASING MULTIPLE COMPLETS ABANDON\*

CHANGE PLANS

SUBSEQUENT REPORT OF:

WATER SHUT-OFF FRACTURE TREATMENT SHOOTING OR ACIDIZING

REPAIRING WELL ALTERING CASING ABANDONMENT\* (NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.) \*

Transferring ownership to Hanson Oil Corp., Well is to be used for water disposal.

Copy of Conveyance of Personal Property attached.

Roswell, New Mexico.

RECEIVED

MAR 29 1977

O. C. C. ARTESIA, DEFICE RECEIVED

FEB 23 1977

U.S. GEOLOGICAL SURVEY ARTESIA, NEW MEXICO

I hereby certify that the foregoing is true and correct	TITLE Geologist	2-22-77	
(This space for Federal or State office use)			
PEROVED BY	TITLE	DATE	

ACTING DISTRICT ENGINEER

\*See Instructions on Reverse Side

RECEIVED

FEB 23 1977

U. S. GEOLOGICAL SURVEY
ARTESIA, NEW MEXICO

## CONVEYANCE OF PERSONAL PROPERTY

£-

In consideration of the sum of Ten Dollars (\$10.00), and other good and valuable consideration, ROBERT W. BECKER and wife, MARIAN D. BECKER, Assignors, do hereby bargain, sell, assign, quitclaim and convey, without warranty of title, either express or implied, all of Assignors' right, title and interest in and to that certain abandoned well located 1980' FNL and 1980' FWL of Section 13, Township 25 South, Range 26 East, N.M.P.M., Eddy County, New Mexico, unto:

HANSON OIL CORPORATION
Post Office Box 1515
Roswell, New Mexico 88201

WITNESS THE EXECUTION HEREOF this 26 day of January,

**ASSIGNORS:** 

ROBERT W. BECKER .

MARIAN D. BECKER, his wife

ACCEPTED AND AGREED THIS 24 day of January, 1977:

HANSON OIL CORPORATION

By Single Stuet Reagan S. Sweet, Vice-President

STATE OF NEW MEXICO COUNTY OF CHAVES

The foregoing instrument was acknowledged before me this \_\_\_\_\_ day of January, 1977, by ROBERT W. BECKER and MARIAN D. BECKER, his wife.

My Commission Expires:

Josephine M. Chambers
Notary Public

For:n 9-331 (May 1963)

16.

#### Form approved. Budget Bureau No. 42-R1424. UNITED STATES SUBMIT IN TRIPLICAL 25\* DEPARTMENT OF THE INTERIOR (Other Instructions on re-5. LEASE DESIGNATION AND SERIAL NO. NM 0457493 6. IF INDIAN, ALLOTTEE OR TRIBE NAME GEOLOGICAL SURVEY SUNDRY NOTICES AND REPORTS ON WELLS (Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.) 7. UNIT AGREEMENT NAME OIL XX WELL S. PARM OR LEASE NAME 2. NAME OF OPERATOR Sulphate Sister Michael P. Grace 3. ADDRESS OF OPERATOR Location of Well (Report location clearly and in accordance with any State requirements.\* See also space 17 below.) At surface P. O. Box 1418, Carlabad, New Maxico 88220 10. FIELD AND POOL, OR WILDCAT Vildcat 11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA Sec. 13, T25S, R26E 1980 FML & 1980 FWL Section 13, T25S, R26E 12. COUNTY OR PARISH 13. STATE 15. ELEVATIONS (Show whether of, I'f, Gh. (tr.) 14. PERMIT NO. New Mexico Eddy 3236 Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

301	ICS OF THE	1.110.1 10.		· · · · · · · · · · · · · · · · · · ·	•		
	r		· · · · · · · · · · · · · · · · · · ·		[		
TEST WATER SHUT-OFF		PULL OR ALTER CASINO		WATER SHUT-OFF		REPAIRING WELL	
FRACTURE TREAT		MULTIPLE COMPLETE		FRACTURE TREATMENT		ALTERING CASING	
SHOOT OR ACIDIZE		ABANDON*		SHOOTING OR ACIDIZING		ABANDONMENT*	
REPAIR WELL		CHANGE PLANS		(Other)	sults of multiple	completion on We	
(Other)				Completion or Reco	ompletion Repor	t and Log form.)	
		nan-mrasia (Clanula atata	all postinout	dataile and give nortinent de	ates, including 6	estimated date of si	tartin

Transferring ownership to R. W. Becker, Roswell, New Mexico. Well is to be used for water disposal. Copy of Conveyance of Personal Property attached.

REGEIVED

MAR 29 1977

O. C. C.

RECEIVED
JAN 26 1977 U.S. GEOLOGICAL SURVEY DATE .

APPROVED BY CONDINGS OF APPROVAL, IF ANY: WOLL ENGINEER

13. I hereby certify that the longuing is true and correct

(This space for Pederal or State-Tilice use)

\*See Instructions on Reverse Side

<sup>17.</sup> DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

# Instructions

Generali fills for the designment of an annifiling proposals to perform certain well operations, and reports of such operations when completed, as indicated, on the honds in such State, bursant to applicable state in an analysis of contents the formation of contents of

as requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State en le ed and chiese har aprecía casa Hem 4: 17 there are or approved

In addition, so a passection of the control reasons for the abundonment; data on any former or present plugs; must see other natively below, belower and control of placement of center plugs; must see other natively placed below, belower and above plags; and as other natively placed below, belower and above plags; another, such distinctions of any easing, liner or tubing pulled and the depth to top of any being hole; meshod of closing top of well; and date well site and sucception treports of abandonment should include such special information as is required by lose Pederal and/or State offices. conditioned it range that could covered to approval of the abundonment. Ifem 17: 17 aprendit to abuse to

CPO 680-379

# CONVEYANCE OF PERSCHAL PROPERTY

In consideration of the sum of Ten Dollars (\$10.00) and other good and valuable consideration. MICHAEL P. GRACE and wife CORINNE GRACE, (ASSICHORS), do hereby bargain, sell, assign, quitclaim and convey, without warranty of title, either express or implied, all of Assignors' right, title and interest in and to that certain abandoned well located 1980' FNL and 1980'FNL of Section 13. .

Township 25 South, hange 26 East, N.M.P.M., Eddy County, New Mexico, unto

ROBERT W. BECKER 850 Petroleum Building 200 West First Street Roswell, New Maxico : 88201

WITHESS THE EXECUTION HEREOF THIS ZI DAY OF JANUARY, 1977.

Michael Parace,

COUNTY OF New York

The foregoing was acknowledged before me this 21 day of January, 1977, by HICHAEL P. GRACE.

Ty Commission Expires:
Maria 30 1978

STATE OF New York

JCHN 1. MEFHAN

NOTARY 202LIC, State of New York

No. 30-7282300 - Nessau County

Term Exp.ras Markh 30, 1948

ମଧ୍ୟର ଅନ୍ତର ଓଡ଼ିଶର କରି କମନ୍ତର । ଆକ୍ରୀପ୍ରମି

March 30 1248

Jan Melle

to 180 (100 MAN)

2007 NAME (100 MAN)

2007 NAME (100 MAN)

2008 NAME (100 MAN)

2008 NAME (100 MAN)

2008 NAME (100 MAN)

2008 NAME (100 MAN)