

Gauge No.		5698		Depth		13864'		Clock No. 6808		24 hour		Ticket No.		890089	
First Flow Period		First Closed In Pressure		Second Flow Period		Second Closed In Pressure		Third Flow Period		Third Closed In Pressure		Time Defl. .000"		PSIG Temp. Corr.	
Time Defl. .000"	PSIG Temp. Corr.	Time Defl. .000"	PSIG Temp. Corr.	Time Defl. .000"	PSIG Temp. Corr.	Time Defl. .000"	PSIG Temp. Corr.	Time Defl. .000"	PSIG Temp. Corr.	Time Defl. .000"	PSIG Temp. Corr.	Time Defl. .000"	PSIG Temp. Corr.	Time Defl. .000"	PSIG Temp. Corr.
0 .0000	826	.0000	911	.0000	805	.0000	908	.0000	908	.0000	908	.0000	908	.0000	908
1 .0099	826*	.0358	2678**	.0311	812***	.0627	2549***	.0627	2549***	.0627	2549***	.0627	2549***	.0627	2549***
2 .0231	829	.0651	3590	.0657	853	.1222	3522	.1222	3522	.1222	3522	.1222	3522	.1222	3522
3 .0362	833	.0945	4276	.0910	928)C	.1816	4287	.1816	4287	.1816	4287	.1816	4287	.1816	4287
4 .0494	840	.1238	4826	.1002	939	.2411	4925	.2411	4925	.2411	4925	.2411	4925	.2411	4925
5 .0626	860	.1532	5334	.1220	945)C	.3005	5457	.3005	5457	.3005	5457	.3005	5457	.3005	5457
6 .0758	887	.1825	5771	.1348	935	.3600	5956	.3600	5956	.3600	5956	.3600	5956	.3600	5956
7 .0890	911	.2118	6171	.1694	911	.4195	6375	.4195	6375	.4195	6375	.4195	6375	.4195	6375
8		.2412	6509	.2040	908	.4789	6747	.4789	6747	.4789	6747	.4789	6747	.4789	6747
9		.2705	6812			.5384	7065	.5384	7065	.5384	7065	.5384	7065	.5384	7065
10		.3000	7113			.5980	7341	.5980	7341	.5980	7341	.5980	7341	.5980	7341
11															
12															
13															
14															
15															

Gauge No.		5697		Depth		13946'		Clock No. 13675		24 hour		Ticket No.		890089	
First Flow Period		First Closed In Pressure		Second Flow Period		Second Closed In Pressure		Third Flow Period		Third Closed In Pressure		Time Defl. .000"		PSIG Temp. Corr.	
Time Defl. .000"	PSIG Temp. Corr.	Time Defl. .000"	PSIG Temp. Corr.	Time Defl. .000"	PSIG Temp. Corr.	Time Defl. .000"	PSIG Temp. Corr.	Time Defl. .000"	PSIG Temp. Corr.	Time Defl. .000"	PSIG Temp. Corr.	Time Defl. .000"	PSIG Temp. Corr.	Time Defl. .000"	PSIG Temp. Corr.
0 .0000	853	.0000	920	.0000	817	.0000	913	.0000	913	.0000	913	.0000	913	.0000	913
1 .0101	853*	.0367	2726**	.0301	827***	.0634	2528***	.0634	2528***	.0634	2528***	.0634	2528***	.0634	2528***
2 .0236	853	.0667	3537	.0635	867	.1235	3490	.1235	3490	.1235	3490	.1235	3490	.1235	3490
3 .0370	857	.0968	4205	.0860	937)C	.1835	4248	.1835	4248	.1835	4248	.1835	4248	.1835	4248
4 .0506	860	.1268	4809	.0969	947	.2436	4889	.2436	4889	.2436	4889	.2436	4889	.2436	4889
5 .0640	877	.1568	5339	.1200	957)C	.3036	5450	.3036	5450	.3036	5450	.3036	5450	.3036	5450
6 .0775	903	.1869	5789	.1303	940	.3637	5940	.3637	5940	.3637	5940	.3637	5940	.3637	5940
7 .0910	920	.2169	6182	.1637	920	.4238	6374	.4238	6374	.4238	6374	.4238	6374	.4238	6374
8		.2469	6532	.1970	913	.4838	6744	.4838	6744	.4838	6744	.4838	6744	.4838	6744
9		.2770	6848			.5439	7064	.5439	7064	.5439	7064	.5439	7064	.5439	7064
10		.3070	7128			.6040	7343	.6040	7343	.6040	7343	.6040	7343	.6040	7343
11															
12															
13															
14															
15															

Reading Interval		4		9		10		18		Minutes	
REMARKS:		*Interval = 3 minutes		**Interval = 11 minutes		***Interval = 9 minutes		****Interval = 19 minutes			
		C = Choke change									