

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEYSUBMIT IN TRIP  
(Other instructions on re-  
verse side)copy to SF  
Form approved.  
Budget Bureau No. 42-R1424.

## SUNDRY NOTICES AND REPORTS ON WELLS RECEIVED

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.  
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input checked="" type="checkbox"/> Dry Hole		NOV 22 1978	
2. NAME OF OPERATOR McElvaney Kincheloe, & Becker		O. C. C. ARTESIA, OFFICE	
3. ADDRESS OF OPERATOR 859 Petro. Bldg. Roswell, New Mexico 88201		8. FARM OR LEASE NAME T. P. Federal	
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.) At surface 1650' FNL & 330' FWL Sec. 4, T. 26 S., R. 30 E.		9. WELL NO. 1	
14. PERMIT NO.		15. ELEVATIONS (Show whether DF, RT, GR, etc.) 3165 GI.	
12. COUNTY OR PARISH Eddy		13. STATE N M	

## 16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

## NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF ☐FRACTURE TREAT ☐SHOOT OR ACIDIZE ☐REPAIR WELL ☐(Other) ☐PULL OR ALTER CASING ☒MULTIPLE COMPLETE ☐ABANDON\* ☒CHANGE PLANS ☐

## SUBSEQUENT REPORT OF:

WATER SHUT-OFF ☐FRACTURE TREATMENT ☐SHOOTING OR ACIDIZING ☐(Other) ☐REPAIRING WELL ☐ALTERING CASING ☐ABANDONMENT\* ☐(NOTE: Report results of multiple completion on Well  
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

Oct 30, 1978 we propose to plug and abandon the above described well. We Plan to pull approximately 3,000' of 7" 23# casing.

We plan to spot a 100' cement plug on bottom from 3700-3600' in the Delaware formation, 100' plug in and out of the 7 inch stub, Castile Fm...

100' Plug at the top of the Salado at 1040', 100' @ 330' in the base of the surface casing, and a 20' Plug in the top of the surface casing.

A plate will be welded on the top of the surface casing and a 6' marker will be attached to the plate

We plan to use mud between the plugs. Pits will be leveled and the location left clean.

RECEIVED

OCT 10 1978  
U.S. GEOLOGICAL SURVEY  
ARTESIA, NEW MEXICO

18. I hereby certify that the foregoing is true and correct

SIGNED

*Delton Kincheloe*

TITLE

Opr. Partner

DATE

Oct. 10, 1978

(This space for Federal or State office use)

APPROVED BY

*Lee S. Lara*

TITLE

ACTING DISTRICT ENGINEER

DATE

NOV 21 1978

CONDITIONS OF APPROVAL, IF ANY: