

N. OF COPIES RECEIVED	3
DISTRIBUTION	
SANTA FE	1
FILE	1
U.S.G.S.	
LAND OFFICE	
OPERATOR	1

NEW MEXICO OIL CONSERVATION COMMISSION

RECEIVED

JUN 22 1979

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-65

<p>SUNDY NOTICES AND REPORTS ON W.O.C.</p> <p>(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK IN A PAYMENT RESERVOIR. USE APPLICATION FOR PERMIT WITH FORM C-101 FOR ARTESIAN OFFICE)</p>		<p>5a. Indicate Type of Lease</p> <p>State <input checked="" type="checkbox"/> Fee <input type="checkbox"/></p>
<p>6. State Oil & Gas Lease No.</p> <p>L-3536</p>		
<p>7. Unit Agreement Name</p>		
<p>8. Farm or Lease Name</p> <p>State "GQ" Com</p>		
<p>9. Well No.</p> <p>1</p>		
<p>10. Field and Pool, or Wildcat</p> <p>Wildcat Morrow</p>		
<p>11. Elevation (Show whether DF, RT, GR, etc.)</p> <p>3089.2 RDB</p>		<p>12. County</p> <p>Eddy</p>

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input checked="" type="checkbox"/>	OTHER <input type="checkbox"/>

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

Drilled to a TD of 2421' and ran 10 3/4" 40.5# casing set at 2419'. Cemented with 2200 SX Howco Lite cement with 5# Gilsonite, 1/4# Flocele, and 8# salt per SX and 200 SX Class C cement with 2% CACL. Plug down at 3:40 PM 4-10-79. Circulated 185 SX cement. WOC 24 hrs. Tested 10 3/4" casing with 1000#. Casing leaked. Ran ring gauge. Unable to go below 40'. Wash over 10 3/4" casing to 100'. Unscrewed and recovered approx. 94' 10 3/4" casing. Run 10 3/4" casing and bowl over 10 3/4" casing at 94'. Run 1" tubing outside casing to 100' and cement with 60 SX Class C cement with 2% CACL. Circulated 10 SX. WOC 18 hrs. Test casing with 1000# for 30 min. Test OK. Ran bit and drill out junk and cement to 2421'. Reduced hole to 9 1/2" and resumed drilling formation.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED <u>Lay Cox</u>	TITLE <u>Admin. Supv.</u>	DATE <u>6-20-79</u>
APPROVED BY <u>W. A. Grissett</u>	TITLE <u>SUPERVISOR, DISTRICT II</u>	DATE <u>JUN 25 1979</u>

CONDITIONS OF APPROVAL, IF ANY:

0 + 4 NMOCD-A 1-Hov 1-Susp 1-BD 1-Pecos Irrigation 2-Southland Royalty Co.