

STATE OF NEW MEXICO
ENERGY AND MINERALS DEPARTMENT

NO. OF COPIES RECEIVED	3
DISTRIBUTION	
SANTA FE	1
FILE	1
U.S.O.S.	
LAND OFFICE	
OPERATOR	1

WATER CONSERVATION DIVISION

P. O. BOX 2088
SANTA FE, NEW MEXICO 87501

SEP 26 1980

Form C-103
Revised 10-1-78

5a. Indicate Type of Lease
ARTESIAN ☒ State ☒ Fee ☐

5. State Oil & Gas Lease No.
L-6293

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR.
USE "APPLICATION FOR PERMIT - 1" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>	7. Unit Agreement Name
2. Name of Operator Gulf Oil Corporation	8. Farm or Lease Name Rustler Bluffs
3. Address of Operator P. O. Box 670, Hobbs, NM 88240	9. Well No. 1
4. Location of Well UNIT LETTER <u>G</u> <u>1980</u> FEET FROM THE <u>North</u> LINE AND <u>1980</u> FEET FROM THE <u>East</u> LINE, SECTION <u>6</u> TOWNSHIP <u>25S</u> RANGE <u>29E</u> N.M.P.M.	10. Field and Pool, or Wildcat Wildcat Delaware
11. Elevation (Show whether DF, RT, GR, etc.) 2908' GL	12. County Eddy

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOBS <input type="checkbox"/>	
		OTHER <u>Perfd, acdz, fracd</u> <input checked="" type="checkbox"/>	

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

Perf 4680-94' with (1) 1/2" o-phase decentralized burrless JHPF (14 holes). Spot 15% NEFE HCL across perfs. Break down perfs 4680-94' at 1300# back to 800#, ISIP 700#. Frac down tubing with 8765 gals gel pad & 8500# 20/40 sand. ISIP 1100#, 15 min 1100#. POH with RBP. GIH with 2-3/8" tubing, mud anchor, perf sub, SN; SN at 4687'. GIH with pump, rods & liner. Complete after perfring, acidizing & fracing 9-22-80. Cleared & cleaned location as required.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED R.D. Pite TITLE Area Engineer DATE 9-24-80

APPROVED BY W.A. Gussert TITLE SUPERVISOR, DISTRICT II DATE SEP 30 1980

CONDITIONS OF APPROVAL, IF ANY: