

**NEW MEXICO OIL CONSERVATION COMMISSION  
WELL LOCATION AND ACREAGE DEDICATION PLAT**

Form C-104  
Supersedes C-128  
Effective 1-1-65

All distances must be from the outer boundaries of the Section


|                                                                                                                         |                                     |                                              |                                     |                    |                   |
|-------------------------------------------------------------------------------------------------------------------------|-------------------------------------|----------------------------------------------|-------------------------------------|--------------------|-------------------|
| <b>FLORIDA GAS COMPANY</b>                                                                                              |                                     |                                              | Lease <b>ROSS DRAW Unit</b>         |                    | Well No. <b>8</b> |
| Section <b>G</b>                                                                                                        | Section <b>27</b>                   | Township <b>26 SOUTH</b>                     | Range <b>30 EAST</b>                | County <b>EDDY</b> |                   |
| Acreage Location of Well:<br><b>1650</b> feet from the <b>NORTH</b> line and <b>1650</b> feet from the <b>EAST</b> line |                                     |                                              |                                     |                    |                   |
| Well No. <b>3013.1</b>                                                                                                  | Producing Formation <b>WOLFCAMP</b> | Pool <b>Und</b><br><b>ROSS DRAW WOLFCAMP</b> | Dedicated Acreage: <b>320</b> Acres |                    |                   |

- 1 Outline the acreage dedicated to the subject well by colored pencil or hatchure marks on the plat below.
- 2 If more than one lease is dedicated to the well, outline each and identify the ownership thereof (both as to working interest and royalty).
- 3 If more than one lease of different ownership is dedicated to the well, have the interests of all owners been consolidated by communitization, unitization, force-pooling, etc?

☐ Yes ☐ No If answer is "yes," type of consolidation \_\_\_\_\_

If answer is "no," list the owners and tract descriptions which have actually been consolidated. (Use reverse side of this form if necessary.) \_\_\_\_\_

No allowable will be assigned to the well until all interests have been consolidated (by communitization, unitization, forced-pooling, or otherwise) or until a non-standard unit, eliminating such interests, has been approved by the Commission.



**CERTIFICATION**

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief.

*Scotty Alcorn*

Scotty Alcorn

Geological Engineer

Florida Exploration Co.

2-20-80

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my knowledge and belief.

Date Surveyed **AUGUST 24TH, 1979**

Registered in Office of the Surveyor and in the State of New Mexico

*John W. West*

Certificate No. **John W. West 676**  
**Ronald J. Eidson 3239**

330 460 590 720 850 980 1110 1240 1370 1500 1630 1760 1890 2020 2150 2280 2410 2540 2670 2800 2930 3060 3190 3320 3450 3580 3710 3840 3970 4100 4230 4360 4490 4620 4750 4880 5010 5140 5270 5400 5530 5660 5790 5920 6050 6180 6310 6440 6570 6700 6830 6960 7090 7220 7350 7480 7610 7740 7870 8000 8130 8260 8390 8520 8650 8780 8910 9040 9170 9300 9430 9560 9690 9820 9950 10080 10210 10340 10470 10600 10730 10860 10990 11120 11250 11380 11510 11640 11770 11900 12030 12160 12290 12420 12550 12680 12810 12940 13070 13200 13330 13460 13590 13720 13850 13980 14110 14240 14370 14500 14630 14760 14890 15020 15150 15280 15410 15540 15670 15800 15930 16060 16190 16320 16450 16580 16710 16840 16970 17100 17230 17360 17490 17620 17750 17880 18010 18140 18270 18400 18530 18660 18790 18920 19050 19180 19310 19440 19570 19700 19830 19960 20090 20220 20350 20480 20610 20740 20870 21000 21130 21260 21390 21520 21650 21780 21910 22040 22170 22300 22430 22560 22690 22820 22950 23080 23210 23340 23470 23600 23730 23860 23990 24120 24250 24380 24510 24640 24770 24900 25030 25160 25290 25420 25550 25680 25810 25940 26070 26200 26330 26460 26590 26720 26850 26980 27110 27240 27370 27500 27630 27760 27890 28020 28150 28280 28410 28540 28670 28800 28930 29060 29190 29320 29450 29580 29710 29840 29970 30100 30230 30360 30490 30620 30750 30880 31010 31140 31270 31400 31530 31660 31790 31920 32050 32180 32310 32440 32570 32700 32830 32960 33090 33220 33350 33480 33610 33740 33870 34000 34130 34260 34390 34520 34650 34780 34910 35040 35170 35300 35430 35560 35690 35820 35950 36080 36210 36340 36470 36600 36730 36860 36990 37120 37250 37380 37510 37640 37770 37900 38030 38160 38290 38420 38550 38680 38810 38940 39070 39200 39330 39460 39590 39720 39850 39980 40110 40240 40370 40500 40630 40760 40890 41020 41150 41280 41410 41540 41670 41800 41930 42060 42190 42320 42450 42580 42710 42840 42970 43100 43230 43360 43490 43620 43750 43880 44010 44140 44270 44400 44530 44660 44790 44920 45050 45180 45310 45440 45570 45700 45830 45960 46090 46220 46350 46480 46610 46740 46870 47000 47130 47260 47390 47520 47650 47780 47910 48040 48170 48300 48430 48560 48690 48820 48950 49080 49210 49340 49470 49600 49730 49860 49990 50120 50250 50380 50510 50640 50770 50900 51030 51160 51290 51420 51550 51680 51810 51940 52070 52200 52330 52460 52590 52720 52850 52980 53110 53240 53370 53500 53630 53760 53890 54020 54150 54280 54410 54540 54670 54800 54930 55060 55190 55320 55450 55580 55710 55840 55970 56100 56230 56360 56490 56620 56750 56880 57010 57140 57270 57400 57530 57660 57790 57920 58050 58180 58310 58440 58570 58700 58830 58960 59090 59220 59350 59480 59610 59740 59870 60000 60130 60260 60390 60520 60650 60780 60910 61040 61170 61300 61430 61560 61690 61820 61950 62080 62210 62340 62470 62600 62730 62860 62990 63120 63250 63380 63510 63640 63770 63900 64030 64160 64290 64420 64550 64680 64810 64940 65070 65200 65330 65460 65590 65720 65850 65980 66110 66240 66370 66500 66630 66760 66890 67020 67150 67280 67410 67540 67670 67800 67930 68060 68190 68320 68450 68580 68710 68840 68970 69100 69230 69360 69490 69620 69750 69880 70010 70140 70270 70400 70530 70660 70790 70920 71050 71180 71310 71440 71570 71700 71830 71960 72090 72220 72350 72480 72610 72740 72870 73000 73130 73260 73390 73520 73650 73780 73910 74040 74170 74300 74430 74560 74690 74820 74950 75080 75210 75340 75470 75600 75730 75860 75990 76120 76250 76380 76510 76640 76770 76900 77030 77160 77290 77420 77550 77680 77810 77940 78070 78200 78330 78460 78590 78720 78850 78980 79110 79240 79370 79500 79630 79760 79890 80020 80150 80280 80410 80540 80670 80800 80930 81060 81190 81320 81450 81580 81710 81840 81970 82100 82230 82360 82490 82620 82750 82880 83010 83140 83270 83400 83530 83660 83790 83920 84050 84180 84310 84440 84570 84700 84830 84960 85090 85220 85350 85480 85610 85740 85870 86000 86130 86260 86390 86520 86650 86780 86910 87040 87170 87300 87430 87560 87690 87820 87950 88080 88210 88340 88470 88600 88730 88860 88990 89120 89250 89380 89510 89640 89770 89900 90030 90160 90290 90420 90550 90680 90810 90940 91070 91200 91330 91460 91590 91720 91850 91980 92110 92240 92370 92500 92630 92760 92890 93020 93150 93280 93410 93540 93670 93800 93930 94060 94190 94320 94450 94580 94710 94840 94970 95100 95230 95360 95490 95620 95750 95880 96010 96140 96270 96400 96530 96660 96790 96920 97050 97180 97310 97440 97570 97700 97830 97960 98090 98220 98350 98480 98610 98740 98870 99000 99130 99260 99390 99520 99650 99780 99910 100040 100170 100300 100430 100560 100690 100820 100950 101080 101210 101340 101470 101600 101730 101860 101990 102120 102250 102380 102510 102640 102770 102900 103030 103160 103290 103420 103550 103680 103810 103940 104070 104200 104330 104460 104590 104720 104850 104980 105110 105240 105370 105500 105630 105760 105890 106020 106150 106280 106410 106540 106670 106800 106930 107060 107190 107320 107450 107580 107710 107840 107970 108100 108230 108360 108490 108620 108750 108880 109010 109140 109270 109400 109530 109660 109790 109920 110050 110180 110310 110440 110570 110700 110830 110960 111090 111220 111350 111480 111610 111740 111870 112000 112130 112260 112390 112520 112650 112780 112910 113040 113170 113300 113430 113560 113690 113820 113950 114080 114210 114340 114470 114600 114730 114860 114990 115120 115250 115380 115510 115640 115770 115900 116030 116160 116290 116420 116550 116680 116810 116940 117070 117200 117330 117460 117590 117720 117850 117980 118110 118240 118370 118500 118630 118760 118890 119020 119150 119280 119410 119540 119670 119800 119930 120060 120190 120320 120450 120580 120710 120840 120970 121100 121230 121360 121490 121620 121750 121880 122010 122140 122270 122400 122530 122660 122790 122920 123050 123180 123310 123440 123570 123700 123830 123960 124090 124220 124350 124480 124610 124740 124870 125000 125130 125260 125390 125520 125650 125780 125910 126040 126170 126300 126430 126560 126690 126820 126950 127080 127210 127340 127470 127600 127730 127860 127990 128120 128250 128380 128510 128640 128770 128900 129030 129160 129290 129420 129550 129680 129810 129940 130070 130200 130330 130460 130590 130720 130850 130980 131110 131240 131370 131500 131630 131760 131890 132020 132150 132280 132410 132540 132670 132800 132930 133060 133190 133320 133450 133580 133710 133840 133970 134100 134230 134360 134490 134620 134750 134880 135010 135140 135270 135400 135530 135660 135790 135920 136050 136180 136310 136440 136570 136700 136830 136960 137090 137220 137350 137480 137610 137740 137870 138000 138130 138260 138390 138520 138650 138780 138910 139040 139170 139300 139430 139560 139690 139820 139950 140080 140210 140340 140470 140600 140730 140860 140990 141120 141250 141380 141510 141640 141770 141900 142030 142160 142290 142420 142550 142680 142810 142940 143070 143200 143330 143460 143590 143720 143850 143980 144110 144240 144370 144500 144630 144760 144890 145020 145150 145280 145410 145540 145670 145800 145930 146060 146190 146320 146450 146580 146710 146840 146970 147100 147230 147360 147490 147620 147750 147880 148010 148140 148270 148400 148530 148660 148790 148920 149050 149180 149310 149440 149570 149700 149830 149960 150090 150220 150350 150480 150610 150740 150870 151000 151130 151260 151390 151520 151650 151780 151910 152040 152170 152300 152430 152560 152690 152820 152950 153080 153210 153340 153470 153600 153730 153860 153990 154120 154250 154380 154510 154640 154770 154900 155030 155160 155290 155420 155550 155680 155810 155940 156070 156200 156330 156460 156590 156720 156850 156980 157110 157240 157370 157500 157630 157760 157890 158020 158150 158280 158410 158540 158670 158800 158930 159060 159190 159320 159450 159580 159710 159840 159970 160100 160230 160360 160490 160620 160750 160880 161010 161140 161270 161400 161530 161660 161790 161920 162050 162180 162310 162440 162570 162700 162830 162960 163090 163220 163350 163480 163610 163740 163870 164000 164130 164260 164390 164520 164650 164780 164910 165040 165170 165300 165430 165560 165690 165820 165950 166080 166210 166340 166470 166600 166730 166860 166990 167120 167250 167380 167510 167640 167770 167900 168030 168160 168290 168420 168550 168680 168810 168940 169070 169200 169330 169460 169590 169720 169850 169980 170110 170240 170370 170500 170630 170760 170890 171020 171150 171280 171410 171540 171670 171800 171930 172060 172190 172320 172450 172580 172710 172840 172970 173100 173230 173360 173490 173620 173750 173880 174010 174140 174270 174400 174530 174660 174790 174920 175050 175180 175310 175440 175570 175700 175830 175960 176090 176220 176350 176480 176610 176740 176870 177000 177130 177260 177390 177520 177650 177780 177910 178040 178170 178300 178430 178560 178690 178820 178950 179080 179210 179340 179470 179600 179730 179860 179990 180120 180250 180380 180510 180640 180770 180900 181030 181160 181290 181420 181550 181680 181810 181940 182070 182200 182330 182460 182590 182720 182850 182980 183110 183240 183370 183500 183630 183760 183890 184020 184150 184280 184410 184540 184670 184800 184930 185060 185190 185320 185450 185580 185710 185840 185970 186100 186230 186360 186490 186620 186750 186880 187010 187140 187270 187400 187530 187660 187790 187920 188050 188180 188310 188440 188570 188700 188830 188960 189090 189220 189350 189480 189610 189740 189870 190000 190130 190260 190390 190520 190650 190780 190910 191040 191170 191300 191430 191560 191690 191820 191950 192080 192210 192340 192470 192600 192730 192860 192990 193120 193250 193380 193510 193640 193770 193900 194030 194160 194290 194420 194550 194680 194810 194940 195070 195200 195330 195460 195590 195720 195850 195980 196110 196240 196370 196500 196630 196760 196890 197020 197150 197280 197410 197540 197670 197800 197930 198060 198190 198320 198450 198580 198710 198840 198970 199100 199230 199360 199490 199620 199750 199880 200010 200140 200270 200400 200530 200660 200790 200920 201050 201180 201310 201440 201570 201700 201830 201960 202090 202220 202350 202480 202610 202740 202870 203000 203130 203260 203390 203520 203650 203780 203910 204040 204170 204300 204430 204560 204690 204820 204950 205080 205210 205340 205470 205600 205730 205860 205990 206120 206250 206380 206510 206640 206770 206900 207030 207160 207290 207420 207550 207680 207810 207940 208070 208200 208330 208460 208590 208720 208850 208980 209110 209240 209370 209500 209630 209760 209890 210020 210150 210280 210410 210540 210670 210800 210930 211060 211190 211320 211450 211580 211710 211840 211970 212100 212230 212360 212490 212620 212750 212880 213010 213140 213270 213400 213530 213660 213790 213920 214050 214180 214310 214440 214570



JOHN KUYKENDALL WIRELINE SERVICE CO., INC.  
P. O. Box 184 / A/C 915 337-5241 / ODESSA, TEXAS 79760

## BOTTOM HOLE PRESSURE REPORT

Operator Florida Exploration Lease Ross Draw Well No. 8  
Field Ross Draw Reservoir Wolfcamp Datum 12,109 M.P.  
Test Date 1-12-80 Well Status Flowing Hours Shut In \_\_\_\_\_  
Tubing 2 7/8 Depth \_\_\_\_\_ End \_\_\_\_\_ Packer 11,294 S. N. 11,294  
Casing \_\_\_\_\_ Depth \_\_\_\_\_ Perf. 12,064 - 12,153 Total Depth \_\_\_\_\_

|                                     | Depth | Press.<br>Lbs/Sq. In. | $\Delta$<br>Press. | Gradient<br>Lbs/Ft. |
|-------------------------------------|-------|-----------------------|--------------------|---------------------|
| Tubing Press. .... 7120             | -0-   | 7120                  |                    |                     |
| Casing Press. ....                  | 11202 | 8592                  | 1472               | .131                |
| Top of Fluid. ....                  | +907  | +119                  |                    |                     |
| Top of Water. ....                  |       |                       |                    |                     |
| Temp. @ 220 °F. .... 11202          | 12109 | 8611                  | Mid Perf           | .131                |
| Elev. KB. .... GI. ....             |       |                       |                    |                     |
| Last Test Date. ....                |       |                       |                    |                     |
| Press. Last Test. ....              |       |                       |                    |                     |
| Change. .... Per Day. ....          |       |                       |                    |                     |
| Inst. No. 33118 Cal. ....           |       |                       |                    |                     |
| Tested By. Spruell                  |       |                       |                    |                     |
| Calcu. By. Spruell                  |       |                       |                    |                     |
| Prod. Index. .... Bbls/day/lb. .... |       |                       |                    |                     |
| Drop. ....                          |       |                       |                    |                     |
| Cumulative prod. ....               |       |                       |                    |                     |

Remarks:



JOHN KUYKENDALL WIRELINE SERVICE Co., Inc.  
P. O. Box 184 / A/C 915 337-5241 / ODESSA, TEXAS 79760

**STATIC-FLOWING-B. H. PRESSURES**

COMPANY Florida Exploration Well & No. Ross Draw No. 8  
FIELD Ross Draw Date 1-12/14-80 Instrument No. 33118

| DATE    | STATUS                   | SERV. TIME | ELAPSED TIME |     | D. W. T. TP | BHP PSIG @ |        |
|---------|--------------------------|------------|--------------|-----|-------------|------------|--------|
|         |                          |            | HRS.         | MIN |             | 11,202     | 12,109 |
| 1-14-80 |                          | 11:45      | 00           | 15  | 7277        | 9014       | 9133   |
|         |                          | 12:00      | 00           | 30  | 7275        | 9004       | 9123   |
|         |                          | 12:15      | 00           | 45  | 7261        | 8996       | 9115   |
|         | Flowing on 5441 MCFD     | 12:30      | 01           | 00  | 7259        | 8992       | 9111   |
|         | Opened on 4th Rate 11/64 | 12:30      | 00           | 00  |             |            |        |
|         |                          | 12:45      | 00           | 15  | 7157        | 8934       | 9053   |
|         |                          | 13:00      | 00           | 30  | 7129        | 8911       | 9030   |
|         |                          | 13:15      | 00           | 45  | 7119        | 8898       | 9017   |
|         | Flowing 6612 MCFD        | 13:30      | 01           | 00  | 7112        | 8893       | 9012   |



JOHN KUYKENDALL WIRELINE SERVICE CO., INC.  
P. O. Box 184 / A/C 915 337-5241 / ODESSA, TEXAS 79760

STATIC-FLOWING-B. H. PRESSURES

COMPANY Florida Exploration Well & No. Ross Draw No. 8  
FIELD Ross Draw Date 1-12/14-80 Instrument No. 33118

| DATE    | STATUS                   | SERV. TIME | ELAPSED TIME |     | D. W. T. TP | BHP PSIG @ |        |
|---------|--------------------------|------------|--------------|-----|-------------|------------|--------|
|         |                          |            | HRS.         | MIN |             | 11,202     | 12,109 |
| 1-12-80 |                          | 18:30      | 05           | 00  |             | 8830       | 8958   |
|         |                          | 19:30      | 06           | 00  |             | 8866       | 8985   |
|         |                          | 20:30      | 07           | 00  |             | 8804       | 9013   |
|         |                          | 21:30      | 08           | 00  |             | 8921       | 9040   |
|         |                          | 22:30      | 09           | 00  |             | 8940       | 9059   |
|         |                          | 23:30      | 10           | 00  |             | 8958       | 9077   |
| 1-13-80 |                          | 02:00      | 12           | 30  |             | 8988       | 9107   |
|         |                          | 04:30      | 15           | 00  |             | 9004       | 9123   |
|         |                          | 07:00      | 17           | 30  |             | 9032       | 9151   |
|         |                          | 09:30      | 20           | 00  |             | 9052       | 9171   |
|         |                          | 14:30      | 25           | 00  |             | 9079       | 9198   |
|         |                          | 19:30      | 30           | 00  |             | 9105       | 9224   |
| 1-14-80 |                          | 00:30      | 35           | 00  |             | 9129       | 9248   |
|         |                          | 05:30      | 40           | 00  |             | 9143       | 9262   |
|         | End of Shut In           | 09:30      | 44           | 00  |             | 9160       | 9279   |
|         | Start of Flow Test       | 09:30      | 00           | 00  |             |            |        |
|         | 1st Rate                 |            |              |     |             |            |        |
|         | End of Build Up          | 09:30      | 00           | 00  | 7504        | 9160       | 9279   |
|         | Opened 1st Rate 6/64     | 09:30      | 00           | 00  |             |            |        |
|         |                          | 09:45      | 00           | 15  | 7461        | 9118       | 9237   |
|         |                          | 10:00      | 00           | 30  | 7461        | 9113       | 9232   |
|         |                          | 10:15      | 00           | 45  | 7461        | 9109       | 2228   |
|         | Flowing 2258 MCFD        | 10:30      | 01           | 00  | 7461        | 9105       | 9224   |
|         | Opened on 2nd Rate 8/64  | 10:30      | 00           | 00  |             |            |        |
|         |                          | 10:45      | 00           | 15  | 7405        | 9081       | 9200   |
|         |                          | 11:00      | 00           | 30  | 7392        | 9073       | 9191   |
|         |                          | 11:15      | 00           | 45  | 7387        | 9065       | 9184   |
|         | Flowing 3954 MCFD        | 11:30      | 01           | 00  | 7380        | 9063       | 9182   |
|         | Opened on 3rd Rate 10/64 | 11:30      | 00           | 00  |             |            |        |






JOHN KUYKENDALL WIRELINE SERVICE Co., INC.  
P. O. Box 184 / A/C 915 337-5241 / ODESSA, TEXAS 79760

**STATIC-FLOWING-B. H. PRESSURES**

COMPANY Florida Exploration Well & No. Ross Draw No. 8

FIELD Ross Draw Date 1-12/14-80 Instrument No. 33118

| DATE    | STATUS                    | SERV. TIME | ELAPSED TIME |     | D. W. T. TP | BHP PSIG @ |        |
|---------|---------------------------|------------|--------------|-----|-------------|------------|--------|
|         |                           |            | HRS.         | MIN |             | 11,202     | 12,109 |
| 1-12-80 | Instrument on Bottom      | 13:00      | 00           | 00  |             | 8592       |        |
|         |                           | 13:15      | 00           | 15  |             | 8586       |        |
|         | End of Flow               | 13:30      | 00           | 30  |             | 8578       |        |
|         | Shut Well in for Build Up | 13:30      | 00           | 00  |             |            |        |
|         |                           | 13:31      | 00           | 01  |             | 8630       | 8749   |
|         |                           | 13:33      | 00           | 03  |             | 8636       | 8755   |
|         |                           | 13:36      | 00           | 00  |             | 8630       | 8758   |
|         |                           | 13:39      | 00           | 00  |             | 8646       | 8765   |
|         |                           | 13:42      | 00           | 12  |             | 8653       | 8772   |
|         |                           | 13:45      | 00           | 15  |             | 8655       | 8774   |
|         |                           | 13:48      | 00           | 18  |             | 8661       | 8780   |
|         |                           | 13:51      | 00           | 21  |             | 8662       | 8781   |
|         |                           | 13:54      | 00           | 24  |             | 8662       | 8781   |
|         |                           | 13:57      | 00           | 27  |             | 8668       | 8787   |
|         |                           | 14:00      | 00           | 30  |             | 8672       | 8791   |
|         |                           | 14:06      | 00           | 36  |             | 8678       | 8797   |
|         |                           | 14:12      | 00           | 42  |             | 8684       | 8803   |
|         |                           | 14:18      | 00           | 48  |             | 8691       | 8810   |
|         |                           | 14:24      | 00           | 54  |             | 8694       | 8813   |
|         |                           | 14:30      | 01           | 00  |             | 8702       | 8821   |
|         |                           | 14:45      | 01           | 15  |             | 8712       | 8831   |
|         |                           | 15:00      | 01           | 30  |             | 8725       | 8844   |
|         |                           | 15:15      | 01           | 45  |             | 8734       | 8853   |
|         |                           | 15:30      | 02           | 00  |             | 8742       | 8861   |
|         |                           | 16:00      | 02           | 30  |             | 8762       | 8881   |
|         |                           | 16:30      | 03           | 00  |             | 8779       | 8998   |
|         |                           | 17:00      | 03           | 30  |             | 8795       | 8914   |
|         |                           | 17:30      | 04           | 00  |             | 8811       | 8930   |
|         |                           | 18:00      | 04           | 30  |             | 8826       | 8945   |



# WOLF PETRO LAB, INC.

P. O. BOX 643  
ODESSA, TEXAS

RECEIVED EMERSON 6-9701  
DATE EMERSON 6-7171

2411 WEST 42ND STREET

79760

JAN 23 1980

## HYDROCARBON ANALYSIS

## LABORATORY REPORT

O. C. D.  
ARTESIA, OFFICE

Florida ~~Oil~~ **Exploration**  
Charge **WPL-80-32-A**  
Test No. **1-13-80**  
Date of Run **1-12-80**  
Date Received **1-12-80**

A Sample of **Liquid Hydrocarbons from Separator - Ross Draw No. 8**  
Secured from **Wolfcamp Formation**  
At **Eddy County New Mexico**  
Purpose \_\_\_\_\_ Date **7 a.m.** Secured by \_\_\_\_\_ Time **1-12-80**  
Sampling Conditions \_\_\_\_\_

### DISTILLATION

|                    |        |
|--------------------|--------|
| I B P              | 86 °F  |
| 5%                 | 114 °F |
| 10%                | 130 °F |
| 20%                | 156 °F |
| 30%                | 180 °F |
| 40%                | 200 °F |
| 50%                | 217 °F |
| 60%                | 241 °F |
| 70%                | 268 °F |
| 75%                | 292 °F |
| 80%                | 317 °F |
| 85%                | 350 °F |
| 90%                | 400 °F |
| 95%                | 475 °F |
| End Point          | 494 °F |
| * % Loss & Residue | 4.00   |
| % Recovery         | 96.00  |
| Color              |        |

### YIELD

|                   |         |
|-------------------|---------|
| Gasoline 300°F    | 78.00 % |
| Gasoline 350°F    | 7.00 %  |
| Gasoline 400°F    | 5.00 %  |
| Total Gasoline    | 90.00 % |
| Kerosene 525°F    | 6.00 %  |
| Diesel Fuel 650°F |         |

### ASTM OR SPECIAL TESTING

|                                  |               |
|----------------------------------|---------------|
| Ash Content                      |               |
| Acid or Base Numbers             |               |
| B. S. & W. (Centrifuge)          |               |
| Carbon Residue                   |               |
| Carbon Residue on 10% Residue    |               |
| Cloud and Pour Point to _____ °F |               |
| Doctor Test                      |               |
| Flash Point (open or closed)     |               |
| Fire Point                       |               |
| Gravity, A. P. I. Hydrometer     | 62.60 @ 60°F. |
| Hydrogen Sulfide (Crude Oil)     |               |
| Salt Content (Crude Oil)         |               |
| Sulfur (lamp method)             |               |
| Vapor Pressure (Reid)            |               |
| Vapor Pressure (N.G.A.A.)        |               |
| Vapor Pressure (Lean Oil)        |               |
| Viscosity (Saybolt) 100°F        |               |
| Viscosity (Saybolt) 210°F        |               |
| Viscosity (Index No.)            |               |

Run by: **J. Wolf** Checked by: **J. Wolf** Approved: \_\_\_\_\_

### Additional Data and Remarks

\*Loss & Residue  
Loss = 2.75 %  
Residue = 1.25 %  
Total = 4.00 %

### COPIES

5 - Mr. Carl Speight  
900 Vaughn Building  
Midland, Texas 79701

1 - File



# WOLF PETRO LAB, INC.

DIAL 915/366-9701  
DIAL 815/366-7171

2411 WEST 42ND STREET

P. O. BOX 643  
ODESSA, TEXAS

79760

JAN 23 1980

HYDROCARBON ANALYSIS

LABORATORY REPORT

O. C. D.  
ARTESIA, OFFICE

Florida ~~State~~  
Charge ~~Gas~~ Exploration  
Test No. **WPL-80-32**  
Date of Run **1-13-80**  
Date Received **1-12-80**

A Sample of Gas from Separator - Ross Draw No. 8  
Secured from Wolfcamp Formation  
At Eddy County New Mexico Secured by \_\_\_\_\_  
Purpose \_\_\_\_\_ Time 7 a. m. Date 1-12-80  
Sampling Conditions: \_\_\_\_\_

## CHROMATOGRAPH ANALYSIS

|                  | Gas Vol.<br>or Mol. % | Liquid<br>Vol. % | GPM         |
|------------------|-----------------------|------------------|-------------|
| Hydrogen Sulfide |                       |                  |             |
| Carbon Dioxide   | <u>.17</u>            |                  |             |
| Air              |                       |                  |             |
| Nitrogen         | <u>.23</u>            |                  |             |
| Oxygen           |                       |                  |             |
| Methane          | <u>86.77</u>          |                  |             |
| Ethane           | <u>7.96</u>           |                  |             |
| Propane          | <u>2.60</u>           |                  | <u>.71</u>  |
| Iso-Butane       | <u>.58</u>            |                  | <u>.19</u>  |
| N-Butane         | <u>.89</u>            |                  | <u>.28</u>  |
| Iso-Pentane      | <u>.28</u>            |                  | <u>.10</u>  |
| N-Pentane        | <u>.24</u>            |                  | <u>.09</u>  |
| Iso-Hexane       |                       |                  |             |
| N-Hexane         |                       |                  |             |
| Pentanes (2)     |                       |                  |             |
| Hexanes (2)      | <u>.28</u>            |                  | <u>.12</u>  |
| Heptane (2)      |                       |                  |             |
| TOTAL            | <u>100.00</u>         |                  | <u>1.49</u> |

(1) and lighter  
(2) and heavier

## ANALYSIS INFORMATION

Volume of Sample \_\_\_\_\_ cc. @ \_\_\_\_\_ ° F  
Sp. Gr. Residue \_\_\_\_\_ Vol. of Residue \_\_\_\_\_ cc.  
Molecular Wgt. of Residue \_\_\_\_\_  
Gal/lb. Mol. \_\_\_\_\_

## VAPOR PRESSURE

Calculated \_\_\_\_\_ lbs. @ 100° F  
\_\_\_\_\_ lbs. @ 100° F

## GASOLINE CONTENT

|               |          |              |          |
|---------------|----------|--------------|----------|
| <u>26/70</u>  | Gasoline | <u>.465</u>  | G. P. M. |
| <u>100%</u>   | Propane  | <u>.710</u>  | G. P. M. |
| <u>Excess</u> | Butanes  | <u>.315</u>  | G. P. M. |
|               | TOTAL    | <u>1.490</u> | G. P. M. |

## SULFUR DETERMINATION

|                   |                  |              |             |
|-------------------|------------------|--------------|-------------|
| Hydrogen Sulfide  | H <sub>2</sub> S | <u>.0525</u> | grs/100 SCF |
| Mercaptans        | RSH              | <u>.1738</u> | grs/100 SCF |
| Sulfides          | RSR              | <u>.0400</u> | grs/100 SCF |
| Residual Sulfides | RSSR             | <u>.0050</u> | grs/100 SCF |
| Total Sulfides    |                  | <u>.2713</u> | grs/100 SCF |

## OTHER DATA

|              |             |           |              |           |
|--------------|-------------|-----------|--------------|-----------|
|              | (Calc.)     | Wet Basis |              | Dry Basis |
| BTU Content  | <u>1090</u> | (Calc.)   | <u>1109</u>  |           |
| Sp. Gravity  | (Actual)    | (Calc.)   | <u>.6589</u> |           |
| A. P. I. Gr. | (Actual)    | (Calc.)   |              |           |

Run by: J. Wolf Checked by: J. Wolf Approved: \_\_\_\_\_

Additional Data and Remarks

## COPIES

5 - Mr. Carl Speight  
900 Vaughn Building  
Midland, Texas 79701

1 - File