

9. WELL SITE LAYOUT (cont'd.):

- (3) Rig Orientation, Parking Areas, and Access Roads:

See Diagram "C" (attached)

- (4) Statement as to whether pits are to be lined or unlined. (Approval as used in this section means field approval of location. All necessary staking of facilities may be done at the time of field inspection) A Registered Surveyor is not mandatory for such operations:

Drilling reserve pits will be lined for drilling.

10. PLANS FOR RESTORATION OF SURFACES:

State Restoration Program upon Completion of Operations, including:

- (1) Backfilling, Leveling, Contouring, and Waste Disposal; Segregation of Spoils Materials as needed:

The drill site will be cleaned and waste material will be put in the trash burn pit, which will be covered at the finish of the drilling operation. The reserve pit will be backfilled as soon as it is dry enough.

- (2) Revegetation and Rehabilitation - including access roads (normally per BLM recommendations):

The top soil will be re-distributed and at the proper season the proper seed mixture per BLM requirements.

- (3) Prior to Rig Release, Pits will be Fenced and so Maintained until Cleanup:

At completion of the drilling, all pits will be fenced.

Pit, Remove Oil and Install Overhead Flagging:

If there is oil on the reserve pit, it will be removed and flagged with overhead flagging.

- (5) Timetable for Commencement and Completion of Rehabilitation Operations:

Depending upon climatic conditions, restoration should be completed from six months to one year after spud date.