

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN TRIPLICATE*
(Other instructions on reverse side)

Form approved.
Budget Bureau No. 42-R1424.

SUNDRY NOTICES AND REPORTS ON WELLS
(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL GAS WELL OTHER

2. NAME OF OPERATOR
Exxon Corporation

3. ADDRESS OF OPERATOR
P.O. Box 1600 Midland, TX 79702

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.)
At surface

660' FEL and 660' FNL

14. PERMIT NO. _____ 15. ELEVATIONS (Show whether DF, RT, GR, etc.) _____

5. LEASE DESIGNATION AND SERIAL NO.
NM 22628

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME
Mitepost Fed. Com. #2

9. WELL NO.
1

10. FIELD AND POOL, OR WILDCAT
Undesignated Morrow

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
Sec. 31, T26S, R26E

12. COUNTY OR PARISH 13. STATE
Eddy NM

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

| NOTICE OF INTENTION TO: | | SUBSEQUENT REPORT OF: | |
|--|---|---|--|
| TEST WATER SHUT-OFF <input type="checkbox"/> | PULL OR ALTER CASING <input type="checkbox"/> | WATER SHUT-OFF <input checked="" type="checkbox"/> | REPAIRING WELL <input type="checkbox"/> |
| FRACTURE TREAT <input type="checkbox"/> | MULTIPLE COMPLETE <input type="checkbox"/> | FRACTURE TREATMENT <input type="checkbox"/> | ALTERING CASING <input type="checkbox"/> |
| SHOOT OR ACIDIZE <input type="checkbox"/> | ABANDON* <input type="checkbox"/> | SHOOTING OR ACIDIZING <input type="checkbox"/> | ABANDONMENT* <input type="checkbox"/> |
| REPAIR WELL <input type="checkbox"/> | CHANGE PLANS <input type="checkbox"/> | (Other) _____ | |
| (Other) _____ | | (NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.) | |

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Drilled 7 7/8" hole to TD 11,400'.
Set 120 sx cmt. pkg. from 11,000 to 10,600'.
Drill cmt. plug from 10,600 to 10,750.
Ran 10,730' (270 jts.) 5 1/2" csg. 545' (15 jts) N-80 20#, 2789' (68 jts.) 17# N-80, 1793' (43 jts) K-55, 2711' (74 jts) 15.5# K-55, 1903' (45 jts) 17# K-55, 989' (25 jts) 17# N-80 csg. Set at 10747'. Cmt. w/ 1050 sx Class "H", .75% CFR-2/sk, 3# Gilsonite/sx, 1/4# Flocele/sx. POB 9:30 p.m. 8/27/80. WOC
Tested csg w/ 2000# - held ok - September 2, 1980.

ACCEPTED FOR RECORD
GS
NOV 12 1980
U.S. GEOLOGICAL SURVEY
ROSWELL, NEW MEXICO

18. I hereby certify that the foregoing is true and correct

SIGNED *L. F. Lacey* TITLE Sr. Administrator DATE 11/6/80

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____
CONDITIONS OF APPROVAL, IF ANY:

*See Instructions on Reverse Side