Proposed Davelopment Plan for Surface Use

Federal BO ≠1 1920' FSL X 660' FEL, Sec. 26, T-26-S, R-25-E Eddy County, NM

1. Existing roads including location of exit from main highway.

Detailed map showing drillsite location in relation to the nearest town and all existing roads within one mile of the wellsite are shown on Exhibit A.

From Carlsbad go south 15.7 miles on highway #180. Between mile markers 20 & 19 turn east and 1.5 miles to end of pavement. Go south 13 miles. Turn west and 90.5 mile to Exxon well pad. Location is 1.1 miles. Planned access roads.

Approx. 1.1 miles of access road will be built

3. Location of existing wells.

2.

All existing well within one mile radius are shown on Exhibit C.

4. Location of tank batteries and flow lines

If the well is commercially productive, the production facilities (i.e. tanks. seperators, & treaters) will be located on existing pad.

5. Location and type of water supply.

Fresh & brine water to be hauled by commercial hauler.

## RECEIVED

6. Source of construction materials.

JUL 1 8 1980

Caliche will be obtained from reserve pits.

## U.S. GEULUGICAL SURVEY ARTESIA, NEW MEXICO

- 7. WASTE DISPOSAL
  - a. Drill cuttings will be disposed of in the reserve pit.
  - b. Drilling fluids will be allowed to evaporate in the reserve pit until the pit is dry.