

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil ☐ well gas ☒ well other ☐
2. NAME OF OPERATOR
Amoco Production Company ✓
3. ADDRESS OF OPERATOR
P. O. Box 68 Hobbs, NM 88240
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)
AT SURFACE: 1980' FSL X 660' FEL, Sec. 26
AT TOP PROD. INTERVAL: (Unit I, NE/4, NE/4)
AT TOTAL DEPTH:
16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF:

- | | | |
|----------------------|-------------------------------------|--------------------------|
| TEST WATER SHUT-OFF | <input type="checkbox"/> | <input type="checkbox"/> |
| FRACTURE TREAT | <input type="checkbox"/> | <input type="checkbox"/> |
| SHOOT OR ACIDIZE | <input type="checkbox"/> | <input type="checkbox"/> |
| REPAIR WELL | <input type="checkbox"/> | <input type="checkbox"/> |
| PULL OR ALTER CASING | <input type="checkbox"/> | <input type="checkbox"/> |
| MULTIPLE COMPLETE | <input type="checkbox"/> | <input type="checkbox"/> |
| CHANGE ZONES | <input type="checkbox"/> | <input type="checkbox"/> |
| ABANDON* | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
- (other) _____

5. LEASE
NM-22625
6. IF INDIAN, ALLOTTEE OR TRIBE NAME
7. UNIT AGREEMENT NAME
8. FARM OR LEASE NAME
Federal BQ
9. WELL NO.
1
10. FIELD OR WILDCAT NAME
Wildcat Morrow 1/2 - 11 1/2 ACRES
11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
26-26-25
12. COUNTY OR PARISH
Eddy
13. STATE
NM
14. API NO.
15. ELEVATIONS (SHOW DF, KDB, AND WD)
3636.3 GL

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Propose to P X A per the following:

Spot 200' Class H cement plug 10130'-10330'
Spot 150' Class H cement plug 9075'-9225'.
Spot 150' Class H cement plug 7705'-7855'.
Spot 150' Class H cement plug 6025'-6175'.
Spot 100' Class H cement plug 4977'-5077'.

50' in and 50' out of 9-5/8" casing shoe.
Spot 20' surface plug and erect P X A marker.

0+4-USGS, A 1-Hou 1-Susp 1-LBG 1-Getty 1-Hudson X Hudson

Subsurface Safety Valve: Manu. and Type _____ Set @ _____ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED Bob Davis TITLE Admin. Analyst DATE 10-6-80

(Orig. Sgd.) GEORGE H. STEWART

APPROVED BY _____ TITLE _____ DATE OCT 09 1980

CONDITIONS OF APPROVAL, IF ANY: