

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

## SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil ☐ gas ☒ other

2. NAME OF OPERATOR

Amoco Production Company ✓

3. ADDRESS OF OPERATOR

P. O. Box 68 Hobbs, NM 88240

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)

AT SURFACE: 660' FNL X 1980' FEL, Sec. 35

AT TOP PROD. INTERVAL: (Unit B, NW/4, NE/4)

AT TOTAL DEPTH:

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:

TEST WATER SHUT-OFF ☐FRACTURE TREAT ☐SHOOT OR ACIDIZE ☐REPAIR WELL ☐PULL OR ALTER CASING ☐MULTIPLE COMPLETE ☐CHANGE ZONES ☐ABANDON\* ☐(other) Change casing program

SUBSEQUENT REPORT OF:

☐☐☐☐☐☐☐☐

5. LEASE

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

RECEIVED

8. FARM OR LEASE NAME

Federal AP Com.

NOV 18 1980

9. WELL NO.

1

O. C. D.

10. FIELD OR WILDCAT NAME

ARTESIA, OFFICE

Wildcat Morrow

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA

B 35-25-31

12. COUNTY OR PARISH

Eddy

13. STATE

NM

14. API NO.

15. ELEVATIONS (SHOW DF, KDB, AND WD)  
3323.3' GR

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

RECEIVED  
NOV 14 1980U. S. GEOLOGICAL SURVEY  
ROSWELL, NEW MEXICO

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

Request permission to change casing program per the following:

Hole Size	Casing Size	Wt./Ft.	Setting Depth	Quantity of cement
26"	20"	94#	1000'	Circulate
17-1/2"	13-3/8"	48#	4750'	Tie back to 20"
12-1/4"	9-5/8"	36#	12000'	Cmt. to 8100; 500' above Bone
9-1/2"	7-5/8"	26.4#	11550'-14000'	Circ. at 11550' Springs
6-1/2"	4-1/2"	9.5#	13550'- TD	Circ. at 13550'

Propose to drill and equip well in the Morrow formation. After reaching TD, logs will be run. Perforate and stimulate as necessary in attempting commercial production.

Subsurface Safety Valve: Manu. and Type \_\_\_\_\_ Set @ \_\_\_\_\_ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED Benton Greer TITLE Ast. Adm. Analyst DATE 11-12-80

(U. S. G. S.) GEORGE H. STEWART

(This space for Federal or State office use)

APPROVED BY \_\_\_\_\_  
CONDITIONS OF APPROVAL, IF ANY:

TITLE \_\_\_\_\_

DATE NOV 14 1980

0+4-USGS, R

1-Hou

1-Susp

1-LBG

1-W. Stafford, Hou

1-Yates Petroleum