

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEYSUBMIT IN TRIP  
(Other instruction  
reverse side)Form approved.  
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

NM 13989

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

---

7. UNIT AGREEMENT NAME

---

8. FARM OR LEASE NAME

Amoco Federal

9. WELL NO.

1

10. FIELD AND POOL, OR WILDCAT

Wildcat

11. SEC., T., R., M., OR BLK. AND  
SURVEY OR AREA

Sec. 26, T-25-S, R-27-E

12. COUNTY OR PARISH

Eddy

13. STATE

New Mexico

## SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.  
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>	NM OIL CONS. COMMISSION
2. NAME OF OPERATOR	Drawer DD
Wood & Locker, Inc. ✓	Artesia, NM 88210
3. ADDRESS OF OPERATOR	
600 Energy Square, 505 N. Big Spring, Midland, Texas 79701	
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.) At surface	
660' FNL & 990' FEE, Sec. 26, T-25-S, R-27-E	OCT 5 1982
14. PERMIT NO.	15. ELEVATIONS (Show whether DF, RT, GR, etc.)
	3075' GR, 3087' RKB ARTESIA, OFFICE

## 16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF	<input type="checkbox"/>	WATER SHUT-OFF	<input type="checkbox"/>
FRACURE TREAT	<input type="checkbox"/>	FRACURE TREATMENT	<input checked="" type="checkbox"/>
SHOOT OR ACIDIZE	<input type="checkbox"/>	SHOOTING OR ACIDIZING	<input checked="" type="checkbox"/>
REPAIR WELL	<input type="checkbox"/>	(Other)	<input type="checkbox"/>
(Other)	<input type="checkbox"/>		

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

12-15-81 thru 12-21-81

1. Perforate Bone Springs w/ 1-JSPD @ 6611', 16', 22', 25', 65', 69', 85', 6691', 6709', 35' & 6743' (0.40" - 11 holes).
2. Acidize perfs 6611' to 6743' w/2000 gals 15% HCL & 12 balls. Swabbed water.
3. Perforate Bone Springs w/ 1-JSPD @ 7206', 10', 19', 26', 32', 42', 50', 56' & 7262' (0.40" - 9 holes).
4. Acidize perfs 7206' to 7262' w/1000 gals 15% HCL & 14 balls. Swabbed dry.
5. Frac'd perfs 7206' to 7262' w/30,000 gals Varsagel w/33,000# 20/40 sand & 10,000# 10/20 sand. Swabbed water with trace of gas.

18. I hereby certify that the foregoing is true and correct

SIGNED D. M. Johnson TITLE Drfg. & Prod. Manager DATE 9-8-82

(This space for Federal or State office use)

APPROVED BY R. R. E. TITLE \_\_\_\_\_ DATE \_\_\_\_\_  
CONDITIONS OF APPROVAL, IF ANY:OCT 4 1982  
U.S. GEOLOGICAL SURVEY  
ROSWELL, NEW MEXICO

\*See Instructions on Reverse Side