

MISSION
Drawer 80
Artesia, NM 88210

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

C/SF
SUNDRY NOTICES AND REPORTS ON WELLS
(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

5. LEASE	NM-133997
6. IF INDIAN, ALLOTTEE OR TRIBE NAME	RECEIVED
7. UNIT AGREEMENT NAME	
8. FARM OR LEASE NAME	JAN 22 1982 EP-USA
9. WELL NO.	O. C. D. 2 ARTESIA, OFFICE
10. FIELD OR WILDCAT NAME	Wildcat <i>Cherry Canyon</i>
11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA	Section 26, T-26-S, R-29-E
12. COUNTY OR PARISH	Eddy
13. STATE	New Mexico
14. API NO.	
15. ELEVATIONS (SHOW DF, KDB, AND WD)	2890.5 GR

1. oil well gas well other

2. NAME OF OPERATOR
J. C. Williamson

3. ADDRESS OF OPERATOR
P. O. Box 16, Midland, Texas 79702

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)
AT SURFACE: 990' FSL & 1650' FEL
AT TOP PROD. INTERVAL: 990' FSL & 1650' FEL
AT TOTAL DEPTH: 990' FSL & 1650' FEL

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:	SUBSEQUENT REPORT OF:
TEST WATER SHUT-OFF <input type="checkbox"/>	<input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	<input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	<input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	<input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	<input type="checkbox"/>
MULTIPLE COMPLETE <input type="checkbox"/>	<input type="checkbox"/>
CHANGE ZONES <input type="checkbox"/>	<input type="checkbox"/>
ABANDON* <input type="checkbox"/>	<input type="checkbox"/>
(other) Cementing <input type="checkbox"/>	<input type="checkbox"/>

RECEIVED
JAN 14 1982
OIL & GAS
U.S. GEOLOGICAL SURVEY
ROSWELL, NEW MEXICO

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

1/5/82 8 5/8" casing set at 831'. Cemented with 200 sacks Class "C" cement with 2% CaCl₂. Top of cement at 460'.

Subsurface Safety Valve: Manu. and Type _____ Set @ _____ Ft.

18. I hereby certify that the foregoing is true and correct
SIGNED J. C. Williamson TITLE Production Secretary DATE 1/12/82

(This space for Federal or State office use)
APPROVED BY _____ TITLE _____ DATE _____
CONDITIONS OF APPROVAL IF ANY
U.S. GEOLOGICAL SURVEY
ROSWELL, NEW MEXICO