

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN DUPLICATE

INSTRUCTIONS
(See reverse side)
Artificially
reverse sideCOMMISSION approved.
Budget Bureau No. 42-R355.5.

DESIGNATION AND SERIAL NO.

NM 22207

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME
WASHINGTON RANCH GAS
STORAGE PROJECT *WJ*

9. WELL NO.

22

10. FIELD AND POOL, OR WILDCAT
WASHINGTON RANCH/GAS POOL11. SEC., T., R., M., OR BLOCK AND SURVEY
OR AREA

Sec 34, T-25-S, R-24-E

12. COUNTY OR
PARISH
EDDY13. STATE
NEW MEXICO

WELL COMPLETION OR RECOMPLETION REPORT AND LOG *

1. TYPE OF WELL: OIL WELL ☐ GAS WELL ☒ DRY ☐ Other GAS STORAGE

b. TYPE OF COMPLETION:

NEW WELL ☒ WORK OVER ☐ DEEP-EN ☐ PLUG BACK ☐ DIFF. RESVR. ☐ Other

2. NAME OF OPERATOR

EL PASO NATURAL GAS COMPANY

3. ADDRESS OF OPERATOR

1800 WILCO BUILDING - MIDLAND, TEXAS 79701

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)*

At surface

950' FNL & 950' FWL

At top prod. interval reported below

At total depth

14. PERMIT NO.

DATE ISSUED

15. DATE SPUDDED

5-2-82

16. DATE T.D. REACHED

5-27-82

17. DATE COMPL. (Ready to prod.)

6-10-82

18. ELEVATIONS (DF, RKB, RT, GR, ETC.)*

3739'

19. ELEV. CASINGHEAD

3727'

20. TOTAL DEPTH, MD & TVD

7000'

21. PLUG, BACK T.D., MD & TVD

6967'

22. IF MULTIPLE COMPL.,
HOW MANY*23. INTERVALS
DRILLED BY

ROTARY TOOLS

CABLE TOOLS

X

24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)*

6673'-6834'

25. WAS DIRECTIONAL
SURVEY MADE

NO

26. TYPE ELECTRIC AND OTHER LOGS RUN

Comp Neutron/Density, BHC Acoustilog, DIL, Prolog, CBL

27. WAS WELL CORED

No

28. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
9 5/8	32.30	797'	12 1/4	600 sx C1 C	None
7	23.00	6973'	8 3/4	500 sx C1 H	None

29. LINER RECORD

SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)
					2 7/8	6854'	

31. PERFORATION RECORD (Interval, size and number)

6673-6834' 4 spf (208 shots)

32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.

DEPTH INTERVAL (MD)	AMOUNT AND KIND OF MATERIAL USED
None	ACCEPTED FOR RECORD

33. PRODUCTION

DATE FIRST PRODUCTION

NA

PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump)

Flowing

DATE OF TEST	HOURS TESTED	CHOKE SIZE	PROD'N. FOR TEST PERIOD	OIL—BBL.	GAS—MCF.	WATER—BBL.	GAS-OIL RATIO
6-11-82	24 hrs	32/64"	→	---	3011	---	---
FLOW, TUBING PRESS.	CASING PRESSURE	CALCULATED 24-HOUR RATE	OIL—BBL.	GAS—MCF.	WATER—BBL.	OIL GRAVITY-API (CORR.)	
486 psi	627 psi	→	---	3011	---	---	---

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.)

TEST WITNESSED BY

35. LIST OF ATTACHMENTS

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

SIGNED

John P. Deek

TITLE

Supv. Prod. Svc.

DATE

7-2-82

*(See Instructions and Spaces for Additional Data on Reverse Side)

INSTRUCTIONS

General: This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal agency or a State agency, or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office. See instructions on items 22 and 24, and 33, below regarding separate reports for separate completions.

If not filed prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formation and pressure tests, and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments should be listed on this form, see item 3a.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 18: Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments.

Items 22 and 24: If this well is completed for separate production from more than one interval zone (multiple completion), so state in item 22, and in item 24 show the producing interval, or intervals, top(s), bottom(s) and name(s) (if any) for only the interval reported in item 33. Submit a separate report (page) on this form, adequately identified, for each additional interval to be separately produced, showing the additional data pertinent to such interval.

Item 29: "Sacks Cement": Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool.

Item 33: Submit a separate completion report on this form for each interval to be separately produced. (See instruction for items 22 and 24 above.)

37. SUMMARY OF POROUS ZONES:

SHOW ALL IMPORTANT ZONES OF POROSITY AND CONTENTS THEREOF; CORED INTERVALS; AND ALL DRILL-STEM TESTS, INCLUDING DEPTH INTERVAL TESTED, CUSHION USED, TIME TOOL OPEN, FLOWING AND SHUT-IN PRESSURES, AND RECOVERIES

FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.	38. GEOLOGIC MARKERS		
				NAME	MEAS. DEPTH	TRUE VERT. DEPTH
Delaware Sd	573					
Cherry Gnyon	1,468					
Bond Spring	3,568					
Wolfcamp	5,502					
Strawn	5,716					
Atoka	5,976					
Morrow Lime	6,432					
Morrow Clastics	6,606					

RECEIVED

JUL 12 1982


WASHINGTON RANCH STORAGE PROJECT NO. 22


Sec. 34, T-25-S, R-24-E
Eddy County, New Mexico

O. C. D.
ARTESIA, OFFICE

<u>DEPTH</u>	<u>HOLE SIZE</u>	<u>DEVIATION-DEGREES</u>
888	8 3/4"	2 1/2
984	8 3/4"	1 1/4
1,409	8 3/4"	3/4
1,782	8 3/4"	1
2,281	8 3/4"	2
2,874	8 3/4"	1
3,372	8 3/4"	3/4
4,000	8 3/4"	3
4,303	8 3/4"	2 1/2
4,658	8 3/4"	1 3/4
4,907	8 3/4"	3
5,424	8 3/4"	1 1/2
6,038	8 3/4"	2 1/4
6,295	8 3/4"	2
6,512	8 3/4"	1 3/4
6,707	8 3/4"	2 1/2
7,000	8 3/4"	2 1/2

SWORN TO and SUBSCRIBED before me by John S. Delk on this the 11th
Day of June, 1982.


John S. Delk


Judy Sandell, Notary Public
State of Texas

My commission expires June 29, 1984