

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT  
NM OIL CONS COMMISSION  
Drawer DD  
Artesia, NM 88210

FORM APPROVED  
Budget Bureau No. 1004-0135  
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.  
Use "APPLICATION FOR PERMIT—" for such proposals

5. Lease Designation and Serial No.  
Fed NM 22207

6. If Indian, Allottee or Tribe Name  
NA

7. If Unit or CA, Agreement Designation  
Washington Ranch  
Storage Area

8. Well Name and No.

WI No. 24

9. API Well No.  
30-015-24103

10. Field and Pool, or Exploratory Area  
Washington Ranch  
Morrow

11. County or Parish, State

Eddy, NM

SUBMIT IN TRIPLICATE

OCT 05 '94

1. Type of Well

☐ Oil Well ☐ Gas Well ☒ Other Gas Storage

2. Name of Operator

El Paso Natural Gas Co. - (J. W. Mulloy Assoc - Agent)

3. Address and Telephone No.

1110 N. Big Spring, Midland, TX 79701 (915-687-0323)

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

2063' FNL, 2452' FWL Unit F

Sec 34 T-25-S R-24-E

12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

- ☐ Notice of Intent  
☒ Subsequent Report  
☐ Final Abandonment Notice

TYPE OF ACTION

- ☐ Abandonment  
☐ Recompletion  
☐ Plugging Back  
☐ Casing Repair  
☐ Altering Casing  
☒ Other Repair well  
☐ Change of Plans  
☐ New Construction  
☐ Non-Routine Fracturing  
☐ Water Shut-Off  
☐ Conversion to Injection  
☐ Dispose Water

(Note: Report results of multiple completion on a Completion or Recompletion Report and Log form)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally or give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

8-17-94 MIRU Equipment. Set plug w/prong in profile @ 6600'. Load tbgs w/9# brine. POH w/4-1/2" tbgs. Change rams in BOP. Ran RBP on 2-7/8" tbgs work string. Set RBP @ 6530'. Spot 3 sx sand on RBP. Test plug & casing to 1000 psi. OK. POH w/tbgs. Ran CBL 5179'-4744'. TOC @ 4930'. Ran Casing Insp Log 6530' to Surf. Casing OK. Perf 2 holes @ 4880'. RIH & set retainer @ 4820'. Cement w/1075 sx. Circ 140 sx to surface. WOC. Drill out cement & retainer. Ran CBL 4968' to surface. TOC 290'. POH w/RBP. RIH testing 4-1/2" tbgs. ND BOP. NU wellhead and surface equipment. Retrieve prong & plug from profile.

8-27-94 Return well to service.

ARZ

14. I hereby certify that the foregoing is true and correct

Signed O. H. ROUTH Title AGENT

Date 8-29-94

(This space for Federal or State office use)

Approved by

Conditions of approval, if any:

Title

Date