

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well

☐ Oil Well ☒ Gas Well ☐ Other

2. Name of Operator

BASS ENTERPRISES PRODUCTION CO.

3. Address and Telephone No.

P. O. BOX 2760, MIDLAND, TEXAS 79701, 915-683-2277

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

1980' FSL & 1980' FWL OF UNIT LETTER K, SECTION 27,
T-24-S, R-31-E

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

5. Lease Designation and Serial No.

NM 0522+**A**

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation

POKER LAKE UNIT

8. Well Name and No.

POKER LAKE UNIT #58

9. API Well No.

10. Field and Pool, or Exploratory Area

BIG SINKS WOLFCAMP

11. County or Parish, State

EDDY COUNTY, NEW MEXICO

12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

☐ Notice of Intent
☒ Subsequent Report
☐ Final Abandonment Notice

TYPE OF ACTION

☐ Abandonment
☐ Recompletion
☐ Plugging Back
☐ Casing Repair
☐ Altering Casing
☐ Other

☒ Change of Plans
☐ New Construction
☐ Non-Routine Fracturing
☐ Water Shut-Off
☐ Conversion to Injection
☐ Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

DUE TO COLLAPSED CASING, THE FOLLOWING IS PROPOSED: THE 9-5/8" CASING WAS FOUND PARTED AT APPROXIMATELY 11,916' DURING ROUTINE OPERATIONS TO REMOVE A PERMANENT PACKER SET AT 11,898'. THE PACKER HAS BEEN KNOCKED LOOSE AND FELL TO APPROXIMATELY 12,100' (ABOVE PERFS AT 12,108'-12,147'). IT IS PLANNED TO RUN INSIDE THE PARTED 9-5/8" CASING WITH 2-7/8" TUBING AND SPOT 6 SACKS (+/-15') OF 20/40 SAND ON PACKER. THEN SPOT 600' CLASS "H" CEMENT INSIDE THE 9-5/8" CASING FROM 12,100' TO 11,500'.

14. I hereby certify that the foregoing is true and correct

Signed

Keith E. Bucy

Title

KEITH E. BUCY
DIV. DRLG. & PROD. SUPT.

Date

12/29/92

(This space for Federal or State office use)

Approved by

David R. Glass

Title

Date

1/12/93

Conditions of approval, if any:

SUBJECT

DATE

DEPARTMENT


PREPARED BY

Poker Lake #58
Well Bore Sketch

12/29/92

Drlg

GEG



Bass Fax 915-687-0086

