

District I
PO Box 1980, Hobbs, NM 88241-1980
District II
PO Drawer DD, Artesia, NM 88211-0719
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
PO Box 2088, Santa Fe, NM 87504-2088

State of New Mexico
Energy, Minerals & Natural Resources Department

OIL CONSERVATION DIVISION
PO Box 2088
Santa Fe, NM 87504-2088

Form C-101
Revised February 10, 1994
Instructions on back
Submit to Appropriate District Office
State Lease - 6 Copies
Fee Lease - 5 Copies

☐ AMENDED REPORT

APPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, PLUGBACK, OR ADD A ZONE

¹ Operator Name and Address. Yates Petroleum Corporation 105 South Fourth Street Artesia, NM 88210		² OGRID Number 25575
		³ API Number 30 - 015-24277
⁴ Property Code 011986	⁵ Property Name Almost Texas Unit	⁶ Well No. 1

⁷ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
N	2	26S	31E		660	South	1980	West	Eddy

⁸ Proposed Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
⁹ Proposed Pool 1 Undesignated Delaware					¹⁰ Proposed Pool 2				

¹¹ Work Type Code P	¹² Well Type Code O	¹³ Cable/Rotary Pulling Unit	¹⁴ Lease Type Code S	¹⁵ Ground Level Elevation 3244'
¹⁶ Multiple N	¹⁷ Proposed Depth TD 15900; PB 8050'	¹⁸ Formation Delaware	¹⁹ Contractor Unknown	²⁰ Spud Date ASAP

²¹ Proposed Casing and Cement Program

Hole Size	Casing Size	Casing weight/foot	Setting Depth	Sacks of Cement	Estimated TOC
26"	20"		40'	In place	
17-1/2"	13-3/8"	54.5#	751'	In place	
12-1/4"	10-3/4"	45.5# & 40.5#	4210'	In place	
9-5/8"	7-5/8"	39# & 33.7#	11652'	In place	

²² Describe the proposed program. If this application is to DEEPEN or PLUG BACK give the data on the present productive zone and proposed new productive zone. Describe the blowout prevention program, if any. Use additional sheets if necessary.

Propose to Abandon Wolfcamp and recompleat in Delaware as follows:

1. Unseat packer at 10977'. TOOH w/packer & tubing.
2. Set cement retainer at 11050' in 7-5/8" above liner top.
3. Squeeze perforations 11738-11917', 12494-12666 & 12866-13111' (Wolfcamp).
4. Perforate 7-5/8" casing at 8150'±. Set retainer at 8050'± and raise top of cement from 8200' to 5000'± behind 7-5/8" casing. Run CBL to evaluate cement.
5. Perforate 8023-8023' (Delaware) and acidize as necessary. Frac possible.
6. Perforate 7423-7442' (Delaware) and acidize as necessary. Frac possible.
7. Possibly perforate 7070-7090', 6715-6740' & 5800-5820' if necessary.

²³ I hereby certify that the information given above is true and complete to the best of my knowledge and belief.

Signature:

Rusty Klein

Printed name:

Rusty Klein

Title:

Production Clerk

Date:

July 20, 1995

Phone:

505-748-1471

OIL CONSERVATION DIVISION

Approved by:

ORIGINAL SIGNED BY TIM W. GUM
DISTRICT II SUPERVISOR

Title:

Approval Date:

JUL 21 1995

Expiration Date:

Conditions of Approval:

Attached ☐

8. Place well in production.

16	
	<p>17 OPERATOR CERTIFICATION</p> <p>I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief.</p> <p><i>Rusty Klein</i></p> <p>Signature Rusty Klein Printed Name Production Clerk Title July 20, 1995 Date</p>
<p>1980'</p> <p>6660</p>	<p>18 SURVEYOR CERTIFICATION</p> <p>I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.</p> <p>REFER TO ORIGINAL PLAT</p> <p>Date of Survey</p> <p>Signature and Seal of Professional Surveyor:</p> <p>Certificate Number</p>