

STATE OF NEW MEXICO  
ENERGY AND MINERALS DEPARTMENT

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.O.S.	
LAND OFFICE	
OPERATOR	

OIL CONSERVATION DIVISION

P.O. BOX 20

SANTA FE, NEW MEXICO 87501

APR 21 1983

O. C. D.

ARTESIAN OFFICE

Form C-103  
Revised 1-78

5a. Indicate Type of Lease  
State ☐ Fee ☐

5. State Oil & Gas Lease No.

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT - II" (FORM C-101) FOR SUCH PROPOSALS.)

1. <input checked="" type="checkbox"/> OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER-	7. Unit Agreement Name
2. Name of Operator THE DESANA CORPORATION	8. Farm or Lease Name MAYES
3. Address of Operator 600 Building of the Southwest, Midland, Texas 79701	9. Well No. 1
4. Location of Well UNIT LETTER <u>F</u> , <u>1980</u> FEET FROM THE <u>North</u> LINE AND <u>1980</u> FEET FROM THE <u>West</u> LINE, SECTION <u>15</u> TOWNSHIP <u>26-S</u> RANGE <u>24-E</u> N.M.P.M.	10. Field and Pool, or Wildcat Wildcat-Bone Springs
15. Elevation (Show whether DF, RT, GR, etc.) 3742.29' GL	12. County Eddy

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <u>Spud &amp; ran surface casing</u> <input type="checkbox"/>	CASING TEST AND CEMENT JOBS <input type="checkbox"/>	OTHER <input type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

Spud 11" hole @ 6:45 p.m. TT 4-7-83. Ran 9 jts 8-5/8" 24# ST&C casing & set @ 395'. Pmpd 10 bbls gel & cedar fiber, pmpd 150 sx thick set containing 1/4# Flocele & 10# Gilsonite. Tailed in w/300 sx Class "C" 2% CaCl w/1/4# Flocele. PD @ 8:30 p.m. Top of cmt 60'. Ran 1", tagged solid cmt @ 60'. Pmpd 85 sx Class "C". Circ 5 sx to pit. Tested casing to 550 psi, held O.K.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED John R. Cook TITLE Production Superintendent DATE April 15, 1983

APPROVED BY \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_  
CONDITIONS OF APPROVAL, IF ANY: