

UNITED STATES

SUBMIT IN DUPLIC.

(See other in-
structions on
reverse side)Form approved.
Budget Bureau No. 42-B355.5.DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

WELL COMPLETION OR RECOMPLETION REPORT AND LOG *

1a. TYPE OF WELL:		OIL WELL ☐	GAS WELL ☐	DRY ☒	OTHER ☐										
b. TYPE OF COMPLETION:		NEW WELL ☒	WORK OVER ☐	DEEP-EN ☐	PLUG BACK ☐	DIFF. RESVR. ☐	OTHER ☐								
2. NAME OF OPERATOR Exxon Corporation ✓															
3. ADDRESS OF OPERATOR P.O. Box 1600, Midland, Texas 79702															
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)* At surface 2180' FSL & 860' FEL of Section At top prod. interval reported below At total depth															
14. PERMIT NO.				DATE ISSUED 2-18-83											
15. DATE SPUDDED 2-23-83		16. DATE T.D. REACHED 3-11-83		17. DATE COMPL. (Ready to prod.) P&A 6-1-84		18. ELEVATIONS (DF, REB, RT, GR, ETC.)* 3452' GR	19. ELEV. CASINGHEAD								
20. TOTAL DEPTH, MD & TVD 5425'		21. PLUG, BACK T.D., MD & TVD		22. IF MULTIPLE COMPL., HOW MANY*		23. INTERVALS DRILLED BY 0-5425									
24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)* Dry Hole							25. WAS DIRECTIONAL SURVEY MADE No								
26. TYPE ELECTRIC AND OTHER LOGS RUN LDT-CNL; DLL-MSFL; BHC							27. WAS WELL CORED No								
28. CASING RECORD (Report all strings set in well)															
CASING SIZE		WEIGHT, LB./FT.		DEPTH SET (MD)		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED					
13 3/8"		48#		598'		17 1/2"		300 sx Lite, 200 sx ClC							
8 5/8"		24#		1613'		11"		350 sx Lite, 200 sx ClC							
5 1/2"		17#		5422'		7 7/8"		900 sx Trinity Lite, 425 sx ClC							
29. LINER RECORD								30. TUBING RECORD							
SIZE		TOP (MD)		BOTTOM (MD)		SACKS CEMENT*		SCREEN (MD)		SIZE		DEPTH SET (MD)		PACKER SET (MD)	
31. PERFORATION RECORD (Interval, size and number)								32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.							
3426-3448 w/23 shots 645 w/2 shots								DEPTH INTERVAL (MD)		AMOUNT AND KIND OF MATERIAL USED					
5196-5276 w/89 shots								3426-3448		1500 gals. 15% HCl; 32000 gals.					
4850-5069 w/89 shots										foam frac. 18000 #20-24 sand,					
1764-1898 w/23 shots										16000 #10-20 sand					
										150 sx ClC					
33. PRODUCTION															
DATE FIRST PRODUCTION				PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump)								WELL STATUS (Producing or shut-in)			
DATE OF TEST		HOURS TESTED		CHOKE SIZE		PROD'N. FOR TEST PERIOD		OIL—BBL.		GAS—MCF.		WATER—BBL.		GAS-OIL RATIO	
FLOW. TUBING PRESS.		CASING PRESSURE		CALCULATED 24-HOUR RATE		OIL—BBL.		GAS—MCF.		WATER—BBL.		OIL GRAVITY-API (CORR.)			
34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.)												TEST WITNESSED BY			
35. LIST OF ATTACHMENTS															
36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records															
SIGNED		Melba Knippling				TITLE		Unit Head				DATE			

*(See Instructions and Spaces for Additional Data on Reverse Side)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN DUPLICATE

(See other in-
structions on
reverse side)Form approved.
Budget Bureau No. 42-B355.5.

WELL COMPLETION OR RECOMPLETION REPORT AND LOG *

1a. TYPE OF WELL: OIL WELL ☐ GAS WELL ☐ DRY ☒				RECEIVED BY	
b. TYPE OF COMPLETION: NEW WELL ☒ WORK OVER ☐ DEEP-EN ☐ PLUG BACK ☐ DIFF. RESVR. ☐				JUN 21 1984	
2. NAME OF OPERATOR Exxon Corporation				O. C. D.	
3. ADDRESS OF OPERATOR P.O. Box 1600, Midland, Texas 79702				ARTESIA, OFFICE	
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)* At surface 2180' FSL & 860' FEL of Section At top prod. interval reported below At total depth				14. PERMIT NO. DATE ISSUED 2-18-83	
15. DATE SPUDDED 2-23-83		16. DATE T.D. REACHED 3-11-83		17. DATE COMPL. (Ready to prod.) P&A 6-1-84	
20. TOTAL DEPTH, MD & TVD 5425'		21. PLUG, BACK T.D., MD & TVD		18. ELEVATIONS (DF, REB, RT, GR, ETC.)* 3452' GR	
24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)* Dry Hole		23. INTERVALS DRILLED BY 0-5425		19. ELEV. CASINGHEAD New Mexico	
26. TYPE ELECTRIC AND OTHER LOGS RUN LDT-CNL; DLL-MSFL; BHC		25. WAS DIRECTIONAL SURVEY MADE No		12. COUNTY OR PARISH Eddy	
28. CASING RECORD (Report all strings set in well)		27. WAS WELL CORED No		13. STATE New Mexico	
Casing Size		Weight, lb./ft.		Depth Set (MD)	
13 3/8"		48#		598'	
8 5/8"		24#		1613'	
5 1/2"		17#		5422'	
Hole Size		Cementing Record		Amount Pulled	
17 1/2"		300 sx Lite, 200 sx C1C			
11"		350 sx Lite, 200 sx C1C			
7 7/8"		900 sx Trinity Lite, 425 sx C1C			
29. LINER RECORD		30. TUBING RECORD			
Size		Top (MD)		Bottom (MD)	
Sacks Cement*		Screen (MD)		Packer Set (MD)	
31. PERFORATION RECORD (Interval, size and number)		32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.			
3426-3448 w/23 shots 645 w/2 shots		Depth Interval (MD)		Amount and Kind of Material Used	
5196-5276 w/89 shots		3426-3448		1500 gals. 15% HCl; 32000 gals. foam frac. 18000 #20-24 sand, 16000 #10-20 sand	
4850-5069 w/89 shots				150 sx C1C	
1764-1898 w/23 shots					
33. PRODUCTION		34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.)		TEST WITNESSED BY	
Date First Production		Production Method (Flowing, gas lift, pumping—size and type of pump)		Well Status (Producing or shut-in)	
Date of Test		Hours Tested		Choke Size	
Prod'n. for Test Period		Oil—BBL.		Gas—MCF.	
Flow. Tubing Press.		Casing Pressure		Calculated 24-Hour Rate	
Oil—BBL.		Gas—MCF.		Water—BBL.	
Oil Gravity-API (Corr.)		Date		Signature	
35. LIST OF ATTACHMENTS		36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records			
SIGNED Melba Knippling		TITLE Unit Head		DATE	

*(See Instructions and Spaces for Additional Data on Reverse Side)

INSTRUCTIONS

General: This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal agency or a State agency, or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office. See instructions on items 22 and 24, and 33, below regarding separate reports for separate completions.

If not filed prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formation and pressure tests, and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments should be listed on this form, see item 35.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 18: Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments. **Items 22 and 24:** If this well is completed for separate production from more than one interval zone (multiple completion), so state in item 22 and in item 24 show the producing interval, or intervals, top(s), bottom(s) and name(s) (if any) for only the interval reported in item 33. Submit a separate report (page) on this form, adequately identified, for each additional interval to be separately produced, showing the additional data pertinent to such interval.

Item 29: "Sacks Cement": Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool.

Item 33: Submit a separate completion report on this form for each interval to be separately produced. (See instruction for items 22 and 24 above.)

37. SUMMARY OF POROUS ZONES: SHOW ALL IMPORTANT ZONES OF POROSITY AND CONTENTS THEREOF, CORED INTERVALS, AND ALL DRILL-STEM TESTS, INCLUDING DEPTH INTERVAL TESTED, CUSHION USED, TIME TOOL OPEN, FLOWING AND SHUT-IN PRESSURES, AND RECOVERIES			38. GEOLOGIC MARKERS		
FORMATION	TOP	BOTTOM	NAME	MEAS. DEPTH	TRUE VERT. DEPTH
			Delaware Bone Spring	1760 5298	