

DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil ☒ gas ☐ other ☐  
well well

2. NAME OF OPERATOR

J.C. Williamson

3. ADDRESS OF OPERATOR

P.O. Box 16 Midland, Texas 79702

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)

AT SURFACE: 330' FSL & 1800' FEL

AT TOP PROD. INTERVAL: Same

AT TOTAL DEPTH: Same

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:

TEST WATER SHUT-OFF ☐  
FRACTURE TREAT ☐  
SHOOT OR ACIDIZE ☐  
REPAIR WELL ☐  
PULL OR ALTER CASING ☐  
MULTIPLE COMPLETE ☐  
CHANGE ZONES ☐  
ABANDON\* ☐

SUBSEQUENT REPORT OF:

☐  
☐  
☐  
☐  
☐  
☐  
☐  
☐

(other) 4 1/2" casing

5. LEASE

NM 20367

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

MWJ Federal

9. WELL NO.

3

10. FIELD OR WILDCAT NAME

South Brushy Draw Delaware

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA

Section 35  
T-26-S R-29-E

12. COUNTY OR PARISH

Eddy

13. STATE

N.M.

14. API NO.

15. ELEVATIONS (SHOW DF, KDB, AND WD)

2876.4

RECEIVED BY

MAY 14 1984

O. C. D.

ARTESIA, OFFICE

NO Results of multiple completion or change on Form 9-330.

RECEIVED  
MAY 25 9 08 AM '84  
BUREAU OF REVENUE  
NOT

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

1-21-84 Ran 153 joints 4-1/2", 10.5#, J-55 ST&C casing (6352.12') set @ 6350" with DV tool @ 4637', cemented 1st stage with 600 sacks Class "C" Poz with 6# salt, 1/4# flocele and 25% gel/sack. PD 12:00 pm circulated 25 sacks. Cemented 2nd stage with 750 sacks Poz. Class "C", 6# salt/sack & 1/4# flocele/sack. PD 7:45 pm. Released rig @ 11:00pm 1-21-84, ran temp. survey, top of cement @ 2070'.

Subsurface Safety Valve: Manu. and Type \_\_\_\_\_ Set @ \_\_\_\_\_ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED [Signature] TITLE Secretary DATE 1-24-84

ACCEPTED FOR RECORD (This space for Federal or State office use)

APPROVED BY [Signature] TITLE \_\_\_\_\_ DATE \_\_\_\_\_

CONDITIONS OF APPROVAL, IF ANY:

MAY 10 1984

Parish, NEW MEXICO \*See Instructions on Reverse Side