

DEPARTMENT OF THE INTERIOR (Other instructions on reverse side)
BUREAU OF LAND MANAGEMENT

EXPIRES AUGUST 31, 1983

5. LEASE DESIGNATION AND SERIAL NO.
NM 27459

clsf

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug well to a different reservoir.
Use "APPLICATION FOR PERMIT" for such proposals.)

1. OIL WELL ☒ GAS WELL ☐ OTHER ☐
2. NAME OF OPERATOR
MAX WILSON, INC.
3. ADDRESS OF OPERATOR
P. O. Drawer 1978 - Roswell, NM 88201
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.
See also space 17 below.)
At surface
1,980' FWL and 660' FSL
14. PERMIT NO.
3001525276
15. ELEVATIONS (Show whether DF, RT, OR, etc.)
3,302' GR

6. IF INDIAN, ALLOTTEE OR TRIBE NAME
7. UNIT AGREEMENT NAME
8. FARM OR LEASE NAME
MONSANTO - FEDERAL
9. WELL NO.
1
10. FIELD AND POOL, OR WILDCAT
WC - Federal
11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
Sec. 22, T.25S, R.26E
12. COUNTY OR PARISH
Eddy
13. STATE
NM

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

SUBSEQUENT REPORT OF:

TEST WATER SHUT-OFF ☐
FRACTURE TREAT ☐
SHOOT OR ACIDIZE ☐
REPAIR WELL ☐
(Other) ☐
PULL OR ALTER CASING ☐
MULTIPLE COMPLETE ☐
ABANDON* ☐
CHANGE PLANS ☐

WATER SHUT-OFF ☐
FRACTURE TREATMENT ☒
SHOOTING OR ACIDIZING ☒
(Other) ☒
REPAIRING WELL ☐
ALTERING CASING ☐
ABANDONMENT* ☒
(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

STAGE 1 COMPLETION - DELAWARE - BELL CANYON

9/25/85 - Ran GR-CCL-Cement Bond Log fr 2646-1000' WLPBTD @ 2652' in 4 1/2" OD IDS # J-55 STC casing. TOC 1190'.
Good bond through.

9/26/85 - Perf 8 holes from 2562 - 2577' set pkr @ 2463'.
Acidized formation w/ 2000 gals 7 1/2% HCL w/ 500 SCF-N₂/bbl.
Total Load 58 1/2. Swabbed back 55 1/2 BLW cut w/ O.G. & fm wtr in 13-3/4 hrs.

Set CIBP @ 2550' w/ WL tool. Spotted 35' cement on top of plug w/ WL bailer.

18. I hereby certify that the foregoing is true and correct

SIGNED

TITLE

CONTACT FIELD SUPERVISOR

DATE

9/28/85

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

ACCEPTED FOR RECORD

[Signature]

*See Instructions on Reverse Side

OCT 29 1985

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT" for such proposals.)

1. OIL WELL ☒ GAS WELL ☐ OTHER ☐		RECEIVED BY		5. LEASE DESIGNATION AND SERIAL NO. NM 27459	
2. NAME OF OPERATOR MAX WILSON, INC.		OCT 31 1985		6. IF INDIAN, ALLOTTEE OR TRIBE NAME	
3. ADDRESS OF OPERATOR P. O. Drawer 1978 - Roswell, NM 88201		O. C. D.		7. UNIT AGREEMENT NAME	
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.) At surface 1,980' FWL and 660' FSL		OCT 25 1985		8. FARM OR LEASE NAME WONGANTO-FED	
14. PERMIT NO. 3001525276		15. ELEVATIONS (Show whether DF, ST, GR, etc.) 3,302' GR		9. WELL NO. 1	
				10. FIELD AND POOL, OR WILDCAT WC Delaware	
				11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA Sec. 22, T.25S, R. 26E	
				12. COUNTY OR PARISH Eddy	
				13. STATE NM	

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO :

SUBSEQUENT REPORT OF :

TEST WATER SHUT-OFF ☐
 FRACTURE TREAT ☐
 SHOOT OR ACIDIZE ☐
 REPAIR WELL ☐
 (Other) ☐

PULL OR ALTER CASING ☐
 MULTIPLE COMPLETE ☐
 ABANDON* ☐
 CHANGE PLANS ☐

WATER SHUT-OFF ☐
 FRACTURE TREATMENT ☐
 SHOOTING OR ACIDIZING ☒
 (Other) ☐

REPAIRING WELL ☐
 ALTERING CASING ☐
 ABANDONMENT* ☐
 (Other) ☒

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

STAGE 2. COMPLETION - DELAWARE - BELL CANYON

9/30/85 - Perf 9 holes fr 2320 - 2338'. Set pkr @ 2212'.
 Acidized formation w/ 2000 gals 7 1/2% HCL. Total Load 60. Swb'd back 46 1/2 BLW cut w/ O+G in 10 hrs.

10/2/85 - Foam fraced formation w/ 20,500 gals "75" foam & 28,000# 20/40 & 10/20 sand. Total Load 122. Flowed back est 100± bbls LW in 5 hrs to pits. Swb'd & flowed additional 458 bbls LW & formation water cut w/ 2% oil to both test tank & pits in 20 1/4 hrs.

Set CIBP @ 2301' KB w/ WL tool. Spotted 35sx cement on top of plug w/ WL bailer.

18. I hereby certify that the foregoing is true and correct

SIGNED

TITLE

DATE

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

ACCEPTED FOR RECORD

OCT 29 1985

*See Instructions on Reverse Side

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

CARLSBAD, NEW MEXICO

BUREAU OF LAND MANAGEMENT

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT" for such proposals.)

1. OIL WELL ☒ GAS WELL ☐ OTHER ☐		RECEIVED BY		5. LEASE DESIGNATION AND SERIAL NO. NM 27459	
2. NAME OF OPERATOR MAX WILSON, INC.		OCT 31 1985		6. IF INDIAN, ALLOTTEE OR TRIBE NAME	
3. ADDRESS OF OPERATOR P. O. Drawer 1978 - Roswell, NM 88201		OCT 25 1985		7. UNIT AGREEMENT NAME	
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.) At surface 1,980' FWL and 660' FSL				8. FARM OR LEASE NAME MONKANTO-FEDERAL	
				9. WELL NO. 1	
				10. FIELD AND POOL, OR WILDCAT WC	
				11. SEC., T., R., M., OR B.L. AND SURVEY OR AREA Sec. 22, T.25S, R.26E	
14. PERMIT NO. 3001525276		15. ELEVATIONS (Show whether DF, ST, GR, etc.) 3,302' GR		12. COUNTY OR PARISH Eddy	
				13. STATE NM	

16.

Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

PULL OR ALTER CASING

MULTIPLE COMPLETION

ABANDON*

CHANGE PLANS

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other)

REPAIRING WELL

ALTERING CASING

ABANDONMENT*

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

STAGE 3 COMPLETION - DELAWARE - BELL CANYON

10/8/85 - Perf 11 holes 2054 - 2151'. Set plr @ 1945'.
 Acidized formation w/ 4000 gals 7 1/2% HCL. Total Load 115. Flowed back 2 BW to pits & died.
 Swb'd back additional 36.75 BAW sli cut w/O&G in 9 1/2 hrs. Swabbed well relatively dry.

Set CIBP @ 2040' KB for temp. abandonment. Plans are to move up and production test W. Delaware zone above, and if results are unsuccessful to drill out this plug and consider further stimulation and testing of Stage 3 interval.

18. I hereby certify that the foregoing is true and correct

SIGNED

TITLE

DATE

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

ACCEPTED FOR RECORD

*See Instructions on Reverse Side

OCT 29 1985

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

CARLSBAD, NEW MEXICO

BUREAU OF LAND MANAGEMENT

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT TO DRILL" for such proposals.)

1. OIL WELL ☒ GAS WELL ☐ OTHER ☐		5. LEASE DESIGNATION AND SERIAL NO. NM 27459	
2. NAME OF OPERATOR MAX WILSON, INC.		6. IF INDIAN, ALLOTTEE OR TRIBE NAME	
3. ADDRESS OF OPERATOR P. O. Drawer 1978 - Roswell, NM 88201		7. UNIT AGREEMENT NAME	
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.) At surface 1,980' FWL and 660' FSL		8. FARM OR LEASE NAME MONSANTO - FEDERAL	
14. PERMIT NO. 3001525276		9. WELL NO. 1	
15. ELEVATIONS (Show whether DF, ST, GR, etc.) 3,302' GR		10. FIELD AND POOL, OR WILDCAT WC - Delaware	
16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data		11. SEC., T., S., M., OR BLK. AND SURVEY OR AREA Sec. 22, T.25S, R.26E	
17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)		12. COUNTY OR PARISH Eddy	
		13. STATE NM	

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF	☐	PULL OR ALTER CASING	☐
FRACTURE TREAT	☐	MULTIPLE COMPLETE	☐
SHOOT OR ACIDIZE	☐	ABANDON*	☐
REPAIR WELL	☐	CHANGE PLANS	☐
(Other)			

SUBSEQUENT REPORT OF:

WATER SHUT-OFF	☐	REPAIRING WELL	☐
FRACTURE TREATMENT	☐	ALTERING CASING	☐
SHOOTING OR ACIDIZING	☒	ABANDONMENT*	☐
(Other) Perf. Acidize & Test			☒

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

STAGE 4 COMPLETION - DELAWARE - BELL CANYON

10/10/85 - Perf 6 holes 1883-1888'. Ran tbg & SN to 1816' and buttoned up tbg head after well started kicking & flowing gas to surface. Acidized zone w/ 1000 gals 7 1/2% HCL. Total Load 52. Swb'd back 20 BLW in 2 1/4 hrs. SI well for 12 1/2 hrs. JITP 880; SICP 800.

10/11/85 - Flowed well to pits thru var. ck sizes for 3 1/4 hrs to c/n up same. At 10/64" CK; FTP 290; FCP 400; GV 165 MCF GPD.

10/14/85 - Flowed well to pits thru var. ck sizes for 1 1/2 hrs to c/n up same. At 12/64" CK; FTP 270; FCP 320; GV 180 MCF GPD. SI well @ 2:30 PM, said date, W.D. 4 pt potential test.

I hereby certify that the foregoing is true and correct

SIGNED

TITLE

CONTRACT FIELD SUPERVISOR

DATE

10/14/85

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

ACCEPTED FOR RECORD

OCT 29 1985

*See Instructions on Reverse Side

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

CARLSBAD, NEW MEXICO