Form 3160-5 (June 1990)

## TED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

~	ISERVATION ROVED st Studget Bureau No. 1804-0135 a. NEAP188240-2834
OIL COI	Sudget Bureau No. 1004-0135
811 5. 1	A NEAPIRE SHOW 2834

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or deepen or reentry to a different reservior.

5. Lease Designation and Serial No. NM 15302

		MI	/	15	3
If Indian	Allottee	or Tribe	N	ame	

Use "APPLICATION FOR PERMIT-" for such proposals

(915)687-7148

N/A
7. If Unit or CA, Agreement Designation

	SUBMIT	T IN TRIPLICATE	
1. Type of well  X Oil Gas	Other		
2. Name of Operator	/		
CHEVRON U.S.A. INC.	7006 A 1606		
3. Address and Telephone No.	JUN AV K		

UNIT L

GULF "5" FEDERAL #1

N/A

9. API Well No.

8. Well Name and No.

30-015-25312

10. Field and Pool, or Exploratory Area

RUSTLER BLUFF BONE SPRING
11. County or Parish, State

		EDDY, NEW MEXICO		
CHECK APPROPRIATE BO	X(S) TO INDICATE NATURE OF NOTICE, RE	PORT, OR OTHER DATA		
12 TYPE OF SUBMISSION	TYPE OF ACTION			
X Notice of Intent	Abandonment	Change of Plans		
	X Recompletion	New Construction		
Subsequent Report	Plugging Back	Non-Routine Fracturing		
	Casing Repair	Water Shut-Off		
Final Abandonment Notice	Altering Casing	Conversion to Injection		
	Other	Dispose Water		
13. Decribe Proposed or Completed Operations (Clearly that all agriculture		(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)		

DISH

ecribe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimate date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

CHEVRON U.S.A., INC. PLANS TO RECOMPLETE THIS WELL IN JULY, 1996 AS FOLLOWS:

SET CIBP @ 12,300' KB, DUMP 10' CEMENT ON TOP, PRESSURE TEST PLUG 500 PSIG.

CIRCULATE CORROSION INHIBITED FLUID 12,290'-10,000' KB.

SET CIBP @ 10,180' KB, DUMP 10' CEMENT ON TOP, PRESSURE TEST PLUG 500 PSIG.

PERF & CEMENT SQUEEZE 7-5/8" CASING ANNULUS ACORSS BONE SPRINGS/DELAWARE FORMATION.

DRILL OUT CEMENT AND PRESSURE TEST CEMENT SQUEEZE.

PERF & BREAKDOWN W/ACID (BONE SPRINGS/DELAWARE), SWAB/FLOW TO CLEAN UP AND TEST.

FRACTURE TREAT, SWAB/FLOW TO CLEAN UP AND TEST.

INSTALL ARTIFICIAL LIFT EQUIPMENT.

**RUN POTENTIAL TESTS.** 

P. O. Box 1150, Midland, TX 79702

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

2310' FNL & 660' FEL

SEC. 5, T25S, R29E



14. I hereby certify that the forgoing is true ship correct Signed	/ Title	TECHNICAL ASISTANT	Date	5/29/96	-
(This space for Federal or State office use)  Approved by (ORIG SED) (ORIGINATION OF Approved in any:	E.G. LARA- BPS W/3	PETROLEUM ENGINEER 5'CEMENT.	Date(	6)18/96	