

Submit 3 Copies To Appropriate District Office

District I

1625 N. French Dr., Hobbs, NM 88240

District II

811 South First, Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

458

Form C-103

Revised March 25, 1999

WELL API NO.  
30-015-27008

5. Indicate Type of Lease

STATE ☒ FEE ☐

6. State Oil & Gas Lease No.

7. Lease Name or Unit Agreement Name:

Cactus 16 State

8. Well No.  
#1

9. Pool name or Wildcat  
N Poker Lake Delaware Pool

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:

Oil Well ☒ Gas Well ☐ Other ☐

2. Name of Operator Ricks Exploration, Inc.

3. Address of Operator 210 Park Ave, Suite 3000, OKC, OK 73102

4. Well Location

Unit Letter C : 330 feet from the North line and 2310 feet from the West line

Section 16 Township 24S Range 31E NMPM Eddy County

10. Elevation (Show whether DR, RKB, RT, GR, etc.)  
3492' GR

11. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐

TEMPORARILY ABANDON ☐ CHANGE PLANS ☐

PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐

COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐

CASING TEST AND CEMENT JOB ☐

OTHER: Temporarily Abandon ☒

12. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

11/21/01 - Preparing for TA. MIRU Pool W/O Unit. Unhang well. Unseat pump. POH. LD rods. Dragging out of hole. Pump hangs up after LD 51 rods. SDFHWE.

11/26/01 - Finish TOH w/pump, LD rods in singles. ND Head, NU BOP. Release anchor & TOH w/184 jts 2-7/8" 6.5# N80 EUE 8RD tbg, 2-7/8" SSN, 2-7/8"x5-1/2" TAC & 2-7/8" MA. MIRU W/L Truck. RIH w/4.625" OD gauge ring to 5950'. POH. Saw no restrictions. RIH & set 5-1/2" 17# CIBP @5950', capped w/35' cmt (TOC @5915'). POH. RD/Rel W/L Truck. TIH w/178 jts 2-7/8" tbg & 2-7/8" SSN. EOT @5805'. ND BOP, NU Head. SDON.

11/27/01 - MIRU Kill Truck. Reverse circ hole using 140 bbls 2% KCL wtr with 1gal/10 bbls Packer fluid. RD/Rel W/O Rig, Kill Truck, & all rental equipment.

01/31/02 - Performed M.I.T. Witnessed by State Compliance Officer. Pressured up to 500 psi & held f/30 min. No bleed off. Tested OK. Well TA.

Temporary Abandon Status  
Approved Until

1-31-05

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Paul E Legg TITLE Engineer DATE 2/25/02

Type or print name Paul Legg Telephone No. (405) 516-1100

(This space for State use)

APPROVED BY [Signature] TITLE Wild Leg ID DATE MAR 6 2002

Conditions of approval, if any:



