

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENTFORM APPROVED  
Budget Bureau No. 1004-0135  
Expires: March 31, 1993

## SUNDRY NOTICES AND REPORTS ON WELLS O. C. D.

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.  
Use "APPLICATION FOR PERMIT—" for such proposals

## SUBMIT IN TRIPLICATE

## 1. Type of Well

☒ Oil Well ☐ Gas Well ☐ Other

## 2. Name of Operator

YATES PETROLEUM CORPORATION (505) 748-1471

## 3. Address and Telephone No.

105 South 4th St., Artesia, NM 88210

## 4. Location of Well (Footage, Sec., T., R., M. or Survey Description)

Unit H, 1980' FNL &amp; 660' FEL, Sec. 6-T24S-R31E

5. Lease Designation and Serial No.  
NM 82904

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation

## 8. Well Name and No.

Adeline ALN Federal #8

## 9. API Well No.

30-015-27249

## 10. Field and Pool, or Exploratory Area

Wildcat Delaware

## 11. County or Parish, State

Eddy, NM

## 12. CHECK APPROPRIATE BOX(es) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

## TYPE OF SUBMISSION

☐ Notice of Intent☒ Subsequent Report☐ Final Abandonment Notice

## TYPE OF ACTION

☐ Abandonment☐ Recompletion☐ Plugging Back☐ Casing Repair☐ Altering Casing☒ Other PERFORATE & TREAT☐ Change of Plans☐ New Construction☐ Non-Routine Fracturing☐ Water Shut-Off☐ Conversion to Injection☐ Dispose Water


(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

## REPORT 1ST PRODUCTION.

## 13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

3-3-93. Drilled out DV tool at 6636'. Perforated 1 SPF - 4 holes as follows: 7842, 43, 44, and 7845'. Acidized perfs 7842-45' w/750g. 7½% NEFE. Perforated 1 SPF - 11 holes as follows: 7807, 15, 16, 21, 7929, 37, 44, 52, 59, 66 and 7790'. Acidized perfs 7929-90' w/1000g. 7½% NEFE. Communicated w/perfs @ 7842-45'. Acidized perfs 7842-7990' w/1000g. 7½% NEFE. Communicated w/perfs at 7807-21'. Acidized perfs 7807-7990' w/2000g. 7½% NEFE. Frac'd perfs 7807-7990' down casing w/57500g. 35# XL + 11500# 20/40 sand.

## REPORT 1ST PRODUCTION 3-9-93.



## 14. I hereby certify that the foregoing is true and correct

Signed Leannita DoadtettTitle Production SupervisorDate 3-12-93

(This space for Federal or State office use)

Approved by \_\_\_\_\_  
Conditions of approval, if any:

Title \_\_\_\_\_

Date \_\_\_\_\_