

Submit 3 Copies
to Appropriate
District Office

State of New Mexico
Energy, Minerals and Natural Resources Department

Form C-103
Revised 1-1-89

DISTRICT I
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

OIL CONSERVATION DIVISION
P.O. Box 2088
Santa Fe, New Mexico 87504-2088

WELL API NO.

30-015-28680

5. Indicate Type of Lease

STATE ☒

FEE

6. State Oil & Gas Lease No.

V-3441

7. Lease Name or Unit Agreement Name

State "3"

8. Well No.

1

9. Pool name or Wildcat

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT"
(FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:

Oil
WELL ☒

GAS
WELL ☐

OTHER

OCT 15 1996

2. Name of Operator

TMBR/Sharp Drilling, Inc.

3. Address of Operator

P. O. Drawer 10970, Midland, TX 79702

4. Well Location

Unit Letter H : 1980 Feet From The North Line and 660 Feet From The East

Section 3

Township 25S

Range 27E

NMPM

Eddy

Co:

10. Elevation (Show whether DF, RKB, RT, GR, etc.)

3210' KB

3196' GL

11.

Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐

PLUG AND ABANDON ☒

TEMPORARILY ABANDON ☐

CHANGE PLANS ☐

PULL OR ALTER CASING ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐

ALTERING CASING ☐

COMMENCE DRILLING OPNS. ☐

PLUG AND ABANDON ☐

CASING TEST AND CEMENT JOB ☐

OTHER: ☐

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

Production in the referenced well has become un-economic. There are no other opportunities in this wellbore for commercial production. The operator proposes that the well be plugged and abandoned as follows:

- 1) A CIBP has been set at 5570' in an effort to improve oil cut. Wireline set a CIBP @ +5440' KB and dump bail 35' of cement on top.
- 2) Cut & pull 5-1/2" casing from +3650'.
- 3) Spot plug #2 - 3,700' to 3600' w/25 sx CI "C" and tag.
- 4) Plug #3 - 2250' to 2150', 100', across 8-5/8" shoe w/25 sx and tag.
- 5) Plug #4 - 676' to 576', 100', across 13-3/8" shoe w/35 sx and tag.
- 6) Plug #5 - 10 sx plug at surface.
- 7) Cut off wellhead and install monument.

Notify N.M.O.C.C. in sufficient time to witness

Tags

10 Brine w/25' of gel per barrel between plugs.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

Jeff Phillips

TITLE Production Manager

DATE 10/10/96

TYPE OR PRINT NAME

Jeff Phillips

(915) 699-5050

TELEPHONE NO.

(This space for State Use)

ORIGINAL SIGNED BY TOPIC FIELD
DISTRICT II SUPERVISOR

OCT 29 1996