YATES PETROLEUM CORPORATION CITIES "UO" FEDERAL #2 660' FSL & 1980' FEL Sec. 9-T5S-R25E

IN CONJUNCTION WITH FORM 9-331C, APPLICATION FOR PERMIT TO DRILL SUBJECT WELL, YATES PETROLEUM CORPORATION SUBMITS THE FOLLOWING TEN ITEMS OF PERTINENT INFORMATION IN ACCORDANCE WITH USGS REQUIREMENTS.

- 1. THE GEOLOGIC SURFACE FORMATION IS SANDY ALLUVIUM.
- 2. THE ESTIMATED TOPS OF GEOLOGIC MARKERS ARE AS FOLLOWS:

| SAN ANDRES | 702 ′ |
|-------------|---------------|
| GLORIETA | 1724 ′ |
| FULLERTON | 3118′ |
| <u>∱</u> B0 | 3760 ′ |
| TD | 4325 ′ |

3. THE ESTIMATED DEPTHS AT WHICH ANTICIPATED WATER, OIL OR GAS FORMATIONS ARE EXPECTED TO BE ENCOUNTERED:

WATER: APPR- 250'-350'

UIL OR GAS: ABO 3795'

- 4. PROPOSED CASING PROGRAM: SEE FORM 9-331C.
- 5. Fressure Control Equipment: See Form 9-331C.
- 6. MUD PROGRAM: SEE FORM 9-331C.
- / AUXILIARY EQUIPMENT: KELLY COCK; PIT LEVEL INDICATORS AND FLOW SENSOR EQUIPMENT; SUB WITH FULL-OPENING VALVE ON FLOOR, DRILL PIPE CONNECTION.
- 8. TESTING, LOGGING AND CORING PROGRAM:

SAMPLES: SURFACE CASING TO TD.

DST's: As WARRANTED.

CORING: NONE

LOGGING: CNL-FDC TD TO CSG W/GR-CNL TO SURFACE & DLL FROM TD TO CSG.

- 9. NO ABNORMAL PRESSURES OR TEMPERATURES ARE ANTICIPATED.
- 10. ANTICIPATED STARTING DATE: AS SOON AS POSSIBLE AFTER APPROVAL.