NM Oil Cons. Commission Form 3160-3 (November 1983) (formerly 9-331C) Artesia, NM SIGNICED STATES			5	SUBMIT IN TRIPI-CATE: (Other Instruction in the state of				
(formerly 9-331C) Ar	Ormerly 9-331C) Artesia, NM OBALVED STATES DEPARTMENT OF THE INTE BUREAU OF LAND MANAGEME			Ĩ	Vie Ho	10135		
APPLICATION	N FOR PERMIT T	O DRILL, I	DEEPEN, O	OR PLUG E	BACK	6. IF INDIAN, ALLOTTE	OR TRIBE NAME	
IA. TYPE OF WORK		DEEPEN		PLUG BA		7. UNIT AGREEMENT N	AM 3	
	ELL OTHER	1	BINGLE	X A CONSIGNED		S. FARM OR LEASE NA	K D	
WELL W 2. NAME OF OPERATOR	ELL LA OTHER			- KECEPPI		Four Mile Dra	w Fed.	
McKay Oil	Corporation 🗸 📃					9. WELL NO.		
3. ADDRESS OF OPERATOR				FEB -9	90	11 10. FIELD AND POOL, 0	TR WILDCAT	
P.O. Box 2	014, Roswell, Ne eport location clearly and	ew Mexico	88202 th any State re			W. Pecos Slo		
At surince				ු. C. D.		11. SEC., T., R., M., OR BLK.		
	0'FWL & 1913'FS	Ь		a ciersia, o	FFICE	AND SURVEY OR AREA		
At proposed prod. son	same					Sec. 17-6S-2		
	AND DIRECTION FROM NEAR		T OFFICE*			12. COUNTY OR PARISE		
28 Miles No. 15. DISTANCE FROM PROPO	orthwest of Rosw	e11, N.M.	16. NO. OF A	RES IN LEASE	17. NO. (Chaves	<u>N.M.</u>	
LOCATION TO NEARES PROPERTY OR LEASE I	r Line, ft. 19	13'	2,047			HIS WELL 160.0		
(Also to nearest drip 18. LISTANCE FROM PROF	g. unit line, if any)		19. PHOPOSED		20. ROTA	RY OR CABLE TOOLS		
TO NEAREST WELL, D OR APPLIED FOR, ON TH	RILLING, COMPLETED,	miles	3,400'		F	Rotary		
21. ELEVATIONS (Show wh			f			22. APPROX. DATE W	ORK WILL START*	
4337' GL						ASAP		
23.	F	PROPOSED CASI	NG AND CEM	ENTING PROGR	AM			
SIZE OF HOLE	BIZE OF CASING	WEIGHT PER J		TTING DEPTH		QUANTITT OF CEMENT		
12 1/4"	8 5/8''			<u>900±</u>		50 cf cement circulated 200 cf cement including		
7 7/8''	4 1/2"	<u>9.5 J-5</u>	5			10 cf cement 1 D' cf to tie in		
	to drill and tes and cemented to ented with adequ	surface	It comme	Appróxim cial, 4 1/	nately ! /2" prod	auction casing	é casing [.] will be	
MUD PROGRAM	: See Supplemen	tal Drilli	ng Data W	nich is Att	tached.	A STAND	RES TA	
BOP PROGRAM						daily.		
Gas is not o	ledicated					NUV	13 ₁₉₈₉ -	
	E PROFOSED PROGRAM : If drill or deepen direction	proposal is to de ally, give pertine	epen or plug ba at data on subs	ck, give data on urface locations	present pro and measure	ductive some and proto ed and true vertical dep	the ME productive	
preventer program, if at	n y.			<u> </u>				
ALCONTR L	Solutt	т	V.I	Land & L	egal	DATE11,	/10/89	
(This space for Fed	eral or State office use)	<u></u>				<u> </u>	<u> </u>	
PERMIT NO.			APPR	VAL DATE				
	S/Levi Deike, Actin	g	Ārē	Manager		DATE FED	Ann-	
APPROVED BY CONDITIONS OF APPRO			ITLE	~		DATH -FEU-	v ~ 199 0	
ROVAL OF THIS APP TIFY THAT THE APPL E TO THOSE RIGHES	PLICATION DOES NOT ICANT HOLDS LEGAL IN THE SUBJECT LEASE TO'REW DUET OPERAT	OR EQUITABLE WHICH WOUL	OF FEDE	RALLY OWNED (Evend Side) VGE-illfully to	MINERAL ROAD O make to an	RE WILL BE NO EX(. MATERIAL FOR CC R PAD WITHOUT I ay department or age in its jurisdiction.	NSTRUC- PAYMENT	

STATE OF NEW MEXICO ENERGY AND MINERALS DEPARTMENT

÷ ; ÷

JIL CONSERVATION DIVISIC. P. O. BOX 2088

Form C-102 Revised 10-1-78

۰.

	S DEPARTMENT	SAN	ITA FE, NEI	N MEXICO	87501		Revised 10-3-7
			ust he from the e Lease				Well No. #11
K K	McKay 0il C	orp. Township б south		rour Mile nge 22 east	e Draw Fede	Chaves	
	t from the		ne and 1	913	cot from the	South	line
4337	Producing Form Abo	at ion	P ool W.	Pecos SI	lope Abo	Dedic 16	mied Acreager 50 Acre
interest and ro 3. If more than on dated by comm Yes If answer is "r this form if nee	one lease is d yalty). ne lease of dif unitization, un No II ans no," list the ov essary.)	ledicated to th ferent ownersh itization, force wer is "yes;" vners and trac	ie well, outlin ip is dedicate -pooling.etc? type of conso t descriptions	e each and id ed to the well lidation which have a	lentify the ow , have the int actually been	crests of eff of N consolidated. ((both as to work in OF LAND Mary been/softwold Mary been/softwold 04 13 1989 (Use reverse side
forced-pooling,	or otherwise) or	until a non-st	andard unit, e	liminating su	consolidated ich interests,	has been appro	TIFICATION
	1 1 1 1 1		•				that the Information can true and complete to th edge and belief.
	+ I I I I I I		· ···· ···· ··· ···		P	Jame Sam L. Shi Posilion Agent Company McKay Oil Date 12-30-86	ackelford Corp.
<u>(1580'</u>	NM-36193					shown on this plo notes of octual s under my supervis	that the well location it was platted from field surveys made by me ei sion, and that the some ect to the best of my Tiet. JAQUE

PERTINENT INFORMATION

For

McKAY OIL CORPORATION Four Mile Draw Federal #11 NE/4SW/4 Sec. 17-65-22E Chaves County, N.M.



LOCATED:

LEASE NUMBER:

LEASE ISSUED:

RECORD LESSEE:

BOND COVERAGE:

AUTHORITY TO OPERATE:

ACRES IN LEASE:

SURFACE OWNERSHIP:

OWNER:

POOL RULES:

EXHIBITS:

30 air miles north of Roswell, New Mexico

NM 36193

May 1. 1981

McKay Oil Corporation McKay Children,s Trust

Lessee's \$25,000 Statewide

Designation of Operator

2,047.51 acres more or less

Federal

USA-BLM

General Statewide Rules

A. Road and Well Map

- B. Contour Map
- C. Rig Layout
- D. BOP Diagram
- E. Lease Map
- F. Location Topography

SUPPLEMENTAL DRILLING DATA

McKAY OIL CORPORATION Four Mile Draw Federal #11 NE/4SW/4 Sec. 17-6S-22E Chaves County, N.M.

NM 36193

The following items supplement Form 9-331C in accordance with instructions contained in NTL-6.

- 1. SURFACE FORMATION: San Andres
- 2. <u>ESTIMATED TOPS OF GEOLOGIC MARKERS</u>: Yeso - 660 Tubb - 2362' Abo - 3062'
- 3. <u>ESTIMATED DEPTHS TO WATER, OIL OR GAS FORMATION:</u> Fresh water - In surface formations above 600' Gas - In Abo formation below 3062'
- 4. PROPOSED CASING PROGRAM: See Form 9-331C
- 5. <u>PRESSURE CONTROL EQUIPMENT</u>: Blowout preventer stack will consist of at least a double-ram blowout preventer rated to 3000 #WP. A sketch of the BOP is attached. 2000

6. CIRCULATING MEDIUM:

RIC

0'- 700' Lime and gel, spud mud, viscosity 32 to 34 seconds. 700'- 2962 Fresh water 2962'- TD Start mudding up at 2962'; viscosity 36 to 38 seconds; water loss 10 cc or less; 3-5% Diesel; 2 KCL Mud additives will be used to control water loss.

7. <u>AUXILIARY EQUIPMENT</u>: full-opening drill string safety valve fit the drill string in use, will be kept on the rig floor at all times.

-1-

8. TESTING, LOGGING AND CORING PROGRAM:

0	Sector MD
Samples:	Catch samples from surface to TD.
DST'S:	None
Logging:	GR-CNL, Dual Lateral MSFL from
	surface to TD.
Coring:	None

- 9. <u>ABNORMAL PRESSURES, TEMPERATURES OR HYDROGEN SULFIDE</u>: None anticipated.
- 10. <u>ANTICIPATED STARTING DATE</u>: On or before March 5, <u>1987</u>. Drilling should be completed within 60 days. Completion operations (perforations and stimulation) will follow drilling operations.

MULTI-POINT SURFACE USE AND OPERATIONS PLAN

MCKAY OIL CORPORATION Four Mile Draw Federal #11 NE/4SW/4 Sec. 17-6S-22E Chaves County, N.M.

NM-36193

This plan is submitted with the application for permit to Drill the above described well. The purpose of the plan is to describe the location of the proposed well, the proposed construction activities and operations plan, the magnitude of necessary surface disturbance involved, and the procedures to be followed in rehabilitating the surface after completion of the operation so that a complete appraisal can be made of the environmental effects associated with the operation.

1. EXISTING ROADS:

- A. <u>Exhibit "A"</u> is a portion of a road map showing the location of the proposed well as staked. The well is approximately 30 miles North of Roswell, N.M.
- B. <u>Directions</u>: Heading North out of Roswell, New Mexico on U.S. 285 for approximately 23 miles and turn left on county road just before mile marker 137 (Cottonwood Road). Go approximately 8.2 miles to gravel pit, turn right the go 2 7/8 mile access road is on left.
- 2. PLANNED ACCESS ROAD:
 - A. Length and Width: 2 1/4 mile long and 14' wide.
 - B. Surfacing Materials: Sand and gravel where needed.
 - C. Turnouts: none
 - D. Maximum Grade: No more than 3%.
 - E. <u>Drainage Design</u>: Road will have drainage ditches on both sides and a crowned top, with culverts and/or low water crossings as necessary.

- F. Culverts: None
- G. Cuts and Fills: none
- H. Gates, <u>Cattleguards</u>: none
- I. Top Soil: Very little
- 3. LOCATION OF EXISTING WELLS:
 - A. A map indicating the location of adjacent wells is attached.
- 4. LOCATION OF EXISTING AND/OR PROPOSED FACILITIES:
 - A. <u>See Exhibit "A"</u> for location of existing lease wells. If the well is commercial, production facilities and tank battery will be constructed.
 - B. <u>Cuts and Fills</u>: Less than 10'of cut and fill will be required for the pad size of 250' X 250'. (see Exhibit "F")
 - C. <u>Top Soil</u>: Any top soil which can sustain plant vegatation will be bladed and piled for future rehabilitation.
- 5. LOCATION AND TYPE OF WATER SUPPLY:
 - A. Water will be purchased from a commercial source and trucked to the location over existing and proposed access roads.
- 6. SOURCE OF CONSTRUCTION MATERIALS:
 - A. Federal pit located in the SW/4NW/4 Sec. 15-6S-22E.
- 7. METHODS OF HANDLING WASTE DISPOSAL:
 - A. Drill cuttings will be disposed of in the drilling pits.
 - B. Drilling fluids will be allowed to evaporate in the drilling pits until the pits are dry.
 - C. Water produced during test will be disposed of in the drilling pits. Oil produced during tests will be stored in test tanks until sold.

- D. Current laws and regulations pertaining to the disposal of human waste will be complied with.
- E. Trash, waste paper, garbage, and junk will be buried in a separate trash pit and covered with a minimum of 24 inches of dirt or deposited in an approved sanitary landfill. All waste material will be contained by a netted container to prevent scattering by the wind. Location of the trash pit is shown on Exhibit "C".
- F. All trash and debris will be buried or removed from the well site within 30 days after finishing drilling and/or completion operations.
- 8. ANCILLARY FACILITIES:
 - A. None necessary
- 9. WELL SITE LAYOUT:

ţ

- A. <u>Exhibit "C"</u> indicates the relation location and dimensions of the well pad, mud pits, reserve pit and major rig equipment.
- B. The location slopes to the southwest.
- C. The reserve pit will be lined with plastic to prevent loss of water.
- 10. PLANS FOR RESTORATION OF THE SURFACE:
 - A. After completion of drilling and/or completion operations, all equipment and other material not needed for operations will be removed. Pits will be filled and the location cleaned of all trash and junk to leave the well site in an aesthetically pleasing condition as possible.
 - B. Any unguarded pits containing fluids will be fenced until they are filled.
 - C. If the well is non-productive or abandoned, the distrubed area will be rehabilitated using the preserved soil mentioned in 2. I. and 4. C.
- 11. OTHER INFORMATION:
 - A. Topography: The topography slopes northeast

in the vicinity of access road and southwest in the vicinity of the drill pad. Regional slope is northeast toward the Macho Draw which is approximately 3 1/4 miles from this location.

- B. Soil: Sandy loam with limestone outcropping.
- C. <u>Flora and Fauna</u>: The flora consists of typical desert vegetation, such as yucca, cactus and various grasses. Fauna consists of desert wildlife such as coyotes, rodents, snakes, deer and antelope.
- D. <u>Ponds or Streams</u>: Macho Draw is about 3 1/4 mile northeast of the proposed location.
- E. <u>Residences and other Structures</u>: The old Pierce ranch house is approximately 3 1/2 miles northeast of this location.
- F. Archaeological, Historical and Other Cultural <u>Sites:</u> An Archaeologist from Portales,NM (A.C.A. Co.) has checked and approved this site and access road.
- G. Land Use: Grazing
- H. Surface Ownership: Federal
- 12. OPERATOR'S REPRESENTATIVE:

Gary Richburg Roswell, New Mexico (505) 623-4735

13. CERTIFICATION:

I hereby certify that I, or persons under my direct supervision, have inspected the proposed drill site and access route; that I am familiar with the conditions which presently exist; that the statements made in this plan are, to the best of my knowledge true and correct; that the work

-4-

associated with the operations proposed herein will be performed by McKAY OIL CORPORATION and its sub-contractors in conformity with this plan and the terms and conditions under which it is approved. This statement is subject to provisions of 18 USC 1001 for the filing of a false statement.

11/10/89 DATE:



SCALE: ½" 1 MILE



MCKAY OIL CORPORATION Four Mile Draw Fed. #11 NE/4SW/4 Sec. 17-6S-22E Chaves County, New Mexico

;



64



	C i N LG DSAD Airedd State	5 * 5 * 5 * 5 * 5 * 5 * 5 * 5 * 5 * 5 *	MCKAY OIL C		"lnexco Federal" U.S. U.S.		
	MTS (, MESC) 4 31 LG-9970 38822	U.S. pasmel/ fosmel/ fosmel/ fosmel/ fosmel/ fosmel/	Four Mile Dr. NE/4SW/4 Sec Chaves County	. 17-6S-22E	Inexco	0.5 2/6 D21 Inexco M75/2 3730 M650,1 3730 H 20 -	
祥 (本) 50 50 (*) 1	29	<u>— 28 маня</u> Мскац Oit з т. т. 91 звіяя "Мскау Г		26 "Rugged Faderal"	25 "Inexco Fe	אין 30 ס' ארי ארי ארי אין אין אין אין אין אין אין אין אין אי	
-	51570 MT5 7, MES9 4 - 1 - 37 G 53 12 A (41)	U.S. 0 43 McKay Uit 36183 4 0	U.S. Mesc 116-35/7 116-35/7 McKay Oil	U.S. Nickay Oil Nickay Oil Nickay Oil Higher H7 H/ 0 H7	U.S. MTS L MESD 4 · 1 · 51 LG 3573 405 ft	U.S. 12. Mors. / Yotes Pet. 3 1-91 setas	
	32	33 7 Nikog Lon Istate	34	35 o i o es b H i "Eppers Federal"	36	ا3 ار ۲	
	1000	U.S. '0"/	U.S. 03	u.sl.	State	ي د ۲	
· · · · ·	M SC M SV	McKay Cil	4	Federal"	1 MTS 6 MESOT 1 1 1 1 1 1 2	11 inexco 1 8 1 80 32100	
		5	k2 0 0	0 ⁷ 1 1 21 0 ³⁶¹⁰¹ (5.3	45528 State	US CE	
	1 1957 6 15 17 19 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 1	SHARE STOKOGION SHARE STOKOGION SHARE JEIN	Mickay Oil A S 36192 A S 36192 A S	McKay Oil 5 J - 91 36112	McKoy Oil c sisz "Lookout Federal"	100 NCC 6 - 1 - 60 32308	
1		8	9 5	10 18 00	11	ILL & E For	
	e e	"Pierce Foderal"	0 10	MOLANO			
	· · · · · · · · · · · · · · · · · · ·	e f	"Lookout Federal"	"Lookout Federal"	CT Tula Brown "26 U.S. WESSAT	We anno 24	
· · · · ·	11	NicKoqOd Birga HBP	M75 8. Mesa 4 1 91 LG-9574 459 29	Mckay 0:1 Memorial 36:93 36:93 HBP Mcay 0:1 Men Mcay 0:1 Men Mcay 0:1	- 6 -7 36 193	Ne Hay Od Si i Si Si Bulge (1)	
· ·	, ц	7	- 16	15 Abd.	14		
	at	JSI N. Snight	- Mesa Pet / Roach-St (7. "Fourmy te Draw-Fed"	the fourmile Drive the "	Hosper Fed	
		hanger saste	State U	LL US	<u> </u>		
1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.			Adercay Oil (+	₩ 9 McKay Dil 5 1 91 36194	136134 en.	McKoy Oil 3 - 5 - 51 	
		343 35Mill 3645 20	21 South Four	/ 22 11-26 65	Mesa MTS // 11 26 82 23	24	
			Mile Draw Fed."/	So Fourmile Ruby Brow-Fed Paul	Ruby Kennon "Se Four Mile Crow-Teo" Pay F- 33.4 US		
		weso .	Transwest'n Gos		ALE. M	S.Four Mile Drow Fee	
:		Mer ou Ou	Remnele Fed	Meso : Reman 12 (6-5572 - 9 Prida; 45314 - 9 Prida;	Анллоп Мскау Oil 44 19 10 36135 115 Мекауси Мекау Oil мис		
		123 23	McKoy Oil 28 (Stevens Oper.)	Mekon Oil Joint 275+ote /2	5 + 5 + 20 - 91 36195 26	25	
	- 		Jeris Tiemit	11		(Mckay Oil) Merrorial Epil, etall 'Remmete 15-1-91 136196 - 5 2 136196 - 5 2	
·		. 4	"McKnight" US Ruby Remmele	Rusy Femmera US Knights	ys. Morjorie Tatum 115.	136196 5 41 1	
	Contraction of the second seco		McKay Oil &		McKoy Orl Sterring - 20-91 - 1872	(MEG Per) Sun	
	21	4.1.1	36136 Sindys Ku MMe Knight, etal	Memorial Expl.etal Seisel Gladys & J Af McKnighl, etal	us, Marjorie Tatumi us	- 16 9175	
		17	33	Glady & KU ni Mchighr, ardi 	35 Glodys	36	
				5 - 1 - 31 34.196	M.Km.Oil E.J.M. 5.1.91 St.knigt 36196 etal	Stevens Open McAnight K TD 3161	
		- 11	and the second	EXHIBIT E	│ · · / ↓▲	Chira Cran Pr	



BHEET NO ______ OF ______ CALCULATED BY ______ DATE _____

CHECKED BY

26-3

----- DATE -



.

1