Box 1980. Hobbs. NM 38241-1980 Easergy, Maserals & Natural Resources Department Form C- Revised February 10, 19 Instructions on b Submit to Appropriate District Office PO Box 2088 ORIO Brazos Rd., Azec, NM 87410 OIL CONSERVATION DIVISION PO Box 2088 Submit to Appropriate District Office PO Box 2088 ORIO Brazos Rd., Azec, NM 87410 Santa Fe, NM 87504-2088 State Lease - 6 Cop Fee Lease - 5 Cop Fee Lease - 5 Cop PPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, PLUGBACK: OR ADD A ZON 'Operator Name and Address. 'OGRID Number 007147 Post Office Box 310 Roswell, New Mexico 88202-0310 'OGRID Number 30 - 00 S - 6 3/31 'Property Code 'Property Name 'Surface Location 'Well Ne. 7										
Barry March & Auger 190 Earry, March & Auger & Revised February 10, 11 Drewer DD, Angen, NM \$211-970 OIL CONSERVATION DIVISION Submit to Appropriate Directions on the PO Box 2088 PD Do X 2083 Submit to Appropriate Directions on the PO Box 2083 Submit to Appropriate Directions on the PO Box 2083 PRO Box 2083 Santa Fe, NM \$7504-2083 Call L CONSERVATION DIVISION Submit to Appropriate Directions on the PO Box 2083 PPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, PLUGBACK: OR ADD A ZON AMENDED REPOR 'Operator Name and Addres. 'OCRD Neator ELK OIL COMPANY 'OCRD Neator Post Office Box 310 'Art Neator Roswell, New Mexico 88202-0310 'Art Neator 'Property Cole 'Surface Location or to no. Section or to no. Section 'Proposed Bottom Hole Location If Different From Surface 'Proposed Bottom Hole Location If Different From Surface 'Proposed Dottom Sci Addres. 'Southeast Acree No 200 'Werk Type Code 'Werk Type Code 'Werk Type Code <td< td=""><td></td><td>· ·</td><td>1</td><td></td><td></td><td></td><td></td><td></td><td></td><td>С</td></td<>		· ·	1							С
Instructions on bill conserver DD, Aveelan, MM 18211-0719 OIL CONSERVATION DIVISION PO Box 2088 Santa Fe, NM 87504-2088 Submit to Appropriate District OR State Lease - 6 Cop Fee Lease - 7 007147 OUTLOTION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, PLUGBACK: OR ADD A ZON Operator Nume and Addree. Fee Colspan= Cop Fee Lease - 6 Cop Fee Lease - 7 007147 OUTLOTION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, PLUGBACK: OR ADD A ZON Operator Nume and Addree. Fee Colspan= Cop Fee Lease - 6 Cop Fee L		88241-1980	Eacry,	State of	New Mexico	4/Lincal	, 1		Revised	Form C-
PO Box 2083 Santa Fe, NM 87504-2083 State Lease - 6 Cop Fee Lease - 5 Cop Post 2041. Seaa Pe, NM 87504-2083 PPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, PLUGEACK: OR ADD A ZON Operater Name and Address. ELK OIL COMPANY Post Office Box 310 Rosswell, New Mexico 88202-0310 'OGRD Neasber 007147 Property Code 3 976-3 'Property Name Celtic State 'Property Name 7 'Well Ne. 7 Section C 13 Section Social Tormakip Range Los Ida Los Ida Peet from the Feet from the Section East Mere 7 Comery Charles Compared Charles * Proposed Bottom Hole Location If Different From Surface or lot so. Social Tormakip Range Los Ida Feet from the North/Social fac Feet from the Compared Call Comery Charles * Social Tormakip C 10 Social Tormakip Range Cost Ida Feet from the North/Social fac Feet from the Cost Feet Tormaking Comery Cost Feet Lease Construction * for social or lot so. Social Tormakip Range Cost of Rotary Cost Feet Lease Cost of Cost Feet Lease Cost of Cost Cost Rotary No Cost of Cost Cost Cost Cost Cost Cost Cost Cost		M 38211-0719		ONSERS			N s		Ŀ	structions on b
Box 2088. Same Fe, NM #7504-2083 AMENDED REPORT PPLICATION FOR PERMIT TO DRILL, RE-ENTER. DEEPEN, PLUGBACK: OR ADD A ZON 'Operator Name and Address. Operator Name and Address. BLK OIL COMPANY Post Office Box 310 AMENDED REPORT Rosswell, New Mexicos 88202-0310 'ART Number 'Property Cade 'Property Name 'Well Ne. JPG_J Celtic State 7 'Surface Location 'Surface Location 'Well Ne. 'Surface Location 'Surface Location * Proposed Bottom Hole Location If Different From Surface or ist so. Scate 'Tormake Location If Different From Surface 'Proposed Bottom Hole Location If Different From Surface 'Proposed Port I San Andres; Southeast Acree & Colspan="2">'Southeast Acree & Colspan="2" 'Nort Type Code 'Celter State of Constrained Toc 'Proposed Code 'Proposed Casing and Cement Program		NM 87410		PO I	Box 2088		14 Ju		State	e Lease - 6 Cor
PPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, PLUGBACK', OR ADD A ZON 'Operator Name and Address. ELK OIL COMPANY Post Office Box 310 Roswell, New Mexico 88202-0310 'Property Code 30 - 005 - 6 3131 'Surface Location or lot se. Section Toremakip 8S 27E 'Surface Location If Different From Surface or lot se. 'Proposed Bottom Hole Location If Different From Surface or lot se. ''Proposed Pool I ''Proposed Pool I ''Proposed Pool I ''Nettiple ''Proposed Doptal '' Contractor '' Proposed Code No ''Most Type Code '' Contractor '' Contractor No ''Proposed Doptal '' Proposed Casing and Cement Program Bote Sam Contractor Contractor No Sector of Contractor No ''Nettiple ''Proposed Casing and Cement Program Bote Sam		87504-2088						Γ		
Operator Name and Address. 'OGRID Number 007147 BLK OIL COMPANY Post Office Box 310 Rosswell, New Mexico 88202-0310 INTERCED State 30 - 005 - 63131 'AT Number 30 - 005 - 63131 'Surface Location 'Surface Location 'Surface Location or lot as 2 13 Section 'Surface Location 'Surface Location 'Surface Location 'Surface Location If Different From Surface or lot as 3 Proposed Bottom Hole Location If Different From Surface 'Proposed Pool I 'Proposed Pool I 'San Andres; Southeast Acme & OO 'Southeast Acme & Colspan="2">S 'Southeast Acme & Colspan="2">'Constructor 'Southeast Acme & Colspan="2">'Southeast Leve Issue Sandy of San Andres 'Proposed Depta 'Proposed Casing and Cement Program 'South as 5/8'' 'Southeast Sandy of San	PPLICATION	FOR PERM	IT TO DI	RILL. RI	E-ENTER DI	EPF		A 174		
ELK OIL COMPANY Post Office Box 310 Roswell, New Mexico 88202-0310 All 201397 007147 'Arl Number 30 - 005 - 63131 'Arl Number 30 - 005 - 63131 'Arl Number 30 - 005 - 63131 'Property Code 'Property Name 'Wel Ne. 3 963 Celtic State 7 'or let an. Section 'Surface Location 'Wel Ne. or let an. Section Township Range Los Ida Feet from the East/West East Constr 13 85 27E 330 FNL 2310 FWL Chaves '' tot no. Section Township Range Los Ida Feet from the East/West East Constr or lot no. Section Township Range Los Ida Feet from the East/West East Constr '' tot no. Section Township Range Los Ida Feet from the East/West East Constr '' tot no. Section Township Range Los Ida Feet from the East/West East Constr '' tot no. Section Township Range Los Ida Nerth/Statistic East Constr '' tot no. Section Township Range Los Ida Section '' Ground Lordi Eerside<								inc ₁		
Roswell, New Mexico 88202-0310 10 -00 S - 6 3/31 'Property Cade ' Well Ne. 7 Celtic State 7 Surface Location or lot as Section O 0 S - 6 3/31 ' Well Ne. 7 Surface Location O 13 Section O 13 Section O 13 Section O 13 Section Township Range Lot Ids Feet from the							AR2 833	397		
Property Code Property Name Well Ne. 3963 Celtic State 7 Surface Location or lot no. Section Township Range Lot Ida Feet from the Feet from the East/West East Constr C 13 8S 27E 330 FNL 2310 FWL Constr 3 Proposed Bottom Hole Location If Different From Surface or lot no. Social Township Range Lot Ida Feet from the Feet from the East/West East Constr * Proposed Pool 1 San Andres; Southeast Acme 8 CO Proposed Fool 1 San Andres; Southeast Acme 8 CO "Growad Levis Elevision No O Rotary San Andres 3943' "Mork Type Code "Weil Type Code "Colspan="2">* Growad Levis Elevision No 2400' San Andres United Drilling May 1, 1997 1 Casing Size Casing weight/foot Sectian of Casing Size Casing Size <td></td> <td></td> <td></td> <td></td> <td>-0310</td> <td></td> <td></td> <td></td> <td>1</td> <td></td>					-0310				1	
J 9 (G.S) Celtic State 7 Surface Location or lot no. Section Township Range Lot Ida Feet from the Feet from the East/West East Constr C 13 8S 27E 330 FNL 2310 FWL Chaves ³ Proposed Bottom Hole Location If Different From Surface * Feet from the North/Softh East Constr Constr or lot no. Section Township Range Lot Ida Feet from the North/Softh East Feet from the East/West East Constr or lot no. Section Township Range Lot Ida Feet from the North/Softh East Constr Constr 'Proposed Pool 1 Son Andres; Southeast Acme 800 H "Proposed Pool 1 Son Andres; Southeast Acme 800 H "Proposed Pool 1 Son Andres; Southeast Acme 800 H "Ground Level Elevation No O Rotary Southeast Southeast 3943' "Montiple "Proposed Depth	* Property Code		<u> </u>		* Property Name			<u></u>		
' Surface Location or ict so. Section Cost of the solution of the solutis of the solution of the solutis of the solution of the	396-	3				è		- 		
or lot so. Section Township Range Lot Ida Feet from the Section Four from the East Went East Constr C 13 85 27E 330 FNL 2310 FWL Chaves ³ Proposed Bottom Hole Location If Different From Surface ^{ar lot so.} Section Township Range Lot Ida Feet from the North/South East From the East/Went East Constr ^{ar lot so.} Section Township Range Lot Ida Feet from the North/South East From Surface ^{ar lot so.} Section Township Range Lot Ida Feet from the North/South East From Surface ^b Proposed Pool 1 ^c San Andres; Southeast Acme 800 ^c Cable Rotary S 3943' ^c Multiple ^c Proposed Depth ^c Fornacion ^c Constructor ^c Sped Date No 2400' San Andres United Drilling May 1, 1997 ²¹ Proposed Casing and Cement Program Hole San Casing Size Casing weight/foot Secting Depth Secting Circulate 7 7/8" 5 [‡] " 17# 2400' 200 SXS 1500'				⁷ Sur						
³ Proposed Bottom Hole Location If Different From Surface or lot so. Section Township Range Lot Ida Feet from the North/South Ese Feet from the East/West Ene Constr 'Proposed Pool I San Andres; Southeast Acme 800 Work Type Code '' Weil Type Code '' CaborRotary Code Type/Code '' Grossed Level Elevation N 0 CaborRotary S 3943' '' Work Type Code '' Proposed Depth '' Formation '' Constructor S 3943' '' Multiple '' Proposed Depth '' Formation '' Constructor S 3943' '' Multiple '' Proposed Depth '' Formation '' Constructor S 3943' '' Multiple '' Proposed Depth '' Formation '' Constructor S 3943' '' Proposed Depth '' Formation '' Constructor S 3943' '' Proposed Depth '' Formation '' Constructor S 3943' '' Proposed Casing and Cement Program Eole Size Casing Size Casing weight/foot Setting Depth Sects of Cement Estimated TOC 12½'' 8 5/8'' 24# 450' 350 SXS Circulate 7 7/8'' 5½'' 17# 2400' 200 SXS 1500'	L or iot no. Section	Township Ras	ge Lot Ida			ine	Fost from the	East/V	at Lu	Cosaty
or bot no. Section Township Range Lot Ida Feet from the North/Secth fine Feet from the East/West fine County 'Proposed Pool I San Andres; Southeast Acme 800 Image: Proposed Pool I North/Secth fine Proposed Pool I North/Secth fine 'Proposed Pool I San Andres; Southeast Acme 800 I'' Work Type Code '' Weil Type Code '' Cabe/Rotary Image: County I'' Work Type Code '' Weil Type Code '' Cabe/Rotary San 3943' ''' Work Type Code '' Proposed Depth '' Formation '' Constructor '' Sped Date No 2400' San Andres United Drilling May 1, 1997 21 Proposed Casing and Cement Program Bole Size Casing Size Casing weight/foot Secting Depth Sects of Cement Estimated TOC 12 ½ '' 8 5/8'' 24 # 450' 350 sxts Circulate 7 7/8'' 5 ½ '' 17 # 2400' 200 sxts 1500'	<u>C</u> 13								VL	Chaves
or bot no. Section Township Range Lot Ida Feet from the North/Secth fine Feet from the East/West fine County 'Proposed Pool I San Andres; Southeast Acme 800 Image: Proposed Pool I North/Secth fine Proposed Pool I North/Secth fine 'Proposed Pool I San Andres; Southeast Acme 800 I'' Work Type Code '' Weil Type Code '' Cabe/Rotary Image: County I'' Work Type Code '' Weil Type Code '' Cabe/Rotary San 3943' ''' Work Type Code '' Proposed Depth '' Formation '' Constructor '' Sped Date No 2400' San Andres United Drilling May 1, 1997 21 Proposed Casing and Cement Program Bole Size Casing Size Casing weight/foot Secting Depth Sects of Cement Estimated TOC 12 ½ '' 8 5/8'' 24 # 450' 350 sxts Circulate 7 7/8'' 5 ½ '' 17 # 2400' 200 sxts 1500'				n Hole L	ocation If Dif	feren	From Sur	face		<u> </u>
San Andres; Southeast Acme 8 CO It represented to the formation of the formation	or lot zo. Section			Feet from	the North/South	lae			est fine	County
San Andres; Southeast Acme 8 CO It represented to the formation of the formation		1 20m and 20m	<u>. </u>						29	
"Work Type Code "Weil Type Code "Cabe/Rotary Come Type/Code "Grossed Level Devision N O Rotary S 3943' "Multiple "Proposed Depts "Formation "Constructor 3943' "Multiple "Proposed Depts "Formation "Constructor #Speed Date No 2400' San Andres United Drilling May 1, 1997 21 Proposed Casing and Cement Program Hole Size Casing Size Casing weight/foot Sects of Cases Estimated TOC 12¼" 8 5/8" 24# 450' 350 SXS Circulate 7 7/8" 5½" 17# 2400' 200 SXS 1500'	Gene	•		20			INT Propos			
N O Rotary S 3943' "Multiple "Proposed Depth "Formation "Constructor * Spud Date No 2400' San Andres United Drilling May 1, 1997 ²¹ Proposed Casing and Cement Program Hole Size Casing Size Casing weight/foot Secting Depth Sects of Cases Estimated TOC 12¼" 8 5/8" 24# 450' 350 sxs Circulate 7 7/8" 5½" 17# 2400' 200 sxs 1500'	San _	Andres; Sout	heast Act	me & C		(+)-	1 de	7-1	<u> </u>	
N O Rotary S 3943' "Multiple "Proposed Depth "Formation "Constructor * Sped Date No 2400' San Andres United Drilling May 1, 1997 21 Proposed Casing and Cement Program Hole Size Casing Size Casing weight/foot Sects of Cement Estimated TOC 12¼" 8 5/8" 24# 450' 350 sxs Circulate 7 7/8" 5½" 17# 2400' 200 sxs 1500'	Work Type Code	12 Weil	Type Code		Cable Rotary		Tom Type Co	<u> </u>	14 C	
"Multiple "Proposed Depth "Formation "Contractor "Sped Date No 2400' San Andres United Drilling May 1, 1997 21 Proposed Casing and Cement Program Hole Size Casing Size Casing weight/foot Sects of Cement 12¼" 8 5/8" 24# 450' 350 sxs Circulate 7 7/8" 5½" 17# 2400' 200 sxs 1500'	N			1			-	-		
No 2400' San Andres United Drilling May 1, 1997 ²¹ Proposed Casing and Cement Program Hole Size Casing Size Casing weight/foot Secting Depth Secks of Cement Estimated TOC 12¼" 8 5/8" 24# 450' 350 sxs Circulate 7 7/8" 5½" 17# 2400' 200 sxs 1500'	" Muitipie	" Prope	seci Deptis							
Hole Size Casing Size Casing weight/foot Sects of Centers Estimated TOC 12¼" 8 5/8" 24# 450' 350 sxs Circulate 7.7/8" 5½" 17# 2400' 200 sxs 1500'	No	2						ing		•
12¼" 8 5/8" 24# 450' 350 sxs Circulate 7 7/8" 5½" 17# 2400' 200 sxs 1500'	Hole Size	Casing Sim	r							
7 7/8" 5 ¹ / ₂ " 17# 2400' 200 sxs 1500'						-				
									-	· · · · · · · · · · · · · · · · · · ·
					2400	<u> </u>	200	SXS		1500'
				<u> </u>						
		u comme program.	1 alty. Une ad		I Decemery.					
Describe the blowout prevention program, if any. Use additional sheets if necessary.			BLOW			ROG	RAM			
BLOWOUT PREVENTION PROGRAM		-		SEE	ATTACHED				-	
		Т	his acrea	ge is not	dedicated to	Gas	Markot			
BLOWOUT PREVENTION PROGRAM SEE ATTACHED		-	·				awnel.			
BLOWOUT PREVENTION PROGRAM										
<u>BLOWOUT PREVENTION PROGRAM</u> SEE ATTACHED This acreage is not dedicated to Gas Market.				$\sqrt{8}$	>18" Ca	514	ic.			
BLOWOUT PREVENTION PROGRAM SEE ATTACHED This acreage is not dedicated to Gas Market. [8 hours WOC on 8 ⁵ /8" Casing	the certify that the inform	nation given above is	true and comple	ne to the best					11/1010	
<u>BLOWOUT PREVENTION PROGRAM</u> SEE ATTACHED This acreage is not dedicated to Gas Market. [8 hours Woc on 8 5/8" Casing	Likowieczje sład belief.		DMPANY				NJEKVAII	UN D	IVISIC	N
$\frac{BLOWOUT PREVENTION PROGRAM}{SEE ATTACHED}$ This acreage is not dedicated to Gas Market. $\frac{8 \text{ hcuts } WCC \text{ cn } 8^{5/8} \text{ Casing}}{8 \text{ boundary that the information given above is true and complete to the best } OIL CONSERVATION DIVISION}$		\rightarrow			B6A					
BLOWOUT PREVENTION PROGRAM SEE ATTACHED This acreage is not dedicated to Gas Market. Not certify that the information given above is true and complete to the best Drowledge and belief. ELK OIL COMPANY Ner. Ame: Differentiation formation formation formation formation between the best Differentiation formation formation formation formation between the best Differentiation formation formation formation formation between the best Differentiation formation format	lose				Title: Kics	hi	1 Super	isen	/	
BLOWOUT PREVENTION PROGRAM SEE ATTACHED This acreage is not dedicated to Gas Market. 18 hcuts WCC cn 8 5/8" Casing hy certify that the information given above is true and complete to the bear moviedge and belief. ELK OIL COMPANY re: Jame: Joseph J. Kelly OIL CONSERVATION DIVISION Approved by: Multict September		lent			Approval Date:	- 1 -	- yy Exp	intica Da	ke:	
BLOWOUT PREVENTION PROGRAM SEE ATTACHED This acreage is not dedicated to Gas Market. 18 hcuts WCC cn 8 5/8" Casing by certury that the information given above is true and complete to the bear move date and belief. OIL CONSERVATION DIVISION atme: Joseph J. Kelly Title: Mining Mining Mining Date: President Approval Date: 5-1-977 Expiration Date:	4/22/97	P1050	5)623-319	0	Conditions of Approve	vi :				<u></u>
BLOWOUT PREVENTION PROGRAM SEE ATTACHED This acreage is not dedicated to Gas Market. 18 hcuts WCC cn 8 5/8" Casing hy certify that the information given above is true and complete to the bear moviedge and belief. ELK OIL COMPANY re: Jame: Joseph J. Kelly OIL CONSERVATION DIVISION Approved by: Multict September				FI FI						1

Attached 🛛

C-101 Instructions

Measurements and dimensions are to be in feet/inches. Well locations will refer to the New Mexico Principal Meridian.

IF THIS IS AN AMENDED REPORT CHECK THE BOX LABLED "AMENDED REPORT" AT THE TOP OF THIS DOCUMENT.

- Operator's OGRID number. If you do not have one it will 1 be assigned and filled in by the District office.
- 2 Operator's name and address
- 3 API number of this well. If this is a new drill the OCD will assign the number and fill this in.
- 4 Property code. If this is a new property the OCD will assign the number and fill it in.
- 5 Property name that used to be called 'well name'
- 6 The number of this well on the property.
- The surveyed location of this well New Mexico Principal 7 Meridian NOTE: If the United States government survey designates a Lot Number for this location use that number in the 'UL or lot no.' box. Otherwise use the OCD Unit Latter.
- R The proposed bottom hole location of this well at TD

9 and 10. The proposed pool(s) to which this well is beeing drilled,

- 11 Work type code from the following table:
 - N New well ε
 - Re-entry
 - D Drill deeper P
 - Plugback Δ
 - Add a zone
- 12 Well type code from the following table:
 - 0 Single oil completion
 - G Single gas completion
 - M Mutiple completion
 - Injection well S
 - SWD well
 - W Water supply well
 - C Carbon dioxide well
- 13 Cable or rotary drilling code
 - С Propose to cable tool drill
 - R Propose to rotary drill
- 14 Lease type code from the following table:
 - F Federal
 - S State
 - Ρ Private
 - N Navajo
 - L Jicarilla
 - U Ute I
 - Other Indian tribe
- 15 Ground level elevation above sea level
- 16 Intend to mutiple complete? Yes or No
- 17 Proposed total depth of this well

18 Geologic formation at TD

: -

- 19 Name of the intended drilling company if known.
- 20 Anticipated spud date.
- 21 Proposed hole size ID inches, proposed casing OD inches, casing weight in pounds per foot, setting depth of the casing or depth and top of liner, proposed cementing volume, and estimated top of cement
- Brief description of the proposed drilling program and BOP 22 program. Attach additional sheets if necessary.
- 23 The signature, printed name, and title of the person authorized to make this report. The date this report was signed and the telephone number to call for questions about this report.

BLOWOUT PREVENTER SPECIFICATION



BOP's are 10" Series 900 Type "E" Shaffer Double Hydraulic 6000 PSI test, 3000 psi working pressure. All additional valves and connections are the same test and working pressures. Ubrriet I PO Box 1990, Hobbe, NM 22241-1990 Ubtriet U NJ Drawer DD, Artenia, NM 20211-2719 Ustriet II 1000 Ris Brazos Rd., Aztee, NM 27410 Ubtriet IV FO Box 2023, Santa Fe, NM 27504-2023

State of New Mexico Energy, Mineraln A Natural Resources Department

OIL CONSERVATION DIVISION PO Box 2088 Santa Fe, NM 87504-2088

Form C-102 Revised February 10, 1994 Instructions on back Submit to Appropriate District Office State Lease - 4 Copies Fee Lease - 3 Copies

AMENDED REPORT

' Froperty Cod 'OGRID No. 00714 UL or lot no. 5		r 	IC STA	' Pool Code				' rool Ni San Andres;		ant An		
'OGRID Ne. 00714 UL er let me. 5	7			ſE	' Prop	perty N		an Andres:	Souther	ant to		
00714 UL or lot me. 5	7			ſE	riop	perty (1						
00714 UL or lot me. 5	7	ELK					1 A 40-4			۰۱	Vell Number 7	
VL or lot no. 5		ELK			-	rotor N	lame				' Elevation	
	Section		OIL C	OMPAN						395	52	
		Tewaship					Location					
CI	13		Range	Lot Idm	Foot from th	the	North/South Las	Foot from the	F.ant/Wen	t fine	County	
		85.	27E	tom Hol	<u>330</u>		FNL Different Fro	2310	FWL		CHAVES	
Ul. or lot se. 5	Section	To+whip	Range	Lot Ide	Feet from t		Nerth/Seeth Las		1-2		r	
							Nena/Seeus Rae	Foct from the	Faat/Wee	4 Kae	County	
" Dedicate & Acres	" Jolat	or faill "	Consolidatio	a Code " C)rder No.	L		L	<u> </u>			
40												
NO ALLOWA	ABLE	WILL BE /	ASSIGNE	D TO TH	IS COMPL	ETIO	IN UNTIL ALL	INTERESTS I	AVE BE	EN CON	SOLIDATED	
14			NON-ST		UNIT HAS	S BE	EN APPROVED	BY THE DIV	SION			
4		30							RATOR	CERT	TFICATION	
	2310							in the and com	where to the l	best of mult	crowansed herein w browledge and belief	
								ELK C	E CON	IPAN	Y	
									7 🔊			
								Sig a sturre	$\neq \neq$	3		
									J. Kell	/ Iv		
								Printed Nas		· /	······	
		SECT	10N 13	,T.85.,	R.27.,NA	MPM		Presid	ent			
								April 2	?2, 1997	,		
			ELK OI	LCOM	PANY			"SUR	EYOR	CERT	TFICATION	
STATE OF NEW MEXICO					CO LEASE NO. VB-0110				I hereby certify that the well location shown on this plat was plotted from Arid noises of artical surveys made by			
						1		I me or under	' MY INPOSIC	ion, and th	at the same is a	
									10 the best of	r my belief.		
								Date of Sur	YTY	6 RA		
								Signature ar	A CONTRACTOR	D. RA	ell' Greet	
										TATE A	· To	
				1					16	r 19≇∙⊪∞	1 to	
									34	12616 1	Klak	
X									1 1	K MEN	ST	
								Certificate		NMPS	2536	