



NEW MEXICO OIL CONSERVATION COMMISSION  
Santa Fe, New Mexico

RECEIVED  
WELL RECORD  
MAR 31 1961

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPLICATE. If State Land submit 6 Copies

**Pan American Petroleum Corporation** State of New Mexico "BL"  
(Company or Operator) (Lease)

Well No. 1, in NW/  $\frac{1}{4}$  of NE/  $\frac{1}{4}$ , of Sec. 4, T. 18-S, R. 28-E, NMPM.

Undesignated Pool, Eddy County.

Well is 330 feet from North line and 2272.11 feet from East line of Section 4. If State Land the Oil and Gas Lease No. is B-3823

Drilling Commenced 2-26-, 19 60 Drilling was Completed 3-22-, 19 60

Name of Drilling Contractor Lee Drilling Company

Address Philtower Building, Tulsa, Oklahoma

Elevation above sea level at Top of Tubing Head None Available The information given is to be kept confidential until Not Confidential, 19     

OIL SANDS OR ZONES

No. 1, from none to      No. 4, from      to     

No. 2, from      to      No. 5, from      to     

No. 3, from      to      No. 6, from      to     

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from      to      feet.

No. 2, from      to      feet.

No. 3, from      to      feet.

No. 4, from      to      feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	NEW OR USED	AMOUNT	KIND OF SHOE	CUT AND PULLED FROM	PERFORATIONS	PURPOSE
<u>8 5/8</u>	<u>22.7</u>	<u>New</u>	<u>1220</u>	<u>Guide</u>	<u>(155x Out Plug 1235-1187)</u>	<u>Surface</u>	

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
<u>11</u>	<u>8 5/8</u>	<u>1233</u>	<u>Circ.</u>	<u>Pump - Plug</u>		

RECORD OF PRODUCTION AND STIMULATION

(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)

None

Result of Production Stimulation None

Depth Cleaned Out P X A

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

TOOLS USED

Rotary tools were used from 0 feet to 6334 (TD) feet, and from feet to feet.  
Cable tools were used from feet to feet, and from feet to feet.

PRODUCTION

Put to Producing P x A, 19  
OIL WELL: The production during the first 24 hours was barrels of liquid of which % was  
was oil; % was emulsion; % water; and % was sediment. A.P.I.  
Gravity  
GAS WELL: The production during the first 24 hours was M.C.F. plus barrels of  
liquid Hydrocarbon. Shut in Pressure lbs.  
Length of Time Shut in

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE):

Southeastern New Mexico

Northwestern New Mexico

T. Anhy.	T. Devonian	T. Ojo Alamo
T. Salt.	T. Silurian	T. Kirtland-Fruitland
B. Salt.	T. Montoya	T. Farmington
T. Yates	T. Simpson	T. Pictured Cliffs
T. 7 Rivers	T. McKee	T. Menefee
T. Queen 1405'	T. Ellenburger	T. Point Lookout
T. Grayburg	T. Gr. Wash	T. Mancos
T. San Andres 2205'	T. Granite	T. Dakota
T. Glorieta 3690'	T.	T. Morrison
T. Drinkard	T.	T. Penn
T. Tubbs	T.	T.
T. Abo Pay 6320'	T.	T.
T. Penn	T.	T.
T. Miss	T.	T.

FORMATION RECORD

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	467	467	Redbed				
467	506	39	Redbed, Gyp				
506	724	218	Redbed, Anhy.				
724	1175	451	Anhy., Gyp.				
1175	1233	58	Lime, Gyp.				
1233	1510	277	Lime, Anhy.				
1510	1704	194	Sand, Gyp.				
1704	3250	1546	Lime				
3250	3422	172	Lime, Sand				
3422	5493	2071	Lime				
5493	5623	130	Dolo, Chert				
5623	5681	58	Dolo, Lime				
5681	5830	149	Dolo, Chert				
5830	5868	38	Dolo, Lime				
5868	5998	130	Dolo, Chert				
5998	6055	57	Dolo, Lime, Chert				
6055	6270	215	Dolo, Chert				
6270	6334	64	Dolo, Lime				

T x A

Plugged as Follows:

Interval	Cement
6334-6152	50 Sx.
2425-2263	50 Sx.
1235-1187	15 Sx.
Surface	10 Sx.

All Intervals Filled with Heavy Mud Laden Fluid.

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

March 29, 1960

(Date)

Company or Operator Pan American Petroleum Corporation Address Box 68, Hobbs, New Mexico

Original Signed by

Area Superintendent