

9. WELL SITE LAYOUT:

A. Exhibit "C" shows the relative location and dimensions of the well pad, mud pits, reserve pit, and trash pit, and the location of the major drilling rig components.

B. The area around the well pad slopes to the southwest. The reserve pit will be built on the northeast side of the pad. Approximately 6 feet of fill will be required on the southwest side of the pad. A berm will be constructed downslope from the pit of sufficient height to contain reserve pit volume.

C. The pad and pit area is staked and flagged.

10. PLANS FOR RESTORATION OF THE SURFACE:

A. After completion of drilling and/or completion operations, all equipment and other material not needed for operations will be removed from the well site. Pits will be filled and the location will be cleaned of all trash and junk to leave the well site in an as aesthetically pleasing condition as possible.

B. Any unguarded pits containing fluids will be fenced.

C. After abandonment, all equipment, trash, and junk will be removed and the well site will be cleaned. Any special rehabilitation requirements of the surface management agency will be complied with and accomplished as rapidly as possible.

11. OTHER INFORMATION:

A. Topography: The land surface in the area is gently undulating. In the immediate area of the well site, the land surface slopes to the southwest. Regionally, surface drainage in the area is to the west and southwest to the Pecos River.

B. Soil: Top soil in the area is a gravelly loam.

C. Flora and Fauna: The vegetative cover is moderate and includes mesquite, yucca, creosote bush, catclaw, weeds, and range grasses. Wildlife in the area is that typical of semi-arid desert land and includes coyotes, rabbits, rodents, reptiles, dove and quail.

D. Ponds and Streams: The Pecos River is approximately one-quarter mile southwest of the proposed well site. There are no other ponds or streams.