(16), c 107, 1 16) 28-04 NM OIL CONS. COMMISSION - 30-015-27821 B-60 SUBMIT, IN TRIPLICATE. Form 3160-3 UNITED STATES \$3210 (Other Instructions on Budget Bureau No. 1004-0136 (December 1990) Expires: December 31, 1991 DEPARTMENT OF THE INTERIOR 5. LEASE DESIGNATION AND BERIAL NO. **BUREAU OF LAND MANAGEMENT** BURF NM38463 6. IF INDIAN, ALLOTTER OR TRIBE NAME APPLICATION FOR PERMIT TO DRILL OR DEEPEN. 1a. TIPE OF WORK 7. UNIT AGREEMENT NAME DEEPEN [DRILL X b. TIPE OF WELL ULTIPLE OIL WELL X WELL 8. FARM OR LEASE NAME, WELL NO. OTHER 2. NAME OF OPERATOR Pure Gold B Federal 9. API WELL NO. Kaiser-Francis Oil Company 8 10. FIELD AND POOL, OR WILDCAT Box 21468, Tulsa, OK 74121-1468 4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.") West Sand Dunes; OELAWA 11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA 1950' FSL & 335' FEL 635 At proposed prod. some 1994 UT.I 1950' FNL & 505' FEL Sec 20, T23S, R31E 14. DISTANCE IN MILES AND DISECTION FROM NEAREST TOWN OR FOST OFFICE 12. COUNTY OR PARISH | 18. STATE Eddy NM 17 miles East from Loving 10. DISTANCE FROM PROPUSED 505'
LOCATION TO NEAREST
PROPERTY OR LEASE LINE, FT.
(Also to nearest drig, unit line, if any) 16. NO. OF ACRES IN LEASE NO. OF ACRES ASSIGNED TO THIS WELL 505 19. PROPOSED DEPTH 40 13. DIRTANCE FROM PROPOSED LOCATION 20. ROTARY OR CABLE TOOLS TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT. 8100' TVD Rotary 1350' 21. ELEVATIONS (Show whether DF, RT, GR, etc.) 22. AFFROX, DATE WORK WILL START 3348' 23 PROPOSED CASING AND CEMENTING PROGRAM k-111-P Potash SIZE OF HOLE WEIGHT PER FOOT SETTING DEPTH QUANTITY OF CEMENT GRADE, SIZE OF CASIN 700 700 sacks <u>Circulated</u> 17 - 1/213 - 3/848# 4070 1000 sacks Circulated 11 8-5/8 32# 17# 8100' TVD 7-7/8 5-1/21370 sacks tie back @ least 200' into 8-5/8" Stage tool @ 6200' 1. MIRU Rotary. Drill 17-1/2" hole to 700' run & set 13-3/8" surface csg & cmt w/700 sx. 2. 3. Install 3000# BOP & test to 600#. 4. Drill 11 hole to 4070', run & set 8-5/8 intermediate csq & cmt w/1000 sx. Test csg to 1000#. 5. 6. Drill 7-7/8" hole to 8100' TVD & run electric logs. If hydrocarbons are indicated, run & set 5/1/2° csq @ TD w/stage collar at 7. 6200' and cmt 1st stage w/580 sx & 2nd stage w/790 sx. 8. RDMO rotary, install wellhead, run cement bond log, perforate and stimulate for production. IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen, on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any. 11-2-93 Operations Engineer TITLE (This space for Federal or State office une) APPROVAL SUBJECT TO

APPROVED BYS/CAMI L SAMPSON TITLE Acting State Director DATE 1-19-94

*See Instructions On Reverse Side

PERMIT NO.

APPROVAL DATE .

Application approval does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the street to STRULATIONS reon.

MENERAL REQUIREMENTS AND

ATTACHED