DISTRICT!

P.O. Box 1980, Hobbs, NM 88241-1980

DISTRICT IL

P.O. Box Drawer DD, Artesia, NM 88211-0719

OIL CONSERVATION DIVISION

State of New Mexico

Energy, Minerals and Natural Resources Department

Revised February 10,1994

Instructions on back

Submit to Appropriate District Office

State Lease - 6 Copies

DISTRICT III 1000 Rio Brazos Rd., Aztec, NM 87410

P.O. Box 2088, Santa Fe, NM 87504-2088

DISTRICT IV

P.O. Box 2088 Santa Fe. New Mexico 87504-2088

Fee Lease - 5 Copies ■ AMENDED REPORT

APPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, PLUGBACK, OR ADD A ZONE **OGRID Number** Operator Name and Address 022351 **TEXACO EXPLORATION & PRODUCTION INC. API Number** P.O. Box 3109, Midland Texas 79702 30-615-28349 Well No. ⁵ Property Name **Property Code** REMUDA BASIN '30' STATE 1,595

Feet From The East/West Line County North/South Line Feet From The Range Lot.ldn Ut or lot no. Section Township WEST **EDDY** 660 SOUTH 30-E 30 23-S Proposed Bottom Hole Location If Different From Surface

Surface Location

Feet From The East/West Line County Feet From The North/South Line Lot.ldn Township UI or lot no. Section 10 Proposed Pool 2 Proposed Pool 1 Wildcar, 627 4 UNDESIGNATED BONE SPRING UNDESIGNATED BRUSHY CANYON 96035

11 Work Type Code	12 WellType Code	Rotary or C.T. ROTARY	14 Lease Type Code S	15 Ground Level Elevation 3059'	
16 Multiple	17 Proposed Depth	¹⁸ Formation	19 Contractor	²⁰ Spud Date	
No	7500	BRUSHY CAN/BONE SPG.		4/1/95	

Proposed Casing and Cement Program

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	SACKS OF CEMENT	EST. TOP
11	8 5/8	24#	400'	200 SACKS	SURFACE
7 7/8	5 1/2	15.5#	7500	1650 SACKS	SURFACE
					Post ID-2
					2-24-95
				The	Loc + API

22 Describe the proposed program. If this application is to DEEPEN or PLUG BACK give the data on the present productive zoneand proposed new productive zone. Describe the blowout prevention program, if any. Use additional sheets if necessary.

CEMENTING PROGRAM:

SURFACE CASING: 200 SACKS CLASS C (14.8 PPG, 1.34 CF/S, 6.31 GW/S).

PRODUCTION CASING: 1st STG - 300 SACKS 35/65 POZ H w/ 6% GEL, 5% SALT, 1/4# FC (12.4 PPG, 2.14 CF/S, 11.9 GW/S). F/B 450 SACKS 50/50

POZ H w/ 2% GEL, 5% SALT, 1/4# FC (14.2 PPG, 1.35 CF/S, 6.3 GW/S).

DV TOOL @ 4500": 2nd STG - 800 SACKS 35/65 POZ H w/ 6% GEL, 5% SALT, 1/4# FC (12.4 PPG, 2.14 CF/S, 11.9 GW/S). F/B 100 SACKS CLASS H w/ 2% CC (15.6 PPG, 1.19 CF/S, 5.2 GW/S).

g significant

THERE ARE NO OTHER OPERATORS IN THIS QUARTER QUARTER SECTION.

I hereby certify that the rules and regulations of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.	OIL CONSERVATION DIVISION		
Signature c. Wade Howard	ORIGINAL SIGNED BY TIM W. GUM Approved By: DISTRICT II SUPERVISOR		
Printed Name C. Wade Howard	Title:		
Title Eng. Assistant	Approval Date: スノスゅ/۹S Expiration Date: 8/19/9S		
Date 2/14/95 Telephone 688-4606	Conditions of Approval:		