District II PO Drawer DD, Artesiu District III 1000 Rio Brazos Rd., A District IV PO Box 2088, Santa Pe, APPLICATIC	\zicc, NM 87	1-0719 7410 -2088 2 PERMIT	OIL CO San TO DR	UNSERVA PO BO3 ta Fe, NM ILL, RE-H	ENTER, DE	SION 8 EPEN,			Ins propria State Fee MEN R AI	Form C-101 ebruary 10, 1994 tructions on back the District Office Lease - 6 Copies Lease - 5 Copies DED REPORT DD A ZONE FRID Number 575
		A	rtesia N	New Mexic	o 88210				' API Number	
* Property Co					* Property Name			30	0 - 0	15-30081
225	52				cque AQJ S	tato				* Well No.
· · · · · · · · · · · · · · · · · · ·	•	-	· · · · ·		eque Ago s					2
UL or lot BO. Sect		aship Range	Lot Idn	Feet from th	e North/Section	line F-	at from the Ea			· · · · · · · · · · · · · · · · · · ·
L 34		21S 31	- 1	1650'	South		330'	www. West		County
·		⁸ Propose	d Bottom	Hole Loc	ation If Diff	erent I	From Surface			Eddy
UL or lot no. Secti	ion Town	ship Range	Lot Ida	Feet from the	e North/South	Line A Fe				
							Ci Lie En	st/West L	ine	County
	۰P	roposed Pool I	h hos	+ Tank	7 .1	1 M. A	" Proposed Po			
L	Undes	ignated	Delaware	e		/nh ·	wroposed Po	≫IZ /	Fast	= ID-17
ii Wester					·	- fly	<i>[</i>		2 -	20-98
" Work Type Co N	de	" Well Ty	pe Code	¹³ Cat	Rotary		case Type Code		<u> FPI</u>	- + Lin
		0			R	/	S	"	Ground	Level Elevation
" Multiple NO		" Propose	d Depth 00 '	" Fa	"Formation "Contractor					
				De	Undesignated				pud Date	
			¹ Propose	d Casing	and Cement	Progr			A	SAP
Hole Size		Casing Size	Casin	g weight/foot	Setting De	TTOGI2	the second day of the			
<u>17 1/2"</u> 11"	1	L3 3/8"	54.5#		850'		Sacks of Cente 850	nt .	the second s	timated TOC
		8 5/8"	32.0#		4500 / Mm /		2500			rculate
7 7/8"		5 1/2"	17	& 10#	TD	710	As Warran	tod -	C11	rculate
			1	5.5			ms warrall	Lea	-1 (Back PURC
²¹ Describe the move of										
¹¹ Describe the proposed more. Describe the blow Yates Petrole	Approx	imately	850' of		II and tes	t the	Delaware a	nd in	nterm circu	ediate
Approximately commercial, p casing. Will <u>MUD PROGRAM</u> : BOPE PROGRAM: LETTER HAS BE	roduct: perfor Native BOPE EN SENT	ion casi rate and e mud to will be F TO NEW	ng will stimula 850'; E install MEXICO	be run a te as new Brine to ed on the POTASH CO	will be se nd cemente eded for p 4500'; Cut e 13 5/8" o	t and d to t roduct Brine casing	cement circ ie-back to ion. to TD. and tested	culat the d dai	ed. 8 5/ ly.	If 8"
Approximately commercial, p casing. Will MUD PROGRAM: BOPE PROGRAM:	Product: perfor Native BOPE EN SENT	ion casi rate and e mud to will be F TO NEW	ng will stimula 850'; E install MEXICO	be run a te as new Brine to ed on the POTASH CO	will be se nd cemente eded for p 4500'; Cut e 13 5/8" o DRPORATION	t and d to t roduct Brine casing	cement circ ie-back to ion. to TD. and tested iny N.M.O.C.	culat the d dai D. In SS Co	ed. 8 5/ ¹ y. Suffi Menti	If 8" Cient
Approximately commercial, p casing. Will <u>MUD PROGRAM:</u> BOPE PROGRAM: LETTER HAS BE	Product: perfor Native BOPE EN SENT	ion casi rate and e mud to will be F TO NEW	ng will stimula 850'; E install MEXICO	be run a be run a ste as ne Brine to ed on the POTASH CC	Mill be se nd cemente eded for p 4500'; Cut e 13 5/8" o DRPORATION OIL	t and d to t roduct Brine casing	cement circ ie-back to ion. to TD. and tested iny N.M.O.C.	culat the d dai D. In SS Co	ed. 8 5/ ly.	If 8" Cient
Approximately commercial, p casing. Will <u>MUD PROGRAM:</u> BOPE PROGRAM: LETTER HAS BE I bereby cerufy that the p my knowledge and belief Signature:	roduct: perfor Native BOPE EN SENT	ion casi rate and e mud to will be F TO NEW	ng will stimula 850'; E install MEXICO	be run a be run a ite as new Brine to ed on the POTASH CC	will be se nd cemente eded for p 4500'; Cut e 13 5/8" o DRPORATION OIL Proved by:	t and d to t Brine casing CONS	cement circ ie-back to ion. to TD. and tested tify N.M.O.C. Me To Withe The Lagorithm	the d dai D. In SS Co	ed. 8 5/ ly. Suffi Menti	If 8" Cient
Approximately commercial, p casing. Will <u>MUD PROGRAM:</u> BOPE PROGRAM: LETTER HAS BE I bereby cerufy that the p my knowledge and belief Signature: Product name: Clifte	roduct: perfor Native BOPE EN SENT	ion casi rate and e mud to will be F TO NEW	ng will stimula 850'; E install MEXICO	be run a be run a ste as ne Brine to ed on the POTASH CC	Mili be se nd cemente eded for p 4500'; Cut e 13 5/8" o DRPORATION OIL Proved by: (PROCE	t and d to t roduct Brine casing CONS	cement circo ie-back to ion. to TD. and tested tily N.M.O.C. ime To Witne The 13 June ER VA FION	the d dai D. In SS Co	ed. 8 5/ ly. Suffi Menti	If 8" Cient
Approximately commercial, p casing. Will <u>MUD PROGRAM:</u> BOPE PROGRAM: LETTER HAS BE I bereby cerufy that the p my knowledge and belief Signature: Printed name: Cliftee File: Regula	roduct: perfor Native BOPE EN SENT	ion casi rate and e mud to will be F TO NEW	ng will stimula 850'; E install MEXICO	be run at the as new Brine to ed on the POTASH CC c to the best	Mili be se nd cemente eded for p 4500'; Cut e 13 5/8" o DRPORATION OIL Proved by: (PROCE	t and d to t roduct Brine casing CONS	cement circ ie-back to ion. to TD. and tested tily N.M.O.C. ime To Withe The To Withe ERVATION	the dai D. In ss Co Div	ed. 8 5/ ly. Suffi Menti	If 8" Cient
Approximately commercial, p casing. Will <u>MUD PROGRAM:</u> BOPE PROGRAM: LETTER HAS BE I bereby cerufy that the p my knowledge and belief Signature: Product name: Clifte	roduct: perfor Native BOPE EN SENT	ion casi rate and e mud to will be F TO NEW TTO NEW R. M. lay lay gent	ng will stimula 850'; E install MEXICO	be run at the as new Brine to ed on the POTASH CC c to the best Ap	WILL De se nd cemente eded for p 4500'; Cut e 13 5/8" o DRPORATION OIL PPROVED by: CRIGING CRIGING	t and d to t roduct Brine casing CONS	cement circo ie-back to ion. to TD. and tested tily N.M.O.C. ime To Witne The 13 June ER VA FION	the dai D. In ss Co Div	ed. 8 5/ ly. Suffi Menti	If 8" Cient

.

DISTRICT I P.O. Box 1980, Hobbs, NM 88240

DISTRICT II P.O. Drawer DD, Artesia, NM 88210

DISTRICT III 1000 Rio Brazos Rd., Aztec, NM 87410 State of New Mexico

Energy, Minerals and Natural Resources Department

Form C-102 Revised February 10, 1994 Instruction on back Submit to Appropriate District Office State Lease - 4 Copies Fee Lease - 3 Copies

OIL CONSERVATION DIVISION P.O. Box 2088 Santa Fe, New Mexico 87504-2088

□ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

API Number	Pool Code	Pool Name
		Undesignated Delaware
Property Code	Property Name JACQUE "AQJ" STATE	Well Number 2
OCRID No. 025575	Operator Name YATES PETROLEUM CORPORATION	Elevation 3462

Surface Location

UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
L	34	215	31E		1650	SOUTH	330	WEST	EDDY

Bottom Hole Location If Different From Surface

UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
Dedicated Acres	Joint or	r Infill (Consolidation (Code Ore	der No.				
40									
40									

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

l l	OPERATOR CERTIFICATION
	I hereby certify the the information
	contained herein is true and complete to the
	best of my knowledge and belief.
	Clifton R. May Printed Name Regulatory Agent Title
	October 6, 1997
	Date
	SURVEYOR CERTIFICATION
V-4100	I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervison, and that the same is true and correct to the best of my belief.
330%	10/04/97
	Date Surveyed Signature to September 2014 Professional Surveyed Signature to September 2014
1650' -	Certification Parts 15 3640 JACQUE - CESSION AL 193 10 55 GENERAL SUM THE COMPANY

