UNIT STATES
DEPARTMEN. OF THE INTERIOR SUBMITING STATES
BUREAU OF LAND MANAGEMENT

Form approved.

	. BUREAU OF LA	MD MANAGEMEN I	HITEPA, L. 100:			DESIGNATION AND SERI	AL NO.
AF	PLICATION FOR PER	MIT TO DRILL OR D	EEPEN		LC-070		
la TYPE OF WORK:	DRILL 🛛	DEEPEN			NA.	DIAN, ALLOTTEE OR TRI	BE NAME
b. TYPE OF WELL:				-	7.UNIT	AGREEMENT NAME	
OIL X	OAS WELL Other	SINGLE Zone	MULTIPLE ZONE				
2 NAME OF OPERA	TOR DEVON ENERGY CORP	ORATION (NEVADA)	<u></u>			or lease name, well ned Lake Unit #85	3491
3. ADDRESS AND TE		ORATION (NEVADA)	6131		9.API W 30-015-		
		E 1500, OKC, OK 73102 (_		D AND POOL, OR WILDCA	<u></u>
	LL (Report location clearly and in FNL & 1643' FWL, Unit "F"		BJECT TO	F _k		ke; Q-GB-SA S	300
uN	ORTHODOX LOCATI	(A)			11. sec. Section	T. R. M. OR BLOCK AN 8-T18S-27E	D SURVEY OR AREA
At top proposed prod	` '		E APPROVA				
	nd direction from nearest town of southeast of Artesia, NM	OR POST OFFICE*	STATE			NTY OR PARISH	13. STATE
	,		Çİ.	.,†	Eddy	Councy	New Mexico
15.DISTANCE FROM PROPO LOCATION TO NEAREST	SED	16.NO. OF ACRES IN LEASE 200				17.NO. OF ACRES	
PROPERTY OR LEASE L. (Also to nearest drig, unit lin	-	200		Artista (A		40	
18.DISTANCE FROM PROPO TO NEAREST WELL, DR	SED LOCATION*	19. PROPOSED DEPTH 3400'				20 ROTARY OR CA	BLE TOOLS*
OR APPLIED FOR, ON	THIS LEASE, FT. 600'	3400				Rotary	
21. ELEVATIONS (Show when GR 3371'	, , , , , , , , , , , , , , , , , , , ,	Ph. Shaka a state of the second of the secon				APPROX. DATE WORK WI	LL START*
	R	oswell control	LED WATER	Barin			
23.		PROPOSED CASING AND					
SIZE OF HOLE	GRADE, SIZE OF CASING	WEIGHT PER FOOT		ING DEPTH		QUANTITY O	F CEMENT
17 1/2" 12 1/4"	14"	Conductor	40'		<u> </u>	Redimix	
7 7/8"	8 5/8", J-55 5 1/2", J-55	24 ppf 15.5 ppf	1150'	WITHE	22	350 sx Lite + 200 sx	
	ated to surface on all casing strin	1	3400'			250 sx Lite + 350 sx	Class C
Drilling Program Surface Use and Opera Exhibit #1 - Blowout Pr Choke Ma Exhibit #2 - Location at Exhibit #3 - Planned Ac Exhibit #4 - Wells With Exhibit #5 - Production Exhibit #6 - Rotary Rig Exhibit #6 - Rotary Rig Exhibit #8 - H ₂ S Operat IN ABOVE SPACE DE	evention Equipment/ nifold nd Elevation Plat cess Roads in a One Mile Radius Facilities Plan Layout ign Parameters and Factors	Programs to adhere to onshor The undersigned a operations conduct Bond Coverage: BLM Bond File N	re oil and gas regular accepts all applicable ted on the leased lan Nationwide io.: CO-1104 APF GEI SPE	e terms, condi- nd or portion of the PROVAL S NERAL RI ECIAL STI ACHED	tions, significant states of the second states of t	tipulation, and restrict, as described above. ECT TO #7 REMENTS AND	and attachments. tions concerning POST TD-1 IN-9-98 PI 4 Loc
SIGNED*(This space for Fede	ral or State office use)		BUTTROSS, JR. RICT ENGINEER	<u> DATE</u>	2	8/28/98	-
	·						
Application approval does to the reon.	not warrant or certify that the applican	nt holds legal or equitable title to the	ose rights in the subject	lease which wo	uld entitl	e the applicant to conduc	t operations
CONDITIONS OF APP	ROVAL, IF ANY:	Acting Ass	istant Field Offi	ce Manage	er.		_
APPROVED BY	M Farte Smith	TITLELane	ds and Minerals	3	_ DA	TE SEP 2 S	1998
		See Instructions On	Reverse Side				

DISTRICT I P.O. Box 1980, Hobbs, NM 88240

State of New Mexico

Energy, Minerals and Natural Resources Department

Form C-102 Revised February 10, 1994 Instruction on back Submit to Appropriate District Office

State Lease - 4 Copies Fee Lease - 3 Copies

DISTRICT II P.O. Drawer DD, Artesia, NM 88210

1000 Rio Brazos Rd., Astec, NM 87410

DISTRICT III

OIL CONSERVATION DIVISION P.O. Box 2088

Santa Fe, New Mexico 87504-2088

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

API Number	Pool Code 51300	ne GB-SA)	
Property Code	Property WEST RED LA		Well Number 85
OGRID No. 6137	Operator DEVON ENERGY		Elevation 3371'

Surface Location

UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
F	8	18 S	27 E		1830	NORTH	1643	WEST	EDDY

Bottom Hole Location If Different From Surface

	UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
Dedicated Acres Joint or Infill Consolidation Code Order No.	Dedicated Acre	Joint o	r Infill Co	prolidation	Code Cr	der No				

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

. o	OPERATOR CERTIFICATION I hereby certify the the information contained herein is true and complete to the best of my knowledge and belief.
3341.2' 3378.5'	Signature E.L. Buttross, Jr. Printed Name
3368.2' 3376.7'	District Engineer Title 8/28/98 Date
	SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervison, and that the same is true and correct to the best of my betief.
	August 12, 1998 Date Surveyed Signature to Control Professional SurveyorMEXICO
	Certificate 10:0001 Longs 1977 BASIN SON SON SON SON SON SON SON SON SON SO

Attachment to Exhibit #1


NOTES REGARDING BLOWOUT PREVENTORS

West Red Lake Unit #85 Eddy County, New Mexico


- 1. Drilling nipple will be constructed so it can be removed mechanically without the aid of a welder. The minimum internal diameter will equal BOP bore.
- 2. Wear ring will be properly installed in head.
- 3. Blowout preventor and all associated fittings will be in operable condition and tested to 1000 psi with the rig pump.
- 4. All fittings will be flanged.

4.

- 5. A full bore safety valve with proper thread connections will be available on the rotary rig floor at all times.
- 6. All choke lines will be anchored to prevent movement.
- 7. All BOP equipment will be equal to or larger in bore than the internal diameter of the last casing string.
- 8. Will maintain a Kelly cock attached to the Kelly.
- 9. Hand wheels and wrenches will be properly installed and tested for safe operation.
- 10. All BOP equipment will meet API standards and include a minimum 40 gallon accumulator having two independent means of power to initiate closing operation.



CHOKE MANIFOLD REQUIREMENT (2000 psi WP)



WEST RED LAKE AREA

EDBY COUNTY, HOW MENUGS

SCHEMATIC

BLOWOUT PREVENTOR

(2000 PSI HERMALM WP)

EB 8/91