Form 3160-5 (August 1999)

UNITED STATES DEPARTMENT OF THE INTERIOR **BUREAU OF LAND MANAGEMENT**

SUNDRY NOTICES	AND REPORTS ON WELLS
not use this form for	proposals to drill or to re-enter an

FORM APPROVED
OMB NO. 1004-0135
Expires: November 30, 2000

5.	Lease Serial No.	
	NMNM014110	

_	If Indian	Allotton or	Triba Nama	

Do not use the abandoned we	is form for proposals to II. Use form 3160-3 (AP	D) for such proposals.	6. If Indian, Allotte	e or Inbe Name
SUBMIT IN TRI	PLICATE - Other instruc	ctions on reverse side.	7. If Unit or CA/Ag NMNM10491	reement, Name and/or No.
. Type of Well			8. Well Name and N	No.
Oil Well Gas Well Oth	her		WALKER 2C	
. Name of Operator BURLINGTON RESOURCES	O&G CO LP	PEGGY COLE E-Mail: pcole@br-inc.com	9. API Well No. 30-045-30746	6-00-X1
a. Address 3401 EAST 30TH		3b. Phone No. (include area cod Ph: 505.326.9727	A BASIN DAKO	ΛΤ Δ ΄
FARMINGTON, NM 87499		Fx: 505.326.9781	3 JUL MESAVERDE	POINT LOOKOUT
Location of Well (Footage, Sec., 1	f., R., M., or Survey Description	n)	11. County or Paris	sh, and State
Sec 10 T31N R10W SESW 6	65FSL 1755FWL		SAN JUAN C	OUNTY, NM
12. CHECK APP	ROPRIATE BOX(ES) TO	O INDICATE NATURE OF	NOTICE, REPORT, OR OTH	IER DATA
TYPE OF SUBMISSION			OF ACTION	······································
——————————————————————————————————————				
Notice of Intent	Acidize	Deepen _	Production (Start/Resume)	_
☐ Subsequent Report	Alter Casing	Fracture Treat	Reclamation	□ Well Integrity
_	Change Plans	New Construction	Recomplete	Other Change to Original A
☐ Final Abandonment Notice	☐ Change Plans ☐ Convert to Injection	☐ Plug and Abandon☐ Plug Back☐	☐ Temporarily Abandon ☐ Water Disposal	PD
	_ Convert to injection	I lug Dack	—	
Attach the Bond under which the wo following completion of the involved	ally or recomplete horizontally, ork will be performed or provided doperations. If the operation re bandonment Notices shall be fil	give subsurface locations and mease the Bond No. on file with BLM/B sults in a multiple completion or re	ng date of any proposed work and app sured and true vertical depths of all pe IA. Required subsequent reports shall completion in a new interval, a Form uding reclamation, have been complet	rtinent markers and zones. I be filed within 30 days 3160-4 shall be filed once
If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involved testing has been completed. Final A determined that the site is ready for It is intended to alter the appropriate follows: Hole size: 12 1/4" Depth interval: 0-120' Casing size: 9 5/8" Weight: 32,3# Grade: H-40 9 5/8" surface casing - cemer slurry, bring cement to surface pre-set holes or 8 hours for counder surface casing.	ally or recomplete horizontally, ork will be performed or provided operations. If the operation rebandonment Notices shall be fill final inspection.) roved surface casing and the with 32 sacks Class A, e through 3/4" line) or equonventionally set holes be	give subsurface locations and mease the Bond No. on file with BLM/B sults in a multiple completion or reled only after all requirements, included the completion of the subject of the sub	sured and true vertical depths of all per land. Required subsequent reports shall completion in a new interval, a Form adding reclamation, have been completed ect well as	rtinent markers and zones. I be filed within 30 days 3160-4 shall be filed once
If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involved testing has been completed. Final A determined that the site is ready for It is intended to alter the appr follows: Hole size: 12 1/4" Depth interval: 0-120' Casing size: 9 5/8" Weight: 32.3# Grade: H-40 9 5/8" surface casing - cemer slurry, bring cement to surface pre-set holes or 8 hours for or under surface casing.	ally or recomplete horizontally, ork will be performed or provided operations. If the operation rebandonment Notices shall be fiffinal inspection.) roved surface casing and the with 32 sacks Class A, ethrough 3/4" line) or equence on ventionally set holes be strue and correct. Electronic Submission and Electronic Submission an	give subsurface locations and mease the Bond No. on file with BLM/B sults in a multiple completion or reled only after all requirements, included the completion of the subject of the sub	sured and true vertical depths of all per land. Required subsequent reports shall completion in a new interval, a Form ading reclamation, have been completed ect well as (48 cu.ft of hours for ng out from land from l	rtinent markers and zones. I be filed within 30 days 3160-4 shall be filed once
If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involved testing has been completed. Final A determined that the site is ready for It is intended to alter the appr follows: Hole size: 12 1/4" Depth interval: 0-120' Casing size: 9 5/8" Weight: 32.3# Grade: H-40 9 5/8" surface casing - cemer slurry, bring cement to surface pre-set holes or 8 hours for or under surface casing.	ally or recomplete horizontally, ork will be performed or provide di operations. If the operation re bandonment Notices shall be fil final inspection.) roved surface casing and on the with 32 sacks Class A, e through 3/4" line) or equently on the conventionally set holes be strue and correct. Electronic Submission of the convention	give subsurface locations and means the Bond No. on file with BLM/B sults in a multiple completion or led only after all requirements, included the completion of the subject of the subje	sured and true vertical depths of all per land. Required subsequent reports shall completion in a new interval, a Form ading reclamation, have been completed ect well as (48 cu.ft of hours for ng out from land from l	rtinent markers and zones. I be filed within 30 days 3160-4 shall be filed once
If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involved testing has been completed. Final A determined that the site is ready for It is intended to alter the appropriate follows: Hole size: 12 1/4" Depth interval: 0-120' Casing size: 9 5/8" Weight: 32.3# Grade: H-40 9 5/8" surface casing - cemer slurry, bring cement to surface pre-set holes or 8 hours for counder surface casing.	ally or recomplete horizontally, ork will be performed or provide di operations. If the operation re bandonment Notices shall be fil final inspection.) roved surface casing and on the with 32 sacks Class A, e through 3/4" line) or equently on the conventionally set holes be strue and correct. Electronic Submission of the convention	give subsurface locations and means the Bond No. on file with BLM/B sults in a multiple completion or led only after all requirements, included the completion of the subject of the subje	ell Information System to the Farmington 10/10/7/2003 (03AXG0504SE) LATORY ADMINISTRATOR	rtinent markers and zones. I be filed within 30 days 3160-4 shall be filed once
If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involved testing has been completed. Final A determined that the site is ready for It is intended to alter the appropriate follows: Hole size: 12 1/4" Depth interval: 0-120' Casing size: 9 5/8" Weight: 32.3# Grade: H-40 9 5/8" surface casing - cemer slurry, bring cement to surface pre-set holes or 8 hours for counder surface casing.	ally or recomplete horizontally, ork will be performed or provided operations. If the operation rebandonment Notices shall be fill final inspection.) roved surface casing and the structure of the surface casing and the surface case case case case case case case c	give subsurface locations and means the Bond No. on file with BLM/B sults in a multiple completion or led only after all requirements, included the completion of the subject of the subje	ell Information System to the Farmington 01/07/2003 (03AXG0504SE) LATORY ADMINISTRATOR	rtinent markers and zones. I be filed within 30 days 3160-4 shall be filed once
If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involved testing has been completed. Final A determined that the site is ready for It is intended to alter the appropriate follows: Hole size: 12 1/4" Depth interval: 0-120' Casing size: 9 5/8" Weight: 32.3# Grade: H-40 9 5/8" surface casing - cemer slurry, bring cement to surface pre-set holes or 8 hours for counder surface casing.	ally or recomplete horizontally, ork will be performed or provided operations. If the operation rebandonment Notices shall be fifinal inspection.) roved surface casing and the structure of the surface casing and the surface case case case case case case case c	give subsurface locations and means the Bond No. on file with BLM/B sults in a multiple completion or reled only after all requirements, included the completion of the subject of the sub	ell Information System to the Farmington 01/07/2003 (03AXG0504SE) LATORY ADMINISTRATOR	rtinent markers and zones. I be filed within 30 days 3160-4 shall be filed once