

District III

State of New Mexico
Energy, Minerals and Natural Resources Department

OIL CONSERVATION DIVISION
P.O. BOX 2088
SANTA FE, NEW MEXICO 87504-2088

**SUBMIT 1 COPY TO
APPROPRIATE
DISTRICT OFFICE
AND 1 COPY TO
SANTA FE OFFICE.**

ION
2088
RECEIVED
JAN 17 1963
FIRE REPORT
DIV. 3
OIL
DISL.

PIT REMEDIATION AND CLOSURE REPORT

30-045-26192

Operator: BP AMERICA PRODUCTION CO.		Telephone: (505) 326-9200
Address: 200 ENERGY COURT, FARMINGTON, NM 87401		
Facility or Well Name: GCU # 222E		
Location: Unit or Qtr/Qtr Sec P Sec 12 T 28N R 13W County San Juan		
Pit Type: Separator Dehydrator Other Blow		
Land Type: BLM X State Fee Other		

Pit Location: (Attach diagram)	Pit dimensions: length NA, width NA, depth NA Reference: wellhead X, other Footage from reference: 72' Direction from reference: 90 Degrees ✓ East North ✓ West South
--	--

Depth To Groundwater: <small>(Vertical distance from contaminants to seasonal high water elevation of groundwater)</small>	<table border="0" style="width: 100%;"> <tr> <td>Less than 50 feet</td> <td>(20 points)</td> <td></td> </tr> <tr> <td>50 feet to 99 feet</td> <td>(10 points)</td> <td></td> </tr> <tr> <td>Greater than 100 feet</td> <td>(0 points)</td> <td align="right">0</td> </tr> </table>	Less than 50 feet	(20 points)		50 feet to 99 feet	(10 points)		Greater than 100 feet	(0 points)	0
Less than 50 feet	(20 points)									
50 feet to 99 feet	(10 points)									
Greater than 100 feet	(0 points)	0								

Wellhead Protection Area: <small>(Less than 200 feet from a private domestic water source, or; less than 1000 feet from all other water sources)</small>	<table border="0" style="width: 100%;"> <tr> <td>Yes</td> <td>(20 points)</td> <td></td> </tr> <tr> <td>No</td> <td>(0 points)</td> <td align="right">0</td> </tr> </table>	Yes	(20 points)		No	(0 points)	0
Yes	(20 points)						
No	(0 points)	0					

Distance To Surface Water: <small>(Horizontal distance to perennial lakes, ponds, rivers, streams, creeks, irrigation canals and ditches)</small>	<table border="0" style="width: 100%;"> <tr> <td>Less than 100 feet</td> <td>(20 points)</td> <td></td> </tr> <tr> <td>100 feet to 1000 feet</td> <td>(10 points)</td> <td></td> </tr> <tr> <td>Greater than 1000 feet</td> <td>(0 points)</td> <td align="right">0</td> </tr> </table>	Less than 100 feet	(20 points)		100 feet to 1000 feet	(10 points)		Greater than 1000 feet	(0 points)	0
Less than 100 feet	(20 points)									
100 feet to 1000 feet	(10 points)									
Greater than 1000 feet	(0 points)	0								

RANKING SCORE (TOTAL POINTS): 0

Blow Pit B1058

Date Remediation Started: _____

Date Completed: 9-11-02

Remediation Method:

Excavation XApprox. cubic yards NA

(Check all appropriate sections)

Landfarmed _____

Insitu Bioremediation _____

Other CLOSE AS IS.

Remediation Location:

Onsite X Offsite _____

(i.e. landfarmed onsite, name and location of offsite facility)

General Description of Remedial Action: Excavation. Test hole advanced. No remediation necessary.Bedrock BottomGroundwater Encountered: No X Yes _____ Depth _____

Final Pit Closure Sampling:

(if multiple samples, attach sample results and diagram of sample locations and depths)

Sample location see Attached DocumentsSample depth 4' (Test hole bottom)Sample date 9-10-02 Sample time 1103

Sample Results

Soil: Benzene	(ppm) <u>ND</u>	Water: Benzene	(ppb) _____
Total BTEX	(ppm) <u>2.390</u>	Toluene	(ppb) _____
Field Headspace	(ppm) <u>1213</u>	Ethylbenzene	(ppb) _____
TPH	(ppm) <u>172</u>	Total Xylenes	(ppb) _____

Groundwater Sample: Yes _____ No X (If yes, attach sample results)

I HEREBY CERTIFY THAT THE INFORMATION ABOVE IS TRUE AND COMPLETE TO THE BEST OF MY KNOWLEDGE AND BELIEF

DATE 9-11-02 PRINTED NAME Jeffrey C. BlaggSIGNATURE Jeffrey C. Blagg AND TITLE President P.E. # 11607

CLIENT: <u>BP</u>	BLAGG ENGINEERING, INC. P.O. BOX 87, BLOOMFIELD, NM 87413 (505) 632-1199	LOCATION NO: <u>81058</u> COCR NO: <u>10102</u>																																													
FIELD REPORT: PIT CLOSURE VERIFICATION		PAGE No: <u>1</u> of <u>1</u>																																													
LOCATION: NAME: <u>GCU</u> WELL#: <u>22ZE</u> TYPE: <u>BLOW</u> QUAD/UNIT: <u>P</u> SEC: <u>12</u> TWP: <u>28N</u> RNG: <u>13W</u> PM: <u>NM</u> CNTY: <u>SJ</u> ST: <u>NM</u> QTR/FOOTAGE: <u>790'S/630'E</u> SE/SE CONTRACTOR: <u>FLINT (BEN)</u>		DATE STARTED: <u>9/10/02</u> DATE FINISHED: _____ ENVIRONMENTAL SPECIALIST: <u>NV</u>																																													
EXCAVATION APPROX. <u>NA</u> FT. x <u>NA</u> FT. x <u>NA</u> FT. DEEP. CUBIC YARDAGE: <u>NA</u>																																															
DISPOSAL FACILITY: <u>ON-SITE</u> REMEDIATION METHOD: <u>CLOSE AS IS</u>																																															
LAND USE: <u>RANGE-BLM</u> ^{SURFACE} <u>USE - FEE</u> LEASE: <u>NM078391C</u> FORMATION: <u>OK</u>																																															
FIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY <u>72</u> FT. <u>N90E</u> FROM WELLHEAD.																																															
DEPTH TO GROUNDWATER: <u>>100'</u> NEAREST WATER SOURCE: <u>>1000'</u> NEAREST SURFACE WATER: <u>>1000'</u>																																															
NMOCD RANKING SCORE: <u>0</u> NMOCD TPH CLOSURE STD: <u>5000</u> PPM																																															
SOIL AND EXCAVATION DESCRIPTION:		OVM CALIB. READ. = <u>53.5</u> ppm OVM CALIB. GAS = <u>100</u> ppm RF = 0.52 TIME: <u>12:30</u> am/pm DATE: <u>9/3/02</u>																																													
SOIL TYPE: <u>(SAND)</u> / SILTY SAND / SILT / SILTY CLAY / CLAY / GRAVEL / OTHER <u>BEDROCK (SANDSTONE)</u>																																															
SOIL COLOR: <u>GRAYISH ORANGE</u> <u>BEDROCK - SAME AS SOIL</u>																																															
COHESION (ALL OTHERS): <u>NON COHESIVE</u> / SLIGHTLY COHESIVE / COHESIVE / HIGHLY COHESIVE																																															
CONSISTENCY (NON COHESIVE SOILS): <u>LOSELY FIRM</u> / DENSE / VERY DENSE																																															
PLASTICITY (CLAYS): <u>NON PLASTIC</u> / SLIGHTLY PLASTIC / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC																																															
DENSITY (COHESIVE CLAYS & SILTS): <u>SOFT</u> / FIRM / STIFF / VERY STIFF / HARD																																															
MOISTURE: <u>DRY</u> / <u>SLIGHTLY MOIST</u> / MOIST / WET / SATURATED / SUPER SATURATED																																															
DISCOLORATION/STAINING OBSERVED: <u>YES</u> / NO EXPLANATION - <u>4" OK. GRAY/BLACK ~ 1 FT. ABOVE BEDROCK.</u>																																															
HC ODOR DETECTED: <u>YES</u> / NO EXPLANATION - <u>WITHIN TEST HOLE & OVM SAMPLE.</u>																																															
SAMPLE TYPE: <u>GRAB</u> COMPOSITE - # OF PTS. _____																																															
ADDITIONAL COMMENTS: <u>COLLECTED SAMPLE FROM BEDROCK SURFACE - BEDROCK - VERY HARD, SLIGHTLY FRIABLE.</u>																																															
<div style="border: 1px solid black; padding: 2px; display: inline-block;">BEDROCK BOTTOM</div>																																															
FIELD 418.1 CALCULATIONS																																															
SCALE	<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>SAMP. TIME</th> <th>SAMP. ID</th> <th>LAB NO.</th> <th>WEIGHT (g)</th> <th>mL FREON</th> <th>DILUTION</th> <th>READING</th> <th>CALC. (ppm)</th> </tr> </thead> <tbody> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> </tbody> </table>							SAMP. TIME	SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON	DILUTION	READING	CALC. (ppm)																																
SAMP. TIME	SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON	DILUTION	READING	CALC. (ppm)																																								
0 FT																																															
PIT PERIMETER	↑ N			PIT PROFILE																																											
			<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2">OVM READING</th> </tr> <tr> <th>SAMPLE ID</th> <th>FIELD HEADSPACE (ppm)</th> </tr> </thead> <tbody> <tr><td>1 @ 4'</td><td>1213</td></tr> <tr><td>2 @</td><td> </td></tr> <tr><td>3 @</td><td> </td></tr> <tr><td>4 @</td><td> </td></tr> <tr><td>5 @</td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> </tbody> </table> <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th colspan="3">LAB SAMPLES</th> </tr> <tr> <th>SAMPLE ID</th> <th>ANALYSIS</th> <th>TIME</th> </tr> </thead> <tbody> <tr> <td>① @ 4'</td> <td>TAH (80158)</td> <td>1103</td> </tr> <tr> <td>"</td> <td>BTEX (80218)</td> <td>"</td> </tr> <tr> <td colspan="3" style="text-align: center;"><u>BOTH PROXEN</u></td> </tr> </tbody> </table>				OVM READING		SAMPLE ID	FIELD HEADSPACE (ppm)	1 @ 4'	1213	2 @		3 @		4 @		5 @														LAB SAMPLES			SAMPLE ID	ANALYSIS	TIME	① @ 4'	TAH (80158)	1103	"	BTEX (80218)	"	<u>BOTH PROXEN</u>		
OVM READING																																															
SAMPLE ID	FIELD HEADSPACE (ppm)																																														
1 @ 4'	1213																																														
2 @																																															
3 @																																															
4 @																																															
5 @																																															
LAB SAMPLES																																															
SAMPLE ID	ANALYSIS	TIME																																													
① @ 4'	TAH (80158)	1103																																													
"	BTEX (80218)	"																																													
<u>BOTH PROXEN</u>																																															
P.D. = PIT DEPRESSION; B.G. = BELOW GRADE; B = BELOW T.H. = TEST HOLE; ~ = APPROX.; T.B. = TANK BOTTOM			NOT APPLICABLE																																												
TRAVEL NOTES: CALLOUT: <u>9/3/02 - MORN.</u> ONSITE: <u>9/3/02 - MORN.</u>																																															

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Blagg / BP	Project #:	94034-010
Sample ID:	1 @ 4'	Date Reported:	09-11-02
Laboratory Number:	23785	Date Sampled:	09-10-02
Chain of Custody No:	10102	Date Received:	09-10-02
Sample Matrix:	Soil	Date Extracted:	09-11-02
Preservative:	Cool	Date Analyzed:	09-11-02
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	167	0.2
Diesel Range (C10 - C28)	4.8	0.1
Total Petroleum Hydrocarbons	172	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: GCU #222E Blow Pit Grab Sample.


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	1 @ 4'	Date Reported:	09-12-02
Laboratory Number:	23785	Date Sampled:	09-10-02
Chain of Custody:	10102	Date Received:	09-10-02
Sample Matrix:	Soil	Date Analyzed:	09-11-02
Preservative:	Cool	Date Extracted:	09-11-02
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	1.8
Toluene	70.4	1.7
Ethylbenzene	283	1.5
p,m-Xylene	1,320	2.2
o-Xylene	712	1.0
Total BTEX	2,390	


ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	96 %
	1,4-difluorobenzene	96 %
	Bromochlorobenzene	96 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: GCU #222E Blow Pit Grab Sample.


Analyst


Review