District I

P.O. Box 1980, Hobbs, NM



1000 Rio Brazo Rd., Aztec, NM

State of New Mexico Energy, Minerals and Natural Resources Department

OIL CONSERVATION DIVISION P.O. BOX 2088 SANTA FE, NEW MEXICO 87504-2088 SUBMIT I COPY TO
APPROPRIATE
DISTRICT OFFICE
AND I COPY TO
SANTA FE OFFICE

PIT REMEDIATION AND CLOSURE REPORT

30-045-08263

| | <u> </u> | 013 6026) | |
|---|---------------------------|---|--|
| Operator: BP AMERIC | A PRODUCTION CO. | T | elephone: (505) 326-9200 |
| | COURT, FARMINGTON | ĺ | |
| Facility or Well Name: | Sicu Com C = | 144 | |
| Location: Unit or Qtr/Qtr S | Sec L Sec 10 | T 29h R 12W Count | y San Juan |
| Pit Type: Separator | DehydratorOther_B 5 | W | |
| Land Type: BLM, | State, Fee, Oth | ner | |
| Pit Location: (Attach diagram) | Pit dimensions: length | NA , width NA | depth NA |
| (Attacii diagi am) | Reference: wellhead X | • | |
| | Footage from reference: _ | | |
| | Direction from reference: | 80 Degrees | East North |
| | | | West South |
| Depth To Groundwater: (Vertical distance from contaminants to seasonal high water elevation of groundwater) | | Less than 50 feet 50 feet to 99 feet Greater than 100 feet | (20 points) (10 points) (0 points)0 |
| Wellhead Protection Areas (Less than 200 feet from a private domestic water source, or; less than 1000 feet from all other water sources) | : | Yes No | (20 points) (0 points)0 |
| Distance To Surface Wate (Horizontal distance to perennial lakes, ponds, rivers, streams, creeks, irrigation canals and ditches) | r: | Less than 100 feet 100 feet to 1000 feet Greater than 1000 feet | (20 points) (10 points) (0 points)0 |
| | | RANKING SCORE (TOT | AL POINTS): 0 |
| revised: 03/27/02 | | | bei1202.wj |

Blow Dit Blows

| Date Remediation Sta | arted: | Date Completed: 7-24-02 | | | | |
|--|---------------------|-----------------------------------|-------------|--|--|--|
| emediation Method: (Check all appropriate sections) | Excavation X | Approx. cubic yardsNA | | | | |
| | Landfarmed | Insitu Bioremediation | | | | |
| | OtherCLOSE AS IS. | | · | | | |
| Remediation Location (i.e. landfarmed onsite, name and location of offsite facility) | | | | | | |
| General Description of Remedial Action: <u>Excavation. Test hole advanced. No remediation necessary.</u> | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| Groundwater Encountered: No X Yes Depth | | | | | | |
| inal Pit Sample location see Attached Documents | | | | | | |
| Closure Sampling: (if multiple samples, attach sample results | | | | | | |
| and diagram of sample locations and depths) | Sample depth 11' | | | | | |
| | Sample date 7-23-02 | Sample time 1210 | | | | |
| | Sample Results | | | | | |
| | Soil: Benzene (ppm) | | | | | |
| | Total BTEX (ppm) | Toluene (ppb) | _ | | | |
| | | <u>(0.0)</u> Ethylbenzene (ppb) | | | | |
| | TPH (ppm) | Total Xylenes (ppb) | _ | | | |
| Groundwater Sample | Yes No | X (If yes, attach sample results) | | | | |
| I HEREBY CERTIFY THAT THE INFORMATION ABOVE IS TRUE AND COMPLETE TO THE BEST OF MY KNOWLEDGE AND BELIEF | | | | | | |
| DATE 7-24-02 PRINTED NAME Jeffrey C. Blagg | | | | | | |
| SIGNATURE SLOSCAND TITLE President P.E. # 11607 | | | | | | |
| revised: 03/27/02 / | | bei | 1202.wpd | | | |

TRAVEL NOTES: CALLOUT: 7/23/02 - MORN. ONSITE: 7/23/02 - MORN.

SAMPLE

T.H.

B.P.D.

P.D. = PIT DEPRESSION; B.G. = BELOW GRADE T.H. = TEST HOLE; ~ = APPROX.; B = BELOW ANALYSIS

PASSED

TPH (8015B) 1210

P.D.

ء بر

B.6.



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

| Client: | Blagg / BP | Project #: | 94034-010 |
|----------------------|-----------------|---------------------|-----------|
| Sample ID: | 1 @ 11' | Date Reported: | 07-24-02 |
| Laboratory Number: | 23411 | Date Sampled: | 07-23-02 |
| Chain of Custody No: | 9097 | Date Received: | 07-23-02 |
| Sample Matrix: | Soil | Date Extracted: | 07-23-02 |
| Preservative: | Cool | Date Analyzed: | 07-24-02 |
| Condition: | Cool and Intact | Analysis Requested: | 8015 TPH |

| Parameter | Concentration (mg/Kg) | Det. Limit (mg/Kg) |
|------------------------------|--------------------------|--------------------------|
| Gasoline Range (C5 - C10) | 54 | 0.2 |
| Diesel Range (C10 - C28) | 384 | 0.1 |
| Total Petroleum Hydrocarbons | 438 | 0.2 |

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

GCU Com C #144 Blow Pit

Grab Sample.

Analyst C. Cyline

Review