

District I  
P.O. Box 1150, Hobbs, NM  
District II  
P.O. Box 1000, Lordsburg, NM  
District III  
P.O. Box 1000, Lordsburg, NM

State of New Mexico  
Energy, Minerals and Natural Resources Department

OIL CONSERVATION DIVISION  
P.O. BOX 2088  
SANTA FE, NEW MEXICO 87504-2088

OK B0994  
RECEIVED  
JAN 17 2000

SUBMIT COPY TO  
APPROPRIATE  
DISTRICT OFFICE  
AND COPY TO  
SANTA FE OFFICE

PIT REMEDIATION AND CLOSURE REPORT  
30045-28331

Operator: BP AMERICA PRODUCTION CO. Telephone: (505) 326-9200  
Address: 300 AMOCO COURT, FARMINGTON, NM 87401  
Facility or Well Name: GCU # 507  
Location: Unit or Qtr/Qtr Sec D Sec 20 T 29N R 12W County San Juan  
Pit Type: Separator    Dehydrator    Other Blow  
Land Type: BLM X, State   , Fee   , Other   

Pit Location: Pit dimensions: length NA, width NA, depth NA  
(Attach diagram) Reference: wellhead X, other     
Footage from reference: 110'  
Direction from reference: 5 Degrees    East North ✓  
   West of South   

Depth To Groundwater: Less than 50 feet (20 points)  
(Vertical distance from 50 feet to 99 feet (10 points)  
contaminants to seasonal Greater than 100 feet (0 points) 0  
high water elevation of groundwater)

Wellhead Protection Area: Yes (20 points)  
(Less than 200 feet from a private No (0 points) 0  
domestic water source, or; less than  
1000 feet from all other water sources)

Distance To Surface Water: Less than 100 feet (20 points)  
(Horizontal distance to perennial 100 feet to 1000 feet (10 points)  
lakes, ponds, rivers, streams, creeks, Greater than 1000 feet (0 points) 0  
irrigation canals and ditches)

RANKING SCORE (TOTAL POINTS): 0

Blow Pit 30994

Date Remediation Started: \_\_\_\_\_

Date Completed: 6-10-02Remediation Method: Excavation XApprox. cubic yards NA

(Check all appropriate sections)

Landfarmed \_\_\_\_\_

Insitu Bioremediation \_\_\_\_\_

Other CLOSE AS IS.Remediation Location: Onsite X Offsite \_\_\_\_\_(i.e. landfarmed onsite,  
name and location of  
offsite facility)General Description of Remedial Action: Excavation. Test hole advanced. No remediation necessary.MOSTLY BEDROCK. PIT CONSTRUCTED AFTER 98 PIT INVENTORY WAS CONDUCTED.Groundwater Encountered: No X Yes \_\_\_\_\_ Depth \_\_\_\_\_Final Pit  
Closure Sampling:  
(if multiple samples,  
attach sample results  
and diagram of sample  
locations and depths)Sample location see Attached DocumentsSample depth 4' (Test hole bottom)Sample date 6-6-02 Sample time 0820

## Sample Results

Soil: Benzene	(ppm)	_____	Water: Benzene	(ppb)	_____
Total BTEX	(ppm)	_____	Toluene	(ppb)	_____
Field Headspace	(ppm)	<u>0.0</u>	Ethylbenzene	(ppb)	_____
TPH	(ppm)	<u>ND</u>	Total Xylenes	(ppb)	_____

Groundwater Sample: Yes \_\_\_\_\_ No X (If yes, attach sample results)

I HEREBY CERTIFY THAT THE INFORMATION ABOVE IS TRUE AND COMPLETE TO THE BEST OF MY KNOWLEDGE AND BELIEF

DATE 6-10-02 PRINTED NAME Jeffrey C. BlaggSIGNATURE Jeffrey C. Blagg AND TITLE President P.E. # 11607

CLIENT: <u>BP</u>	BLAGG ENGINEERING, INC. P.O. BOX 87, BLOOMFIELD, NM 87413 (505) 632-1199	LOCATION NO: <u>80994</u> C.O.C. NO: <u>9073</u>
-------------------	--	---

FIELD REPORT: PIT CLOSURE VERIFICATION		PAGE No: <u>1</u> of <u>1</u>
--	--	-------------------------------

LOCATION: NAME: <u>GCU</u> WELL #: <u>507</u> TYPE: <u>BLW</u> QUAD/UNIT: <u>D SEC: 20 TWP: 29N RNG: 12W PM: NM CNTY: SJ ST: NM</u> QTR/FOOTAGE: <u>840'N/85'W NW/4W</u> CONTRACTOR: <u>HIGH DESERT (RANDY)</u>	DATE STARTED: <u>6/6/02</u> DATE FINISHED: _____ ENVIRONMENTAL SPECIALIST: <u>NV</u>
---	--

EXCAVATION APPROX. <u>NA</u> FT. x <u>NA</u> FT. x <u>NA</u> FT. DEEP. CUBIC YARDAGE: <u>NA</u>
DISPOSAL FACILITY: <u>ON-SITE</u> REMEDIATION METHOD: <u>CLOSE AS IS</u>
LAND USE: <u>RANGE - BURN</u> LEASE: <u>NM078391A</u> FORMATION: <u>PC</u>


  

FIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY <u>110</u> FT. <u>NSW</u> FROM WELLHEAD.	
DEPTH TO GROUNDWATER: <u>&gt;100'</u>	NEAREST WATER SOURCE: <u>&gt;1000'</u>
NMOC D RANKING SCORE: <u>0</u>	NMOC D TPH CLOSURE STD: <u>5000</u> PPM


  

SOIL AND EXCAVATION DESCRIPTION: SOIL TYPE: SAND / SILTY SAND / SILT / SILTY CLAY / CLAY / GRAVEL / OTHER <u>BEDROCK (SANDSTONE)</u> SOIL COLOR: <u>PALE YELL. ORANGE TO BROWN</u> COHESION (ALL OTHERS): NON COHESIVE / SLIGHTLY COHESIVE / COHESIVE / HIGHLY COHESIVE CONSISTENCY (NON COHESIVE SOILS): LOOSE / FIRM / <u>DENSE</u> / <u>VERY DENSE</u> PLASTICITY (CLAYS): NON PLASTIC / SLIGHTLY PLASTIC / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC DENSITY (COHESIVE CLAYS & SILTS): SOFT / FIRM / STIFF / VERY STIFF / HARD MOISTURE: DRY / <u>SLIGHTLY MOIST</u> / MOIST / WET / SATURATED / SUPER SATURATED DISCOLORATION/STAINING OBSERVED: YES / <u>NO</u> EXPLANATION - _____ HC ODOR DETECTED: YES / <u>NO</u> EXPLANATION - _____ SAMPLE TYPE: <u>GRAB</u> / COMPOSITE - # OF PTS. - _____ ADDITIONAL COMMENTS: <u>4" COMPACT SILTY SAND ~ 6" BELOW PIT DEPRESSION, REMAINING PORTION OF TEST HOLE CONSISTED OF BEDROCK. (PIT CONSTRUCTED AFTER SAMPLE COLLECTED FROM BEDROCK. 98 PIT INVENTORY)</u>	OVM CALIB. READ: <u>53.5</u> ppm OVM CALIB. GAS = <u>100</u> ppm RF = <u>0.52</u> TIME: <u>8:25</u> AM/PM DATE: <u>6/6/02</u>
--	---

SCALE  0 FT	FIELD 418.1 CALCULATIONS <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>SAMP. TIME</th> <th>SAMPLE I.D.</th> <th>LAB No:</th> <th>WEIGHT (g)</th> <th>mL. FREON</th> <th>DILUTION</th> <th>READING</th> <th>CALC. ppm</th> </tr> </thead> <tbody> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> </tbody> </table>	SAMP. TIME	SAMPLE I.D.	LAB No:	WEIGHT (g)	mL. FREON	DILUTION	READING	CALC. ppm																																																																								
SAMP. TIME	SAMPLE I.D.	LAB No:	WEIGHT (g)	mL. FREON	DILUTION	READING	CALC. ppm																																																																										

PIT PERIMETER 	OVM RESULTS <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>SAMPLE ID</th> <th>FIELD HEADSPACE PID (ppm)</th> </tr> </thead> <tbody> <tr><td>1 @ 4'</td><td>0.0</td></tr> <tr><td>2 @</td><td> </td></tr> <tr><td>3 @</td><td> </td></tr> <tr><td>4 @</td><td> </td></tr> <tr><td>5 @</td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> </tbody> </table>	SAMPLE ID	FIELD HEADSPACE PID (ppm)	1 @ 4'	0.0	2 @		3 @		4 @		5 @																						PIT PROFILE <p style="text-align: center; font-size: 1.2em;">NOT APPLICABLE</p>
SAMPLE ID	FIELD HEADSPACE PID (ppm)																																	
1 @ 4'	0.0																																	
2 @																																		
3 @																																		
4 @																																		
5 @																																		

LAB SAMPLES <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>SAMPLE ID</th> <th>ANALYSIS</th> <th>TIME</th> </tr> </thead> <tbody> <tr> <td>De 4'</td> <td>TAH (80158)</td> <td>0820</td> </tr> <tr> <td> </td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> <td> </td> </tr> </tbody> </table>	SAMPLE ID	ANALYSIS	TIME	De 4'	TAH (80158)	0820																						<div style="border: 2px solid black; border-radius: 50%; padding: 10px; display: inline-block;">             PASSED           </div>
SAMPLE ID	ANALYSIS	TIME																										
De 4'	TAH (80158)	0820																										

P.D. = PIT DEPRESSION; B.G. = BELOW GRADE T.H. = TEST HOLE; ~ = APPROX.; B = BELOW
---

TRAVEL NOTES: CALLOUT: <u>6/6/02 - MORN.</u> ONSITE: <u>6/6/02 - MORN.</u>
--

# ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

## EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Blagg / BP	Project #:	94034-010
Sample ID:	1 @ 4'	Date Reported:	06-10-02
Laboratory Number:	22878	Date Sampled:	06-06-02
Chain of Custody No:	9073	Date Received:	06-06-02
Sample Matrix:	Soil	Date Extracted:	06-06-02
Preservative:	Cool	Date Analyzed:	06-10-02
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: GCU #507 Blow Pit Grab Sample.

  
Analyst

  
Review